

Model Number	NEW Model Number (N/A = No change)	CSA Z259.12 Compliant Description	*Stock Status
<b>Anchorage Connectors</b>			
<b>Carabiners</b>			
17D-1/	N/A	Steel twist-lock carabiner; 1" gate opening	Stock
17D-2/	N/A	Aluminum twist-lock carabiner; 1" gate opening	Stock
17D-4/	N/A	Steel twist-lock carabiner; 3/4" gate opening	Stock
18D-1/	N/A	Large steel twist-lock carabiner; 2" gate opening	Non-Stock
18D-1/-001	N/A	Large steel twist-lock carabiner; 1 7/8" gate opening	Non-Stock
<b>Rope Grabs</b>			
8175SLS/3FTYLC	N/A	Trailing Rope Grab – 8175 with attached 3' SofStop shock-absorber with locking snap hook	Stock
8175RLS/2FTWHC	8175RLS-Z7/2FTWHC	Trailing Rope Grab – 8175 with attached 2' rope lanyard with locking snap hook	Non-Stock
8174MLS/4FTYLC	8174MLS-Z7/4FTYLC	Manual Rope Grab – 8174 with attached 4' Manyard shock-absorbing lanyard with locking snap hook	Non-Stock
<b>Rebar Hook Anchors</b>			
480/19INGN	480-Z7/19INGN	Designed to facilitate anchoring to scaffolding, pipe or angle iron, and features a locking rebar hook for easy, one-hand installation and a D-ring on the other end to accommodate the connecting device. 400 lbs. maximum capacity.	Stock
480/4FTGN	480-Z7/4FTGN	Designed to facilitate anchoring to scaffolding, pipe or angle iron, and features a locking rebar hook for easy, one-hand installation and a D-ring on the other end to accommodate the connecting device. 400 lbs. maximum capacity.	Non-Stock
<b>Cable Anchorage Connector</b>			
8186V-Z7/2FTV	N/A	1/4" vinyl-coated, galvanized wire rope, steel 3" O-ring and locking snap hook; 2'	Non-Stock
8186V/6FTV	8186V-Z7/6FTV	1/4" vinyl-coated, galvanized wire rope, steel 3" O-ring and locking snap hook; 6'	Stock
8186V/12FTV	8186V-Z7/12FTV	1/4" vinyl-coated, galvanized wire rope, steel 3" O-ring and locking snap hook; 12'	Non-Stock
8186V/26FTV	8186V-Z7/26FTV	1/4" vinyl-coated, galvanized wire rope, steel 3" O-ring and locking snap hook; 26'	Non-Stock
8187G/6FTG	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 6'	Non-Stock
8187V/10FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 10'	Non-Stock
8187V/12FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 12'	Non-Stock
8187V/15FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 15'	Non-Stock
8187V/18FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 18'	Non-Stock
8187V/20FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 20'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
8187V/22FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 22'	Non-Stock
8187V/3FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 3'	Non-Stock
8187V/4FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 4'	Non-Stock
8187V/5FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 5'	Non-Stock
8187V/6FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 6'	Non-Stock
8187V/8FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 8'	Non-Stock
<b>Vertical Lifelines</b>			
194R-2/100FTWH	N/A	5/8" white nylon rope lifeline with carabiner and thimble; 100'	Non-Stock
194R-2/200FTWH	N/A	5/8" white nylon rope lifeline with carabiner and thimble; 200'	Non-Stock
194R-2/25FTWH	N/A	5/8" white nylon rope lifeline with carabiner and thimble; 25'	Non-Stock
194R-2/30FTWH	N/A	5/8" white nylon rope lifeline with carabiner and thimble; 30'	Non-Stock
194R-2/50FTWH	N/A	5/8" white nylon rope lifeline with carabiner and thimble; 50'	Non-Stock
194R-2/75FTWH	N/A	5/8" white nylon rope lifeline with carabiner and thimble; 75'	Non-Stock
194R-5/100FTWH	N/A	5/8" white polyester rope lifeline with carabiner and thimble; 100'	Non-Stock
194R-5/120FTWH	N/A	5/8" white polyester rope lifeline with carabiner and thimble; 120'	Non-Stock
194R-5/25FTWH	N/A	5/8" white polyester rope lifeline with carabiner and thimble; 25'	Non-Stock
194R-5/50FTWH	N/A	5/8" white polyester rope lifeline with carabiner and thimble; 50'	Non-Stock
198RLS-2/15FTWH	198RLS-2-Z7/15FTWH	5/8" Nylon rope lifeline with choke-off loop and locking snap hook; 15'	Non-Stock
198RLS-2/30FTWH	198RLS-2-Z7/30FTWH	5/8" Nylon rope lifeline with choke-off loop and locking snap hook; 30'	Non-Stock
198RLS-2/75FTWH	198RLS-2-Z7/75FTWH	5/8" Nylon rope lifeline with choke-off loop and locking snap hook; 75'	Non-Stock
198RLS-2/100FTWH	198RLS-2-Z7/100FTWH	5/8" Nylon rope lifeline with choke-off loop and locking snap hook; 100'	Non-Stock
198RLS-2/450FTWH	198RLS-2-Z7/450FTWH	5/8" Nylon rope lifeline with choke-off loop and locking snap hook; 450'	Non-Stock
198RLS-5/50FTWH	198RLS-5-Z7/50FTWH	5/8" Polyester rope lifeline with choke-off loop and locking snap hook; 50'	Non-Stock
198RLS-5/200FTWH	198RLS-5-Z7/200FTWH	5/8" Polyester rope lifeline with choke-off loop and locking snap hook; 200'	Non-Stock
201RLS-2/15FTWH	201RLS-2-Z7/15FTWH	5/8" Nylon rope lifeline with locking snap hook at each end; 15'	Non-Stock
201RLS-2/20FTWH	201RLS-2-Z7/20FTWH	5/8" Nylon rope lifeline with locking snap hook at each end; 20'	Non-Stock
201RLS-2/50FTWH	201RLS-2-Z7/50FTWH	5/8" Nylon rope lifeline with locking snap hook at each end; 50'	Non-Stock
202RRS-2/30FTWH	202RRS-2-Z7/30FTWH	5/8" Nylon rope lifeline with locking snap hook and locking rebar hook; 30'	Non-Stock
203RLS-2/20FTWH	203RLS-2-Z7/20FTWH	5/8" Adjustable Nylon rope lifeline with locking snap hook at each end; 20'	Non-Stock
209RRS-2/50FTWH	209RRS-2-Z7/50FTWH	5/8" polyester rope lifeline with locking snap hook and locking rebar hook; 50'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
300C/100FTBL	N/A	5/8" blue polyester/polypropylene blend rope lifeline w/twist-lock carabiner and loop; 100'	Stock
300C/200FTBL	N/A	5/8" blue polyester/polypropylene blend rope lifeline w/twist-lock carabiner and loop; 200'	Non-Stock
300C/25FTBL	N/A	5/8" blue polyester/polypropylene blend rope lifeline w/twist-lock carabiner and loop; 25'	Non-Stock
300C/300FTBL	N/A	5/8" blue polyester/polypropylene blend rope lifeline w/twist-lock carabiner and loop; 300'	Non-Stock
300C/50FTBL	N/A	5/8" blue polyester/polypropylene blend rope lifeline w/twist-lock carabiner and loop; 50'	Non-Stock
300C/75FTBL	N/A	5/8" blue polyester/polypropylene blend rope lifeline w/twist-lock carabiner and loop; 75'	Non-Stock
300L/25FTBL	300L-Z7/25FTBL	5/8" blue polyester/polypropylene blend rope lifeline w/locking snap hook and loop; 25'	Stock
300L/50FTBL	300L-Z7/50FTBL	5/8" blue polyester/polypropylene blend rope lifeline w/locking snap hook and loop; 50'	Stock
300L/75FTBL	300L-Z7/75FTBL	5/8" blue polyester/polypropylene blend rope lifeline w/locking snap hook and loop; 75'	Stock
300L/100FTBL	300L-Z7/100FTBL	5/8" blue polyester/polypropylene blend rope lifeline w/locking snap hook and loop; 100'	Stock
300L/150FTBL	300L-Z7/150FTBL	5/8" blue polyester/polypropylene blend rope lifeline w/locking snap hook and loop; 150'	Non-Stock
300L/200FTBL	300L-Z7/200FTBL	5/8" blue polyester/polypropylene blend rope lifeline w/locking snap hook and loop; 200'	Non-Stock
T9111R/20FTWH	T9111R-Z7/20FTWH	5/8" rope lifeline w/two locking snap hooks; 20'	Non-Stock
T9111R/25FTWH	T9111R-Z7/25FTWH	5/8" rope lifeline w/two locking snap hooks; 25'	Non-Stock
T9112R/20FTWH	T9112R-Z7/20FTWH	5/8" rope lifeline w/locking snap hook and locking rebar hook; 20'	Non-Stock
<b>Body Wear</b>			
E753/S/MGN	N/A	Miller DuraFlex® Harness w/mating buckles, web loop back D-ring, protective pads and self-recsue positioning loops; Small/Medium	Non-Stock
E753/UGN	N/A	Miller DuraFlex® Harness w/mating buckles, web loop back D-ring, protective pads and self-recsue positioning loops; Universal (L/XL)	Non-Stock
E753/XXLGN	N/A	Miller DuraFlex® Harness w/mating buckles, web loop back D-ring, protective pads and self-recsue positioning loops; XXL	Non-Stock
<b>Connecting Devices</b>			
<b>TurboLite™ Personal Fall Limiters</b>			
MFL-1/6FT	MFL-1-Z7/6FT	TurboLite w/ steel twist-lock carabiner and locking snap hook	Stock
MFL-2/6FT	MFL-2-Z7/6FT	TurboLite w/ steel twist-lock carabiner and locking rebar hook	Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
MFL-3/6FT	MFL-3-Z7/6FT	TurboLite w/o unit connector and locking snap hook	Stock
MFL-4/6FT	MFL-4-Z7/6FT	TurboLite w/o unit connector and locking rebar hook	Stock
MFL-5/6FT	MFL-5-Z7/6FT	TurboLite w/o unit connector and locking swivel snap hook	Non-Stock
MFL-6/6FT	MFL-6-Z7/6FT	TurboLite w/o unit connector and locking swivel rebar hook	Non-Stock
MFL-9/6FT	MFL-9-Z7/6FT	TurboLite w/two locking snap hooks	Stock
MFL-10/6FT	MFL-10-Z7/6FT	TurboLite w/ locking snap hook and locking rebar hook	Stock
MFL-11/6FT	MFL-11-Z7/6FT	TurboLite w/ aluminum twist lock carabiner and locking aluminum snap hook	Non-Stock
MFL-12/6FT	MFL-12-Z7/6FT	TurboLite with 17D-2/ carabiner and locking aluminum rebar hook	Non-Stock
<b>Twin Turbo™ Personal Fall Limiters</b>			
MFLB-3/6FT	MFLB-3-Z7/6FT	Twin Turbo D-Ring Connector and two (2) MFL-3-Z7/6FT TurboLite PFL's	Stock
MFLB-4/6FT	MFLB-4-Z7/6FT	Twin Turbo D-Ring Connector and two (2) MFL-4-Z7/6FT TurboLite PFL's	Stock
MFLB-11/6FT	MFLB-11-Z7/6FT	Twin Turbo D-ring Connector and two (2) MFL-11-Z7/6FT TurboLite PFL's	Non-Stock
MFLB-12/6FT	MFLB-12-Z7/6FT	Twin Turbo D-Ring Connector and two (2) MFL-12-Z7/6FT TurboLite PFL's	Stock
<b>Turbo T-BAK™ Personal Fall Limiters</b>			
MFLT-1/7.5FT	N/A	Turbo T-BAK without unit connector	Non-Stock
MFLT-2/7.5FT	N/A	Turbo T-BAK with Steel twist lock Carabiner	Non-Stock
MFLT-3/7.5FT	N/A	Turbo T-BAK with Aluminum twist lock Carabiner	Non-Stock
MFLT-5/7.5FT	N/A	Turbo T-BAK with ANSI Z359.1.2007 Compliant Snap hook	Non-Stock
<b>Twin Turbo T-BAK™ Personal Fall Limiters</b>			
MFLT-1/7.5FT	N/A	Twin Turbo D-ring connector with two MFLT-1/7.5FT units	Stock
<b>Miller Scorpion™ Personal Fall Limiters</b>			
PFL-1/9FT	PFL-1-Z7/9FT	Without unit connector; locking snap hook; 9'	Non-Stock
PFL-2/9FT	PFL-2-Z7/9FT	Steel twist-lock carabiner; locking snap hook; 9'	Stock
PFL-3/9FT	PFL-3-Z7/9FT	Stainless steel swivel shackle; locking snap hook; 9'	Stock
PFL-4/9FT	PFL-4-Z7/9FT	Carabiner and swivel shackle; locking snap hook; 9'	Stock
PFL-6/9FT	PFL-6-Z7/9FT	Rebar hook and swivel shackle; locking snap hook; 9'	Stock
PFL-7/9FT	PFL-7-Z7/9FT	Locking snap hook and swivel shackle; locking snap hook; 9'	Non-Stock
PFL-9/9FT	PFL-9-Z7/9FT	Carabiner and swivel shackle; locking rebar hook; 9'	Stock
PFL-11/9FT	PFL-11-Z7/9FT	Locking snap hook and swivel shackle; locking rebar hook; 9'	Non-Stock
PFL-12/9FT	PFL-12-Z7/9FT	Carabiner and swivel shackle; locking rebar swivel hook; 9'	Non-Stock
PFL-14/9FT	PFL-14-Z7/9FT	Locking snap hooks and swivel shackle; locking swivel rebar hook; 9'	Non-Stock
PFL-15/9FT	PFL-15-Z7/9FT	Without unit connector; locking swivel snap hook; 9'	Non-Stock
PFL-16/9FT	PFL-16-Z7/9FT	Steel twist-lock carabiner; locking swivel snap hook; 9'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
PFLCMK/	PFLCMK-Z7/	Cab mount bracket and PFL-15-Z7/9FT; 9'	Non-Stock
<b>Miller MiniLite® Fall Limiters</b>			
FL11/11FT	FL11-Z7/11FT	Without an anchorage connection and attached snap hook on web	Stock
FL11-0/11FT	FL11-0-Z7/11FT	Without an anchorage connection and attached snap hook on web lanyard end; 11'	Stock
FL11-1/11FT	FL11-1-Z7/11FT	Steel twist-lock carabiner and attached snap hook on web lanyard end; 11'	Stock
FL11-2/11FT	FL11-2-Z7/11FT	Stainless steel swivel shackle and attached snap hook on web lanyard end; 11'	Non-Stock
FL11-3/11FT	FL11-3-Z7/11FT	Steel twist-lock carabiner & swivel shackle and attached snap hook on web lanyard end; 11'	Stock
FL11-4/11FT	FL11-4-Z7/11FT	3 ft. cross-arm strap on the anchorage end and attached snap hook on web lanyard end; 11'	Non-Stock
FL11-5/11FT	FL11-5-Z7/11FT	Locking rebar hook and attached snap hook on web lanyard end; 11'	Non-Stock
FL11-6/11FT	FL11-6-Z7/11FT	Locking rebar hook & swivel shackle and attached snap hook on web lanyard end; 11'	Stock
FL11-7/11FT	FL11-7-Z7/11FT	Locking snap hook and attached snap hook on web lanyard end; 11'	Non-Stock
FL11-8/11FT	FL11-8-Z7/11FT	Locking snap hook & swivel shackle and attached snap hook on web lanyard end; 11'	Stock
FL11-11/11FT	FL11-11-Z7/11FT	Locking snap hook & swivel shackle and attached rebar hook on web lanyard end; 11'	Non-Stock
<b>Black Rhino™ Self-Retracting Lifelines</b>			
CFL-1/9FT	CFL-1-Z7/9FT	9' cable self-retracting lanyard without an anchorage connector and locking swivel snap hook with load indicator.	Non-Stock
CFL-2/9FT	CFL-2-Z7/9FT	9' cable self-retracting lanyard with steel twist lock carabiner; locking swivel snap hook with load indicator	Stock
CFL-3/9FT	CFL-3-Z7/9FT	9' Stainless steel swivel (need carabiner, not included); locking swivel snap hook with load indicator	Non-Stock
CFL-4/9FT	CFL-4-Z7/9FT	9' cable self-retracting lanyard with stainless steel swivel and twist-lock carabiner; locking swivel snap hook with load indicator	Stock
CFL-5/9FT	CFL-5-Z7/9FT	9' stainless steel swivel and locking rebar hook; locking swivel snap hook with load indicator	Stock
CFL-6/9FT	CFL-6-Z7/9FT	9' stainless steel swivel and twist lock carabiner; locking rebar hook	Non-Stock
CFLCMK/	CFLCMK-Z7/	Black Rhino™ cab mount	Non-Stock
<b>Falcon™ Self-Retracting Lifelines</b>			
<b>Falcon™ Web</b>			

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
MP16P/16FT	MP16P-Z7/16FT	16' web lifeline with stainless steel swivel, carabiner and locking snap	Non-Stock
MP20P/20FT	MP20P-Z7/20FT	20' web lifeline with stainless steel swivel, carabiner and locking snap	Stock
<b>Falcon™ Cable</b>			Non-Stock
MP20G/20FT	MP20G-Z7/20FT	20-ft. galvanized wire rope (3/16-in.) with tagline and carabiner	Stock
MP20SS/20FT	MP20SS-Z7/20FT	20-ft. stainless steel wire rope (3/16-in.) with tagline and carabiner	Stock
MP30G/30FT	MP30G-Z7/30FT	30-ft. galvanized wire rope (3/16-in.) with tagline and carabiner	Stock
MP30SS/30FT	MP30SS-Z7/30FT	30-ft. stainless steel wire rope (3/16-in.) with tagline and carabiner	Stock
MP50G/50FT	MP50G-Z7/50FT	50-ft. galvanized wire rope (3/16-in.) with tagline and carabiner	Stock
MP50SS/50FT	MP50SS-Z7/50FT	50-ft. stainless steel wire rope (3/16-in.) with tagline and carabiner	Stock
MP65G/65FT	MP65G-Z7/65FT	65-ft. galvanized steel wire rope (3/16-in.) with tagline and carabiner	Non-Stock
MP65SS/65FT	MP65SS-Z7/65FT	65-ft. stainless steel wire rope (3/16-in.) with tagline and carabiner	Non-Stock
<b>MightyLite™ Self-Retracting Lifelines (SRL)</b>			
<b>20 ft. MightLite SRLs</b>			
RL20BG/20FT	RL20BG-Z7/20FT	20' galvanized wire rope (3/16") lifeline	Non-Stock
RL20G/20FT	RL20G-Z7/20FT	20' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Stock
RL20P/20FT	RL20P-Z7/20FT	20' polyester web (1") lifeline w/carabiner & tagline	Non-Stock
RL20SS/20FT	RL20SS-Z7/20FT	20' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Stock
<b>30 ft. MightyLite SRLs</b>			
RL30BG/30FT	RL30BG-Z7/30FT	30' galvanized wire rope (3/16") lifeline	Non-Stock
RL30G/30FT	RL30G-Z7/30FT	30' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
RL30SS/30FT	RL30SS-Z7/30FT	30' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
RLS30BS/30FT	RLS30BS-Z7/30FT	30' stainless steel wire rope (3/16") lifeline	Non-Stock
RLS30G/30FT	RLS30G-Z7/30FT	30' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Stock
RLS30S/30FT	RLS30S-Z7/30FT	30' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Stock
<b>40 ft. MightyLite SRLs</b>			
RL40K/40FT	RL40K-Z7/40FT	40' Kevlar® lifeline w/carabiner & tagline	Non-Stock
<b>50 ft. MightyLite SRLs</b>			
RL50BP/50FT	RL50BP-Z7/50FT	50' polyester web (1") lifeline	Non-Stock
RL50P/50FT	RL50P-Z7/50FT	50' polyester web (1") lifeline w/carabiner & tagline	Non-Stock
RL50SS/50FT	RL50SS-Z7/50FT	50' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
<b>65 ft. MightyLite SRLs</b>			
RL65G/65FT	RL65G-Z7/65FT	65' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Stock
RL65SS/65FT	RL65SS-Z7/65FT	65' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
<b>100 ft. MightyLite SRLs</b>			
RL100BG/100FT	RL100BG-Z7/100FT	100' galvanized wire rope (3/16") lifeline	Non-Stock
RL100G/100FT	RL100G-Z7/100FT	100' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
RL100SS/100FT	RL100SS-Z7/100FT	100' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



Model Number	NEW Model Number (N/A = No change)	CSA Z259.12 Compliant Description	*Stock Status
<b>120 ft. MightyLite SRLs</b> RL120G/120FT	RL120G-Z7/120FT	120' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
<b>130 ft. MightyLite SRLs</b> RL130G/130FT RL130SS/130FT	RL130G-Z7/130FT RL130SS-Z7/130FT	130' galvanized wire rope (3/16") lifeline w/carabiner & tagline 130' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock Non-Stock
<b>175 ft. MightyLite SRLs</b> RL175G/175FT RL175SS/175FT	RL175G-Z7/175FT RL175SS-Z7/175FT	175' galvanized wire rope (3/16") lifeline w/carabiner & tagline 175' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock Non-Stock
<b>RoofStrider™ System Kits</b>			
SRM30G/30FT	SRM30G-Z7/30FTC	30' galvanized MightyLite SRL with roof mounting assembly for pitched roofs	Non-Stock
SRM50G/50FT	SRM50G-Z7/50FTC	50' galvanized MightyLite SRL with roof mounting assembly for pitched roofs	Non-Stock
SRM50SS/50FT	SRM50SS-Z7/50FTC	50' stainless steel MightyLite SRL with roof mounting assembly for pitched roofs	Non-Stock
SRM65G/65FT	SRM65G-Z7/65FTC	65' galvanized MightyLite SRL with roof mounting assembly for pitched roofs	Non-Stock
<b>RoofStrider™ II System Kits</b>			
RM50G/50FT	RM50G-Z7/50FT	50' galvanized MightyLite SRL with roof mounting assembly for standing seam metal roofs	Non-Stock
RM65G/65FT	RM65G-Z7/65FT	65' galvanized MightyLite SRL with roof mounting assembly for standing seam metal roofs	Non-Stock
<b>Titan™ Fall Limiters</b>			
TFL/11FT	TFL-Z7/11FT	Without an anchorage connection and attached snap hook on web lanyard end; 11'	Non-Stock
TFL-1/11FT	TFL-1-Z7/11FT	Steel twist-lock carabiner and attached snap hook on web lanyard end; 11'	Stock
TFL-3/11FT	TFL-3-Z7/11FT	Stainless steel swivel shackle & carabiner and attached snap hook on web lanyard end; 11'	Stock
<b>Titan™ Self-Retracting Lifelines</b>			
TRW/8FT	TRW-Z7/8FT	8' polyester web (1") lifeline w/carabiner	Non-Stock
TRWS/8FT	TRWS-Z7/8FT	8-ft. webbing retractable lanyard with top swivel	Non-Stock
TR20/20FT	TR20-Z7/20FT	20' galvanized wire rope (3/16") lifeline w/carabiner	Non-Stock
TRW/20FT	TRW-Z7/20FT	20' polyester web (1") lifeline w/carabiner	Non-Stock
TR30/30FT	TR30-Z7/30FT	30' galvanized wire rope (3/16") lifeline w/carabiner	Non-Stock
TR50/50FT	TR50-Z7/50FT	50' galvanized wire rope (3/16") lifeline w/carabiner	Non-Stock
TR65/65FT	TR65-Z7/65FT	65' galvanized wire rope (3/16") lifeline w/carabiner	Non-Stock
<b>Retractable Web Lanyards</b>			
8327/6FTYL	8327-Z7/6FTYL	Retractable web lanyard with a carabiner; 6'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
8327/7FTYL	8327-Z7/7FTYL	Retractable web lanyard with a carabiner; 7'	Non-Stock
8327/8FTYL	8327-Z7/8FTYL	Retractable web lanyard with a carabiner; 8'	Non-Stock
8327/10FTYL	8327-Z7/10FTYL	Retractable web lanyard with a carabiner; 10'	Stock
8327A/10FTYL	8327A-Z7/10FTYL	Retractable web lanyard with a carabiner; 10'	Non-Stock
8327F/7FTYL	8327F-Z7/7FTYL	Retractable web lanyard with a carabiner; 7'	Non-Stock
8327SW/6FTYL	N/A	Retractable web lanyard with a carabiner; 6'	Non-Stock
8327SW/8FTYL	N/A	Retractable web lanyard with a carabiner; 8'	Non-Stock
8327SW/10FTYL	N/A	Retractable web lanyard with a carabiner; 10'	Stock
AD6902/7FTYL	AD6902-Z7/7FTYL	Retractable web lanyard with two carabiners; 7'	Non-Stock
AD6902/8FTYL	AD6902-Z7/8FTYL	Retractable web lanyard with two carabiners; 8'	Stock
<b>Manyard® Lanyards</b>			
216WLS/4FTYL	216WLS-Z7/4FTYLC	4' Manyard lanyard with two locking snap hooks	Stock
216WLS/5FTYL	216WLS-Z7/5FTYLC	5' Manyard lanyard with two locking snap hooks	Stock
216WLS/5FT6INYL	216WLS-Z7/5FT6INYLC	5' 6" Manyard lanyard with two locking snap hooks	Non-Stock
216WLS/6FTYL	216WLS-Z7/6FTYLC	6' Manyard lanyard with two locking snap hooks	Stock
216WLS/8FTYL	216WLS-Z7/8FTYLC	8' Manyard lanyard with two locking snap hooks	Stock
216WLS/10FTYL	216WLS-Z7/10FTYLC	10' Manyard lanyard with two locking snap hooks	Non-Stock
219WRS/4FTYL	219WRS-Z7/4FTYLC	4' Manyard lanyard with one locking snap hook and one locking rebar hook	Stock
219WRS/5FTYL	219WRS-Z7/5FTYLC	5' Manyard lanyard with one locking snap hook and one locking rebar hook	Stock
219WRS/6FTYL	219WRS-Z7/6FTYLC	6' Manyard lanyard with one locking snap hook and one locking rebar hook	Stock
219WRS/10FTYL	219WRS-Z7/10FTYLC	10' Manyard lanyard with one locking snap hook and one locking rebar hook	Non-Stock
219WRXS/4FTYL	219WRXS-Z7/4FTYLC	4' Manyard lanyard with one locking snap hook and one small locking rebar hook	Non-Stock
219WRXS/5FTYL	219WRXS-Z7/5FTYLC	5' Manyard lanyard with one locking snap hook and one small locking rebar hook	Non-Stock
219WRXS/6FTYL	219WRXS-Z7/6FTYLC	6' Manyard lanyard with one locking snap hook and one small locking rebar hook	Non-Stock
219WRXS/8FTYL	219WRXS-Z7/8FTYLC	8' Manyard lanyard with one locking snap hook and one small locking rebar hook	Non-Stock
231WRS/5FTYL	231WRS-Z7/5FTYLC	5' Manyard lanyard with one locking snap hook and two locking rebar hooks	Stock
231WRS/6FTYL	231WRS-Z7/6FTYLC	6' double leg Manyard lanyard with one locking snap hook and two locking rebar hooks	Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time





<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
231WRXS/6FTYL	231WRXS-Z7/6FTYL	6' double leg Manyard lanyard with one locking snap hook and two small locking rebar hooks	Non-Stock
232WLS/6FTYL	232WLS-Z7/6FTYLC	6' double leg Manyard lanyard with three locking snap hooks	Stock
233WLS/6FTYL	233WLS-Z7/6FTYLC	6' Manyard lanyard with one choke-off loop and one locking snap hook	Non-Stock
<b>Manyard II® Lanyards</b>			
216M/4FTGN	216M-Z7/4FTGNC	4' Manyard II lanyard with two locking snap hooks	Non-Stock
216M/5FTGN	216M-Z7/5FTGNC	5' Manyard II lanyard with two locking snap hooks	Stock
216M/6FTGN	216M-Z7/6FTGNC	6' Manyard II lanyard with two locking snap hooks	Stock
216M/10FTGN	216M-Z7/10FTGNC	10' Manyard II lanyard with two locking snap hooks	Non-Stock
216MD/6FTBL	216MD-Z7/6FTBLC	6' Manyard II lanyard with two locking snap hooks; blue	Non-Stock
216MK/5FTBK	216MK-Z7/5FTBKC	5' Kevlar® Manyard II lanyard with two locking snap hooks	Non-Stock
216MK/6FTBK	216MK-Z7/6FTBKC	6' Kevlar® Manyard II lanyard with two locking snap hooks	Non-Stock
216MO/6FTGN	216MO-Z7/6FTGNC	6' Manyard II lanyard with O-ring, and two locking snap hooks	Non-Stock
219M/5FTGN	219M-Z7/5FTGNC	5' Manyard II lanyard with one locking snap hook and one locking rebar hook	Non-Stock
219M/6FTGN	219M-Z7/6FTGNC	6' Manyard II lanyard with one locking snap hook and one locking rebar hook	Non-Stock
219MD/6FTBL	219MD-Z7/6FTBLC	6' Manyard II lanyard with one locking snap hook and one locking rebar hook; blue	Non-Stock
219MO/6FTGN	219MO-Z7/6FTGNC	6' Manyard II lanyard with O-ring, one locking snap hook and one locking rebar hook; blue	Non-Stock
219MRX/6FTGN	219MRX-Z7/6FTGN	6' Manyard II lanyard with one locking snap hook and one small locking rebar hook	Non-Stock
231M/5FTGN	231M-Z7/5FTGNC	5' double leg Manyard II lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
231M/6FTGN	231M-Z7/6FTGNC	6' double leg Manyard II lanyard with one locking snap hook and two locking rebar hooks	Stock
231MD/6FTBL	231MD-Z7/6FTBLC	6' double leg Manyard II lanyard with a D-ring, one locking snap hook and two locking rebar hooks	Non-Stock
231MAL/6FTGN	231MAL-Z7/6FTGNC	6' double leg Manyard II lanyard with one locking aluminum snap hook and two locking aluminum rebar hooks	Non-Stock
232M/6FTGN	232M-Z7/6FTGNC	6' double leg Manyard II lanyard with three locking snap hooks	Non-Stock
233M/6FTGN	233M-Z7/6FTGNC	6' single leg Manyard II lanyard with a choke-off loop and one locking snap hook	Non-Stock
233MK/6FTBK	233MK-Z7/6FTBKC	6' Kevlar® Manyard II lanyard with a choke-off loop and one locking snap hook	Non-Stock
233MORS/6FTGN	233MORS-Z7/6FTGNC	6' Manyard II lanyard with O-ring and choke-off loop and one locking rebar hook	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
233MRK/4FTBK	233MRK-Z7/4FTBKC	4' Kevlar® Manyard II lanyard with a choke-off loop and one locking rebar hook	Non-Stock
233MRAL/6FTGN	233MRAL-Z7/6FTGNC	6' Manyard II lanyard with a choke-off loop and one locking, aluminum snap hook	Non-Stock
<b>Manyard HP™ Lanyards</b>			
216TC/6FTGN	216TC-Z7/6FTGNC	6' Manyard HP lanyard with one snap hook and one carabiner	Non-Stock
216TWDLS/4FTBL	216TWDLS-Z7/4FTBLC	4' Manyard HP lanyard with two locking snap hooks; blue	Non-Stock
216TWLS/4FTGN	216TWLS-Z7/4FTGNC	4' Manyard HP lanyard with two locking snap hooks	Non-Stock
216TWLS/6FTGN	216TWLS-Z7/6FTGNC	6' Manyard HP lanyard with two locking snap hooks	Stock
219TWRS/4FTGN	219TWRS-Z7/4FTGNC	4' Manyard HP lanyard with one locking snap hook and one locking rebar hook	Stock
219TWRS/6FTGN	219TWRS-Z7/6FTGNC	6' Manyard HP lanyard with one locking snap hook and one locking rebar hook	Stock
231TWRS/6FTGN	231TWRS-Z7/6FTGNC	6' Manyard HP lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
232TWLS/6FTGN	232TWLS-Z7/6FTGN	6' Manyard HP lanyard with three locking snap hooks	Non-Stock
233TWRS/6FTGN	233TWRS-Z7/6FTGNC	6' Manyard HP lanyard with choke-off loop and one locking rebar hook	Non-Stock
<b>Miller Lanyards w/ SofStop®</b>			
8798/4FTYL	8798-Z7/4FTYLC	4' lanyard with three locking snap hooks	Non-Stock
8798/6FTYL	8798-Z7/6FTYLC	6' lanyard with three locking snap hooks	Non-Stock
8798K/6FTBL	8798K-Z7/6FTBLC	6' Arc-rated Kevlar® lanyard with three locking snap hooks	Non-Stock
8798KR/4FTBK	8798KR-Z7/4FTBKC	4' Arc-rated Kevlar® lanyard with a locking snap hook and two locking rebar hooks	Non-Stock
8798KR/6FTBK	8798KR-Z7/6FTBKC	6' Arc-rated Kevlar® lanyard with a locking snap hook and two locking rebar hooks	Non-Stock
8798KR/6FTBL	8798KR-Z7/6FTBLC	6' Arc-rated Kevlar® lanyard with a locking snap hook and two locking rebar hooks	Non-Stock
8798R/4FTYL	8798R-Z7/4FTYLC	4' lanyard with a locking snap hook and two locking rebar hooks	Stock
8798R/6FTYL	8798R-Z7/6FTYLC	6' lanyard with a locking snap hook and two locking rebar hooks	Non-Stock
8799KR/6FTBK	8799KR-Z7/6FTBKC	6' Arc-rated Kevlar® lanyard with a choke-off loop and two locking rebar hooks	Non-Stock
910WLS/4FTYL	910WLS-Z7/4FTYLC	4' adjustable lanyard with two locking snap hooks	Non-Stock
910WLS/6FTYL	910WLS-Z7/6FTYLC	6' adjustable lanyard with two locking snap hooks	Non-Stock
913K/6FTBK	913K-Z7/6FTBKC	6' Arc-rated Kevlar® lanyard with two locking snap hooks	Non-Stock
913K/6FTBL	913K-Z7/6FTBLC	6' Kevlar®/Nomex® lanyard with two locking snap hooks	Stock
913KR/4FTBK	913KR-Z7/4FTBKC	4' Arc-rated Kevlar® lanyard with one locking snap hook and one locking rebar hook	Non-Stock
913KR/6FTBK	913KR-Z7/6FTBKC	6' Arc-rated Kevlar® lanyard with one locking snap hook and one locking rebar hook	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
913WLS/3FTYL	913WLS-Z7/3FTYLC	3' lanyard with two locking snap hooks	Stock
913WLS/6FTYL	913WLS-Z7/6FTYLC	6' lanyard with two locking snap hooks	Stock
913WLS/10FTYL	913WLS-Z7/10FTYLC	10' lanyard with two locking snap hooks	Non-Stock
922KR/6FTBL	922KR-Z7/6FTBLC	6' Kevlar®/Nomex® lanyard with one locking snap hook and one locking rebar hook	Non-Stock
922WRS/3FTYL	922WRS-Z7/3FTYLC	3' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
922WRS/5FTYL	922WRS-Z7/5FTYLC	5' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
922WRS/6FTYL	922WRS-Z7/6FTYLC	6' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
922WRS/12FTYL	922WRS-Z7/12FTYLC	12' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
928LS/18INYL	928LS-Z7/18INYLC	18" shock-absorber with D-ring and locking snap hook	Stock
933K/6FTBK	933K-Z7/6FTBKC	6' Kevlar®/Nomex® lanyard with one choke-off loop and one locking rebar hook	Non-Stock
940WLS-E6/6FTGN	940WLS-E6-Z7/6FTGNC	6' E6 lanyard with two locking snap hooks	Non-Stock
940WRS-E6/4FTGN	940WRS-E6-Z7/4FTGNC	4' E6 lanyard with one locking snap hook and one locking rebar hook	Non-Stock
980T-E6/6FTGN	980T-E6-Z7/6FTGNC	6' E6 lanyard with three locking snap hooks	Non-Stock
980TR-E6/4FTGN	980TR-E6-Z7/4FTGNC	4' E6 lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
980TR-E6/5FTGN	980TR-E6-Z7/5FTGNC	5' E6 lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
980TR-E6/6FTGN	980TR-E6-Z7/6FTGNC	6' E6 lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
<b>Miller StretchStop®</b>			
8798RSS/6FTGN	8798RSS-Z7/6FTGNC	6' lanyard with one locking snap hook and two locking rebar hooks	Stock
8798SS/6FTGN	8798SS-Z7/6FTGNC	6' lanyard with three locking snap hooks	Stock
913RSS/6FTGN	913RSS-Z7/6FTGNC	6' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
913RSSO/6FTGN	913RSSO-Z7/6FTGNC	6' lanyard with O-ring, one locking snap hook and one locking rebar hook	Non-Stock
913SS/8FTGN	913SS-Z7/8FTGNC	6' lanyard with two locking snap hooks	Non-Stock
913SSD/6FTBL	913SSD-Z7/6FTBLC	6' lanyard with two locking snap hooks; blue	Non-Stock
940SS-E6/6FTGN	940SS-E6-Z7/6FTGNC	6' E6 lanyard with two locking snap hooks	Non-Stock
940RSS-E6/6FTGN	940RSS-E6-Z7/6FTGNC	6' E6 lanyard with rescue O-rings, one locking snap hook and two locking rebar hooks	Non-Stock
980RSS-E6/5FTGN	980RSS-E6-Z7/5FTGNC	5' lanyard with SofStop Double Pack, one locking snap hook and two locking rebar hooks	Non-Stock
980RSS-E6/6FTGN	980RSS-E6-Z7/6FTGNC	6' lanyard with SofStop Double Pack, one locking snap hook and two locking rebar hooks	Non-Stock
980RSS-RL-E6/6FTGN	980RSS-RL-E6-Z7/6FTGNC	6' lanyard with SofStop Double Pack, rescue loops, one locking snap hook and two locking rebar hooks	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
980WRXS-E6/6FT	980WRXS-E6-Z7/6FTC	6' E6 lanyard with SofStop Double Pack, one locking snap hook and two small locking rebar hooks	
<b>Miller HP™ Lanyards w/ SofStop® Lanyards</b>			
8798T/6FTGN	8798T-Z7/6FTGNC	6' lanyard with three locking snap hooks	Non-Stock
8798TR/4FTGN	8798TR-Z7/4FTGNC	4' lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
8798TR/5FTGN	8798TR-Z7/5FTGNC	5' lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
8798TR/6FTGN	8798TR-Z7/6FTGNC	6' lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
8878TR/6FTGN	8878TR-Z7/6FTGNC	6' adjustable lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
910TWLS/4FTGK	910TWLS-Z7/4FTGKC	4' adjustable lanyard with two locking snap hooks	Non-Stock
910TWLS/6FTGK	910TWLS-Z7/6FTGKC	6' adjustable lanyard with two locking snap hooks	Non-Stock
913TWLS/6FTGK	913TWLS-Z7/6FTGKC	6' lanyard with two locking snap hooks	Non-Stock
922TWRS/4FTGK	922TWRS-Z7/4FTGKC	4' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
922TWRS/6FTGK	922TWRS-Z7/6FTGKC	6' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
940T-E6/4FTGN	940T-E6-Z7/4FTGNC	4' E6 lanyard with two locking snap hooks	Non-Stock
940T-E6/5FTGN	940T-E6-Z7/5FTGNC	5' E6 lanyard with two locking snap hooks	Non-Stock
940T-E6/6FTGN	940T-E6-Z7/6FTGNC	6' E6 lanyard with two locking snap hooks	Non-Stock
940TR-E6/4FTGN	940TR-E6-Z7/4FTGNC	4' E6 lanyard with one locking snap hook and one rebar hook	Non-Stock
940TR-E6/5FTGN	940TR-E6-Z7/5FTGNC	5' E6 lanyard with one locking snap hook and one rebar hook	Non-Stock
940TR-E6/6FTGN	940TR-E6-Z7/6FTGNC	6' E6 lanyard with one locking snap hook and one rebar hook	Non-Stock
<b>Wire Rope Lanyard w/ SofStop®</b>			
8798RVC/4FTYL	8798RVC-Z7/4FTYLC	4' 1/4-in. vinyl covered cable with SofStop and two locking rebar hooks	Non-Stock
8798RVC/6FTYL	8798RVC-Z7/6FTYLC	6' 1/4-in. vinyl covered cable with SofStop and two locking rebar hooks	Non-Stock
907K/4FTBL	907K-Z7/4FTBLC	4' 1/4-in. wire rope lifeline with Kevlar® SofStop and two locking snap hooks	Non-Stock
907K/6FTBL	907K-Z7/6FTBLC	6' 1/4-in. wire rope lifeline with Kevlar® SofStop and two locking snap hooks	Non-Stock
907LS/6FTYL	907LS-Z7/6FTYLC	6' 1/4-in. wire rope lifeline with SofStop and two locking snap hooks	Non-Stock
907NLS/4FTYL	907NLS-Z7/4FTYLC	4' 1/4-in. vinyl coated wire rope lifeline with SofStop and two locking snap hooks	Non-Stock
907NLS/6FTYL	907NLS-Z7/6FTYLC	6' 1/4-in. vinyl coated wire rope lifeline with SofStop and two locking snap hooks	Non-Stock
<b>Miller BackBiter® Tie-Back Lanyards</b>			
8798B/4FTGNC	N/A	4' double leg lanyard with one locking snap hook and two locking Miller 5K® hooks	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
8798B/6FTGNC	N/A	6' double leg lanyard with one locking snap hook and two locking Miller 5K® hooks	Stock
8798B/8FTGNC	N/A	8' double leg lanyard with one locking snap hook and two locking Miller 5K® hooks	Non-Stock
8798BD/6FTBLC	N/A	6' double leg lanyard with one locking snap hook and two locking Miller 5K® hooks; blue	Non-Stock
8798BK/6FTGNC	N/A	6-ft. working length; Twin leg Kevlar® and Nomex® web lanyard w/2 5K® snap hooks and 1 locking snap hook	Non-Stock
8798BO/6FTGNC	N/A	6-ft. working length; Twin leg Cordura® web lanyard w/2 5K® snap hooks and 1 locking snap hook and "O" Ring Extension	Non-Stock
8798KB/6FTBKC	N/A	6-ft. working length; Twin leg Arc-Rated Kevlar® web lanyard w/2 5K® snap hooks and 1 locking snap hook	Non-Stock
913B/3FTGNC	N/A	3-ft. working length; Cordura® web lanyard w/1 5K® snap hook and 1 locking snap hook; Green	Non-Stock
913B/4FTGNC	N/A	4-ft. working length; Cordura® web lanyard w/1 5K® snap hook and 1 locking snap hook; Green	Non-Stock
913B/5FTGNC	N/A	5-ft. working length; Cordura® web lanyard w/1 5K® snap hook and 1 locking snap hook; Green	Stock
913B/6FTGNC	N/A	6-ft. working length; Cordura® web lanyard w/1 5K® snap hook and 1 locking snap hook; Green	Stock
913BD/6FTBLC	N/A	6-ft. working length; Cordura® web lanyard w/1 5K® snap hook and 1 locking snap hook; Blue	Non-Stock
913KB/6FTBKC	N/A	6-ft. working length; Arc-Rated Kevlar® web lanyard w/1 5K® snap hook and 1 locking snap hook	Non-Stock
913KB/6FTBLC	N/A	6-ft. working length; Arc-Rated Kevlar® web lanyard w/1 5K® snap hook and 1 locking snap hook; Blue	Non-Stock
940B-E6/6FTGN	N/A	6-ft. working length; Cordura® web lanyard w/1 5K® snap hook, 1 locking snap hook and SofStop Double Pack; Blue	Non-Stock
980B-E6/6FTGN	N/A	6-ft. working length; Cordura® web lanyard w/1 5K® snap hook, 1 locking snap hook and SofStop Double Pack; Green	Non-Stock
910B/6FTGNC	N/A	Adjustable 4-ft. – 6-ft. working length; Cordura® web lanyard w/1 5K® snap hook and 1 locking snap hook; Green	Non-Stock
<b>Positioning and Restraint</b>			
<b>StopFall</b>			
7600B/YL	7600B/YL	StopFall System fits wood pole size 25" - 50" (635mm - 1270mm) circumference with tongue buckle adjustment.	Non-Stock
7700A/YL/GP-1	7700A/YL/GP-2	StopFall System with Gaff Pullers fits wood pole size 20" - 60" (508mm - 1524mm) circumference with tongue buckle adjustment.	Non-Stock
<b>Positioning Assemblies</b>			

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
6756RS-Z7/	N/A	Rebar chain assembly with two locking snap hooks and one locking rebar hook; swivel attachment and length adjuster	Stock
6757WRS-Z7/35INGN	N/A	Rebar green web assembly with locking rebar hook and two locking snap hooks; 35"	Non-Stock
6757WRS4/27INBL	6757WRS4-Z7/27INBL	Rebar blue web assembly with locking rebar hook and two locking snap hooks; 27"	Non-Stock
<b>Web Lanyards</b>			
210WLS/4FT6INYL	210WLS-Z7/4FT6INYL	4' 6" adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/6FTYL	210WLS-Z7/6FTYL	6' adjustable web lanyard with two locking snap hooks	Stock
210WLS/10FTYL	210WLS-Z7/10FTYL	10' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/12FTYL	210WLS-Z7/12FTYL	12' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/16FTYL	210WLS-Z7/16FTYL	16' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/20FTYL	210WLS-Z7/20FTYL	20' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/25FTYL	210WLS-Z7/25FTYL	25' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/30FTYL	210WLS-Z7/30FTYL	30' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/34FTYL	210WLS-Z7/34FTYL	34' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/38FTYL	210WLS-Z7/38FTYL	38' adjustable web lanyard with two locking snap hooks	Non-Stock
210TWLS-Z7/12FTGN	N/A	Miller HP™ adjustable positioning/restraint Lanyard w/2 locking snap hooks; 12-ft.	Non-Stock
210TWLS-Z7/6FTGN	N/A	Miller HP™ adjustable positioning/restraint Lanyard w/2 locking snap hooks; 6-ft.	Non-Stock
211WLS/25FTYL	211WLS-Z7/25FTYL	25' adjustable web lanyard with one locking snap hook and one loop	Stock
212WLS/3FTYL	212WLS-Z7/3FTYL	3' web lanyard with one locking snap hook and one web loop	Non-Stock
212WLS/4FTYL	212WLS-Z7/4FTYL	4' web lanyard with one locking snap hook and one web loop	Non-Stock
<b>Web Lanyards</b>			
213TWLS/4FTGN	213TWLS-Z7/4FTGN	4' web lanyard with two locking snap hooks	Non-Stock
213TWLS/6FTGN	213TWLS-Z7/6FTGN	6' web lanyard with two locking snap hooks	Non-Stock
213WLS/3FTYL	213WLS-Z7/3FTYL	3' web lanyard with two locking snap hooks	Stock
213WLS/3FT6INYL	213WLS-Z7/3FT6INYL	3' 6" web lanyard with two locking snap hooks	Non-Stock
213WLS/4FTYL	213WLS-Z7/4FTYL	4' web lanyard with two locking snap hooks	Stock
213WLS/6FTYL	213WLS-Z7/6FTYL	6' web lanyard with two locking snap hooks	Stock
213WLS/8FTYL	213WLS-Z7/8FTYL	8' web lanyard with two locking snap hooks	Non-Stock
213WLS/25FTYL	213WLS-Z7/25FTYL	25' web lanyard with two locking snap hooks	Non-Stock
226WRS/3FTYL	226WRS-Z7/3FTYL	3' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock
226WRS/4FTYL	226WRS-Z7/4FTYL	4' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock
226WRS/6FTYL	226WRS-Z7/6FTYL	6' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
226WRS/8FTYL	226WRS-Z7/8FTYL	8' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock
226WRS/10FTYL	226WRS-Z7/10FTYL	10' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock
226WRS/12FTYL	226WRS-Z7/12FTYL	12' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock
8928/18INBK	8928-Z7/18INBK	18" web extension with a snap hook and a D-ring on the opposite end	Stock
8928/4FTBK	8928-Z7/4FTBK	4' web extension with a snap hook and a D-ring on the opposite end	Non-Stock
<b>Rope Lanyards</b>			
201RLS-2/5FTWH	201RLS-2-Z7/5FTWH	5' 5/8" nylon rope lanyard with two locking snap hooks	Non-Stock
201RLS-2/6FTWH	201RLS-2-Z7/6FTWH	6' 5/8" nylon rope lanyard with two locking snap hooks	Stock
201RLS-5/4FTWH	201RLS-5-Z7/4FTWH	4' 5/8" polyester rope lanyard with two locking snap hooks	Non-Stock
201RLS-8/12FTWH	201RLS-8-Z7/12FTWH	12' 1/2" nylon rope lanyard with two locking snap hooks	Non-Stock
201RLS-8/4FTWH	201RLS-8-Z7/4FTWH	4' 1/2" nylon rope lanyard with two locking snap hooks	Non-Stock
202RRS-2/2FTWH	202RRS-2-Z7/2FTWH	2' 5/8" nylon rope lanyard with one locking snap hook and one locking rebar hook	Non-Stock
202RRS-2/3FTWH	202RRS-2-Z7/3FTWH	3' 5/8" nylon rope lanyard with one locking snap hook and one locking rebar hook	Non-Stock
202RRXS-2/6FTWH	202RRXS-2-Z7/6FTWH	6' 5/8" nylon rope lanyard with one locking snap hook and one small locking rebar hook	
<b>Wire Lanyards</b>			
206NLS/6FTV	206NLS-Z7/6FTV	6' vinyl-coated wire rope lifeline with one locking snap hook and one cable loop	Non-Stock
207LS/2FTG	207LS-Z7/2FTG	2' wire rope lifeline with two locking snap hooks	Non-Stock
207LS/3FTG	207LS-Z7/3FTG	3' wire rope lifeline with two locking snap hooks	Non-Stock
207LS/4FTG	207LS-Z7/4FTG	4' wire rope lifeline with two locking snap hooks	Non-Stock
207LS/5FTG	207LS-Z7/5FTG	5' wire rope lifeline with two locking snap hooks	Non-Stock
207NLS/6FTV	207NLS-Z7/6FTV	3' vinyl-coated wire rope lifeline with two locking snap hooks	Non-Stock
<b>Safety Straps</b>			
55NFLS/5FT6INYL	55NFLS-Z7/5FT6INYL	5' 6" nylon safety strap with friction buckle adjuster and two snap hooks	Stock
6NFLS/6FTYL	6NFLS-Z7/6FTYL	6' nylon safety strap with friction buckle adjuster and two snap hooks	Non-Stock
65NFLS/6FT6INYL	65NFLS-Z7/6FT6INYL	6' 6" nylon safety strap with friction buckle adjuster and two snap hooks	Non-Stock
6YRLS/6FTBR	6YRLS-Z7/6FTBR	6' six-ply nylon safety strap with tongue buckle adjuster and two snap hooks	Non-Stock
7NFLS/6FTYL	7NFLS-Z7/6FTYL	7' nylon safety strap with friction buckle adjuster and two snap hooks	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



Model Number	NEW Model Number (N/A = No change)	CSA Z259.12 Compliant Description	*Stock Status
7YRLS/7FTBR	7YRLS-Z7/7FTBR	7' six-ply nylon safety strap with tongue buckle adjuster and two snap hooks	Stock

#### Titan™ Pack Style Lanyards

T6111/3FTAF	T6111-Z7/3FTAFC	3' lanyard with two locking snap hooks	Stock
T6111/5FTAF	T6111-Z7/5FTAFC	5' lanyard with two locking snap hooks	Non-Stock
T6111/6FTAF	T6111-Z7/6FTAFC	6' lanyard with two locking snap hooks	Stock
T6112/3FTAF	T6112-Z7/3FTAFC	3' lanyard with one locking snap hook and one large locking rebar hook	Non-Stock
T6121/4FTAF	T6121-Z7/4FTAFC	4' lanyard with three locking snap hooks	Non-Stock
T6121/6FTAF	T6121-Z7/6FTAFC	6' lanyard with three locking snap hooks	Non-Stock
T6122/4FTAF	T6122-Z7/4FTAFC	4' lanyard with one locking snap hook and two large locking rebar hooks	Non-Stock
T6122/6FTAF	T6122-Z7/6FTAFC	6' lanyard with one locking snap hook and two large locking rebar hooks	Stock
T6123/6FTAF	T6123-Z7/6FTAFC	6' lanyard with one locking snap hook and two small locking rebar hooks	Non-Stock

#### Titan™ Tie-Back Lanyards

T6111TB/6FTAF	T6111TB-Z7/6FTAFC	6' lanyard with one locking snap hook and one auto-lock carabiner	Non-Stock
T6121TB/6FTAF	T6121TB-Z7/6FTAFC	6' lanyard with one locking snap hook and two auto-lock carabiners	Non-Stock

#### Titan™ Stretch Pack Style Lanyards

T6122SS/4FTAF	T6122SS-Z7/4FTAFC	4' lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
T6122SS/6FTAF	T6122SS-Z7/6FTAFC	6' lanyard with one locking snap hook and two locking rebar hooks	Non-Stock

#### Titan™ Tubular Lanyards

T5011/6FTAF	T5011-Z7/6FTAFC	6' lanyard with a choke-off loop and locking snap hook	Non-Stock
T5111/4FTAF	T5111-Z7/4FTAFC	4' lanyard with two locking snap hooks	Stock
T5111/5FTAF	T5111-Z7/5FTAFC	5' lanyard with two locking snap hooks	Stock
T5111/6FTAF	T5111-Z7/6FTAFC	6' lanyard with two locking snap hooks	Stock
T5111/8FTAF	T5111-Z7/8FTAFC	8' lanyard with two locking snap hooks	Non-Stock
T5111/9FTAF	T5111-Z7/9FTAFC	9' lanyard with two locking snap hooks	Non-Stock
T5111/10FTAF	T5111-Z7/10FTAFC	10' lanyard with two locking snap hooks	Non-Stock
T5112/4FTAF	T5112-Z7/4FTAFC	4' lanyard with one locking snap hook and one large locking rebar hook	Non-Stock
T5112/6FTAF	T5112-Z7/6FTAFC	6' lanyard with one locking snap hook and one large locking rebar hook	Stock
T5113/4FTAF	T5113-Z7/4FTAFC	4' lanyard with one locking snap hook and one small locking rebar hook	Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time





<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
T5113/6FTAFC	T5113-Z7/6FTAFC	6' lanyard with one locking snap hook and one small locking rebar hook	Non-Stock
T5122/4FTAFC	T5122-Z7/4FTAFC	4' lanyard with one locking snap hook and two large locking rebar hooks	Non-Stock
T5122/5FTAFC	T5122-Z7/5FTAFC	5' lanyard with one locking snap hook and two large locking rebar hooks	Non-Stock
T5122/6FTAFC	T5122-Z7/6FTAFC	6' lanyard with one locking snap hook and two large locking rebar hooks	Stock
<b>Titan™ Stretch Tubular Lanyards</b>			
T5111SS/6FTAFC	T5111SS-Z7/6FTAFC	6' lanyard with two locking snap hooks	Non-Stock
T6112SS/6FTAFC	T6112SS-Z7/6FTAFC	6' lanyard with one locking snap hook and one large locking rebar hook	Non-Stock
T5122SS/6FTAFC	T5122SS-Z7/6FTAFC	6' lanyard with one locking snap hook and two large locking rebar hooks	Non-Stock
<b>Titan™ Positioning and Restraint Lanyards</b>			
T8221/	T8221-Z7/	Rebar chain assembly	Stock
T8221W/27INYL	T8221W-Z7/27INYL	27" web lanyard with two locking snap hooks and one locking rebar hook	Non-Stock
T9111R/6FTWH	T9111R-Z7/6FTWH	6' rope lanyard with two locking snap hooks	Non-Stock
T9111W/4FTAFC	T9111W-Z7/4FTAFC	4' web lanyard with two locking snap hooks	Non-Stock
T9111W/6FTAFC	T9111W-Z7/6FTAFC	6' web lanyard with two locking snap hooks	Non-Stock
T9111W/8FTAFC	T9111W-Z7/8FTAFC	8' web lanyard with two locking snap hooks	Non-Stock
T9112W/6FTAFC	T9112W-Z7/6FTAFC	6' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock
T9113W/4FTAFC	T9113W-Z7/4FTAFC	4' web lanyard with one locking snap hook and one small locking rebar hook	Non-Stock
T9113W/6FTAFC	T9113W-Z7/6FTAFC	6' web lanyard with one locking snap hook and one small locking rebar hook	Non-Stock
T8221W/4FTYL	T8221W-Z7/4FTYL	4' web lanyard with two locking snap hooks and one locking rebar hook	Non-Stock
T9111R/10FTWH	T9111R-Z7/10FTWH	10' rope lanyard with two locking snap hooks	Non-Stock
<b>Confined Space</b>			
<b>Miller MightEvac® Self-Retracting Lifelines with Emergency Retrieval Hoist</b>			
<b>Galvanized</b>			
MR50G/50FT	MR50G-Z7/50FT	50' galvanized wire rope (3/16") unit w/carabiner	Stock
MR100G/100FT	MR100G-Z7/100FT	100' galvanized wire rope (3/16") unit w/carabiner	Non-Stock
MR130G/130FT	MR130G-Z7/130FT	130' galvanized wire rope (3/16") unit w/carabiner	Non-Stock
<b>Stainless</b>			

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
MR50S/50FT	MR50S-Z7/50FT	50' stainless steel wire rope (3/16") unit w/carabiner	Non-Stock
MR100S/100FT	MR100S-Z7/100FT	100' stainless steel wire rope (3/16") unit w/carabiner	Non-Stock
MR130S/130FT	MR130S-Z7/130FT	130' stainless steel wire rope (3/16") unit w/carabiner	Non-Stock
<b>Kevlar</b>			
MR40K/40FT	MR40K-Z7/40FT	40' kevlar rope unit w/carabiner	Non-Stock
MR80K/80FT	MR80K-Z7/80FT	80' kevlar rope unit w/carabiner	Non-Stock
<b>Galvanized with Mounting Bracket &amp; Pulley</b>			
MR50GB/50FT	MR50GB-Z7/50FT	MR50G w/mounting bracket & pulley	Stock
MR100GB/100FT	MR100GB-Z7/100FT	MR100G w/mounting bracket & pulley	Non-Stock
MR130GB/130FT	MR130GB-Z7/130FT	MR130G w/mounting bracket & pulley	Non-Stock
<b>Miller MightEvac® Self-Retracting Lifelines with Emergency Retrieval Hoist</b>			
<b>Stainless with Mounting Bracket &amp; Pulley</b>			
MR50SB/50FT	MR50SB-Z7/50FT	MR50S w/mounting bracket & pulley	Non-Stock
MR100SB/100FT	MR100SB-Z7/100FT	MR100S w/mounting bracket & pulley	Non-Stock
MR130SB/130FT	MR130SB-Z7/130FT	MR130S w/mounting bracket & pulley	Non-Stock
<b>Kevlar with Mounting Bracket and Pulley</b>			
MR40KB/40FT	MR40KB-Z7/40FT	MR40K w/mounting bracket & pulley	Non-Stock
MR80KB/80FT	MR80KB-Z7/80FT	MR80K w/mounting bracket & pulley	Non-Stock
<b>Miller MightEvac® Confined Space Entry &amp; Rescue Systems</b>			
Confined Space Systems also include a pulley, carabiner and two heavy-duty equipment bags			
<b>Galvanized with 7ft tripod</b>			
MR50GC/50FT	MR50GC-Z7/50FT	MR50GB w/ 7' tripod	Stock
MR100GC/100FT	MR100GC-Z7/100FT	MR100GB w/ 7' tripod	Non-Stock
MR130GC/130FT	MR130GC-Z7/130FT	MR130GB w/ 7' tripod	Non-Stock
<b>Stainless with 7ft tripod</b>			
MR50SC/50FT	MR50SC-Z7/50FT	MR50SB w/ 7' tripod	Non-Stock
MR100SC/100FT	MR100SC-Z7/100FT	MR100SB w/ 7' tripod	Non-Stock
MR130SC/130FT	MR130SC-Z7/130FT	MR130SB w/ 7' tripod	Non-Stock
<b>Kevlar with 7ft tripod</b>			
MR40KC/40FT	MR40KC-Z7/40FT	MR40KB w/ 7' tripod	Non-Stock
MR40KCN/40FT	MR40KCN-Z7/40FT	MR40KC w/ 7' tripod and 8440K winch	Non-Stock
MR80KC/80FT	MR80KC-Z7/80FT	MR80KB w/ 7' tripod	Non-Stock
<b>Galvanized with 7ft tripod and ManHandler® winch</b>			
MR100GCM/100FT	MR100GCM-Z7/100FT	MR50GC w/ 65' ManHandler	Non-Stock
<b>Galvanized with 9ft tripod</b>			
MR50GX/50FT	MR50GX-Z7/50FT	MR50GB w/ 9' tripod	Non-Stock
MR100GX/100FT	MR100GX-Z7/100FT	MR100GB w/ 9' tripod	Non-Stock
MR130GX/130FT	MR130GX-Z7/130FT	MR130GB w/ 9' tripod	Non-Stock
<b>Stainless with 9ft tripod</b>			

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
MR100SX/100FT	MR100SX-Z7/100FT	MR100SB w/ 9' tripod	Non-Stock
MR130SX/130FT	MR130SX-Z7/130FT	MR130SB w/ 9' tripod	Non-Stock
<b>Miller ManHandler Work Winch</b>			
8442/65FT	8442-Z7/65FT	ManHandler Hoist w/65-ft. of 3/16-in. galvanized wire rope	Stock
8442/100FT	8442-Z7/100FT	ManHandler Hoist w/100-ft. of 3/16-in. galvanized wire rope	Non-Stock
8442GC/65FT	8442GC-Z7/65FT	ManHandler w/65-ft of 3/16" galvanized wire rope / 7-ft. tripod	Non-Stock
8442SS/65FT	8442SS-Z7/65FT	ManHandler w/65-ft of 3/16" stainless steel wire rope	Non-Stock
8442SS/100FT	8442SS-Z7/100FT	ManHandler w/100-ft of 3/16" stainless steel wire rope	Non-Stock
<b>Miller DuraHoist Confined Space Systems</b>			
DH-1/	N/A	Four-Piece System with ManHandler hoist/winch w/65-ft. of 3/16-in. galvanized steel cable	Non-Stock
DH-3/	N/A	One-piece adjustable mast	Stock
DH-7ZP/	N/A	Floor mount sleeve; zinc-plated, mild steel	Non-Stock
DH-8SS/	N/A	Wall mount sleeve - stainless steel	Non-Stock
<b>Rescue</b>			
<b>Miller QuickPick™ Rescue Kits</b>			
QP/25FT	N/A	QuickPick Standard Kit; 25'	Non-Stock
QP/50FT	N/A	QuickPick Standard Kit; 50'	Non-Stock
QP/75FT	N/A	QuickPick Standard Kit; 75'	Non-Stock
QP/100FT	N/A	QuickPick Standard Kit; 100'	Non-Stock
QP-1/25FT	N/A	QuickPick Premium Kit; 25'	Non-Stock
QP-1/50FT	N/A	QuickPick Premium Kit; 50'	Non-Stock
QP-1/75FT	N/A	QuickPick Premium Kit; 75'	Non-Stock
QP-1/100FT	N/A	QuickPick Premium Kit; 100'	Non-Stock
QP-EP	N/A	12-ft. Rescue Pole with Carabiner Clip, Carabiner, Pigtail, Miller WristBandit™ Tool Lanyard and bag	Non-Stock
<b>Miller SafEscape® ELITE Rescue Descent Device</b>			
<b>SafEscape ELITE RDD</b>			
SE/50FT	N/A	Miller SafEscape ELITE RDD; 50'	Non-Stock
SE/75FT	N/A	Miller SafEscape ELITE RDD; 75'	Non-Stock
SE/100FT	N/A	Miller SafEscape ELITE RDD; 100'	Non-Stock
SE/125FT	N/A	Miller SafEscape ELITE RDD; 125'	Non-Stock
SE/150FT	N/A	Miller SafEscape ELITE RDD; 150'	Non-Stock
SE/175FT	N/A	Miller SafEscape ELITE RDD; 175'	Non-Stock
SE/200FT	N/A	Miller SafEscape ELITE RDD; 200'	Non-Stock
SE/225FT	N/A	Miller SafEscape ELITE RDD; 225'	Non-Stock
SE/250FT	N/A	Miller SafEscape ELITE RDD; 250'	Non-Stock
SE/275FT	N/A	Miller SafEscape ELITE RDD; 275'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
SE/300FT <b>SafEscape Crane Rescue Kit</b>	N/A	Miller SafEscape ELITE RDD; 300'	Non-Stock
SECRKT/50FT	N/A	Crane Rescue Kit; 50'	Non-Stock
SECRKT/75FT	N/A	Crane Rescue Kit; 75'	Non-Stock
SECRKT/100FT	N/A	Crane Rescue Kit; 100'	Non-Stock
SECRKT/125FT	N/A	Crane Rescue Kit; 125'	Non-Stock
SECRKT/150FT	N/A	Crane Rescue Kit; 150'	Non-Stock
SECRKT/175FT	N/A	Crane Rescue Kit; 175'	Non-Stock
SECRKT/200FT	N/A	Crane Rescue Kit; 200'	Non-Stock
SECRKT/225FT	N/A	Crane Rescue Kit; 225'	Non-Stock
SECRKT/250FT	N/A	Crane Rescue Kit; 250'	Non-Stock
SECRKT/275FT	N/A	Crane Rescue Kit; 275'	Non-Stock
SECRKT/300FT	N/A	Crane Rescue Kit; 300'	Non-Stock
<b>SafEscape ELITE RDD w/Hoisting Wheel</b>			
SEHW/50FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 50'	Non-Stock
SEHW/75FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 75'	Non-Stock
SEHW/100FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 100'	Non-Stock
SEHW/125FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 125'	Non-Stock
SEHW/150FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 150'	Non-Stock
SEHW/175FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 175'	Non-Stock
SEHW/200FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 200'	Non-Stock
SEHW/225FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 225'	Non-Stock
SEHW/250FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 250'	Non-Stock
SEHW/275FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 275'	Non-Stock
SEHW/300FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 300'	Non-Stock
SEHW/350FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 350'	Non-Stock
SEHW/500FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 500'	Non-Stock
<b>SafEscape ELITE RDD w/Hoisting Wheel &amp; Ladder Bracket</b>			
SEHWLB/50FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 50'	Non-Stock
SEHWLB/75FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 75'	Non-Stock
SEHWLB/100FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 100'	Non-Stock
SEHWLB/125FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 125'	Non-Stock
SEHWLB/150FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 150'	Non-Stock
SEHWLB/175FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 175'	Non-Stock
SEHWLB/200FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 200'	Non-Stock
SEHWLB/225FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 225'	Non-Stock
SEHWLB/250FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 250'	Non-Stock
SEHWLB/275FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 275'	Non-Stock
SEHWLB/300FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 300'	Non-Stock
<b>Wind Energy Kit</b>			

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
SEWPKT/25FT	N/A	Wind Energy Kit; 25'	Non-Stock
SEWPKT/50FT	N/A	Wind Energy Kit; 50'	Non-Stock
SEWPKT/75FT	N/A	Wind Energy Kit; 75'	Non-Stock
SEWPKT/100FT	N/A	Wind Energy Kit; 100'	Non-Stock
SEWPKT/125FT	N/A	Wind Energy Kit; 125'	Non-Stock
SEWPKT/150FT	N/A	Wind Energy Kit; 150'	Non-Stock
SEWPKT/175FT	N/A	Wind Energy Kit; 175'	Non-Stock
SEWPKT/200FT	N/A	Wind Energy Kit; 200'	Non-Stock
SEWPKT/225FT	N/A	Wind Energy Kit; 225'	Non-Stock
SEWPKT/250FT	N/A	Wind Energy Kit; 250'	Non-Stock
SEWPKT/275FT	N/A	Wind Energy Kit; 275'	Non-Stock
SEWPKT/300FT	N/A	Wind Energy Kit; 300'	Non-Stock
SEWPKT/350FT	N/A	Wind Energy Kit; 350'	Non-Stock
SEWPKT/600FT	N/A	Wind Energy Kit; 600'	Non-Stock
<b>Humidity-Resistant Storage Case</b>			
SEWPKTC/50FT	N/A	Humidity-Resistant Storage Case; 50'	Non-Stock
SEWPKTC/75FT	N/A	Humidity-Resistant Storage Case; 75'	Non-Stock
SEWPKTC/100FT	N/A	Humidity-Resistant Storage Case; 100'	Non-Stock
SEWPKTC/125FT	N/A	Humidity-Resistant Storage Case; 125'	Non-Stock
SEWPKTC/150FT	N/A	Humidity-Resistant Storage Case; 150'	Non-Stock
SEWPKTC/175FT	N/A	Humidity-Resistant Storage Case; 175'	Non-Stock
SEWPKTC/200FT	N/A	Humidity-Resistant Storage Case; 200'	Non-Stock
<b>Humidity-Resistant Storage Case</b>			
SEWPKTC/225FT	N/A	Humidity-Resistant Storage Case; 225'	Non-Stock
SEWPKTC/250FT	N/A	Humidity-Resistant Storage Case; 250'	Non-Stock
SEWPKTC/275FT	N/A	Humidity-Resistant Storage Case; 275'	Non-Stock
SEWPKTC/300FT	N/A	Humidity-Resistant Storage Case; 300'	Non-Stock
SEWPKTC/325FT	N/A	Humidity-Resistant Storage Case; 325'	Non-Stock
<b>Series 70 Universal Rescue System</b>			
70-100/100FT	N/A	Series 70 System w/25-ft. working length	Non-Stock
70-200/200FT	N/A	Series 70 System w/50-ft. working length	Non-Stock
70-400/400FT	N/A	Series 70 System w/100-ft. working length	Non-Stock
70-500/500FT	N/A	Series 70 System w/125-ft. working length	Non-Stock
70-C/	N/A	Rope control handle w/attached Miller lanyard	Non-Stock
<b>Horizontal Lifeline Systems</b>			
<b>Miller SkyGrip® Temporary Horizontal Cable Lifeline Systems</b>			
<b>Systems with Standard Base</b>			
SGS18/120FT	N/A	SkyGrip system with standard base; 120'	Non-Stock
SGS18/180FT	N/A	SkyGrip system with standard base; 180'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
SGS18/240FT	N/A	SkyGrip system with standard base; 240'	Non-Stock
SGS18/300FT	N/A	SkyGrip system with standard base; 300'	Non-Stock
SGS18/30FT	N/A	SkyGrip system with standard base; 30'	Non-Stock
SGS18/60FT	N/A	SkyGrip system with standard base; 60'	Non-Stock
<b>Systems with Large Base</b>			
SGS36/120FT	N/A	SkyGrip system with large base; 120'	Non-Stock
SGS36/180FT	N/A	SkyGrip system with large base; 180'	Non-Stock
SGS36/240FT	N/A	SkyGrip system with large base; 240'	Non-Stock
SGS36/300FT	N/A	SkyGrip system with large base; 300'	Non-Stock
SGS36/30FT	N/A	SkyGrip system with large base; 30'	Non-Stock
SGS36/60FT	N/A	SkyGrip system with large base; 60'	Non-Stock
<b>SkyGrip Systems for Concrete Applications</b>			
SGC/120FT	N/A	SkyGrip system for concrete applications; 120'	Non-Stock
SGC/180FT	N/A	SkyGrip system for concrete applications; 180'	Non-Stock
SGC/240FT	N/A	SkyGrip system for concrete applications; 240'	Non-Stock
SGC/300FT	N/A	SkyGrip system for concrete applications; 300'	Non-Stock
SGC/30FT	N/A	SkyGrip system for concrete applications; 30'	Non-Stock
SGC/60FT	N/A	SkyGrip system for concrete applications; 60'	Non-Stock
<b>SkyGrip HLL Kits with Miller-Approved Anchorages</b>			
SG416/180FT	N/A	SkyGrip wire rope lifeline and two D-bolt anchors (416); 180'	Non-Stock
SG416/270FT	N/A	SkyGrip wire rope lifeline and two D-bolt anchors (416); 270'	Non-Stock
SG416/30FT	N/A	SkyGrip wire rope lifeline and two D-bolt anchors (416); 30'	Non-Stock
SG416/330FT	N/A	SkyGrip wire rope lifeline and two D-bolt anchors (416); 330'	Non-Stock
SG416/60FT	N/A	SkyGrip wire rope lifeline and two D-bolt anchors (416); 60'	Non-Stock
SG417/60FT	N/A	SkyGrip wire rope lifeline and two D-bolt anchors (417); 60'	Non-Stock
SG494/60FT	N/A	SkyGrip wire rope lifeline and two Miller Grip anchorage connectors (494); 60'	Non-Stock
SG497/60FT	N/A	SkyGrip wire rope lifeline and two Miller Grip anchorage connectors (497); 60'	Non-Stock
SG8183-10/60FT	N/A	SkyGrip wire rope lifeline and two 10-ft. cross-arm straps (8181/10FTGN); 60'	Non-Stock
SG8183-6/30FT	N/A	SkyGrip wire rope lifeline and two 10-ft. cross-arm straps (8181/10FTGN); 30'	Non-Stock
SG8815-12/30FT	N/A	SkyGrip wire rope lifeline and two fixed beam anchors (8815-12); 30'	Non-Stock
SG8815-12/60FT	N/A	SkyGrip wire rope lifeline and two fixed beam anchors (8815-12); 60'	Non-Stock
SG8815-24/60FT	N/A	SkyGrip wire rope lifeline and two fixed beam anchors (8815-24); 60'	Non-Stock
<b>SkyGrip HLLs w/Energy Absorber, Tension Indicator, Combo-clamp-thimble, Turnbuckle, Cable &amp; Wire Rope Clip</b>			
SGLLK/100FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 100'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
SGLLK/120FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 120'	Non-Stock
SGLLK/180FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 180'	Non-Stock
SGLLK/20FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 20'	Non-Stock
SGLLK/240FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 240'	Non-Stock
SGLLK/300FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 300'	Non-Stock
SGLLK/30FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 30'	Non-Stock
SGLLK/400FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 400'	Non-Stock
SGLLK/60FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 60'	Non-Stock
<b>Miller TechLine™ Horizontal Lifeline</b>			
HLLR1-L/30FT	N/A	1 person system without cross-arm strap; 30'	Non-Stock
HLLR1-L/60FT	N/A	1 person system without cross-arm strap; 60'	Non-Stock
HLLR2-L/30FT	N/A	2 person system without cross-arm strap; 30'	Non-Stock
HLLR2-L/50FT	N/A	2 person system without cross-arm strap; 50'	Non-Stock
HLLR2-L/60FT	HLLR2-Z7/60FT	2 person system without cross-arm strap; 60'	Stock
<b>Kits</b>			
<b>Welder's Kits</b>			
9650K/UBL	9650K/UBLC	Kit with 650K/UBL, 8485K/6FTBL, 907K-Z7/6FTBLC and carrying bag	Non-Stock
9650K-7W/U/4FTBL	9650K-7W/U/4FTBLC	Kit with 650K-7/UBL, 8485K/6FTBL, 913K-Z7/6FTBLC and carrying bag	Non-Stock
9650KW/BL	9650KW/BLC	Kit with 650K/UBL, 913K-Z7/6FTBLC, 8185K/6FTBL, and carrying bag	Non-Stock
9751KW/L/XLBL	9751KW/L/XLBLC	Kit with 751K/UBL, 913K-Z7/6FTBLC, 8185K/6FTBL, and carrying bag	Non-Stock
<b>Aerial Lift Kits</b>			
MK650-4UMFL-1/6FT	MK650-4UMFL-1/6FTC	Kit with 650-4/UYK, MFL-1-Z7/6FT and carrying bag	Non-Stock
<b>Titan™ Construction and General Maintenance Fall Protection Kits</b>			
TCK4000/U/6FTAK	TCK4000/U/6FTAKC	Kit with T4000/UAK, T5111-Z7/6FTAFC, and T7314/6FTAF	Non-Stock
TCK4507/U/6FTAK	TSK4507/U/6FTAFC	Kit with T4000/UAK, T5111-Z7/6FTAFC, and T7314/6FTAF	Stock
<b>Titan™ Scaffolding Fall Protection Kits</b>			
TSK4000/U/6FTAF	TSK4000/U/6FTAFC	Kit with T4000/UAK and T5112-Z7/5FTAFC	Stock
TSK4500/U/6FTAF	TSK4500/U/6FTAFC	Kit with T4500/UAK and T5112-Z7/5FTAFC	Non-Stock
<b>Titan™ Fall Protection Kits</b>			
TK4051/U/6FTAK	TK4051/U/6FTAFC	Kit with T4000/UAK, T5111/6FTAF and carrying bag	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
TK4051B/U/6FTAK	TK4051B/U/6FTAKC	Kit with T4000/UAK, T5111/6FTAF and Titan carrying bag	Non-Stock
TK4052/U/6FTAK	TK4052/U/6FTAKC	Kit with T4000/UAK, T5112/6FTAF and carrying bag	Non-Stock
<b>Titan™ ReadyRoof® Kits</b>			
BRFKT25/25FT	BRFKT25/25FTC	Kit with T4500/UAK, RA15-1/, 8173/U, T6111-Z7/3FTAF, 300L/25FTL and bucket	Non-Stock
BRFKT50/50FT	BRFKT50/50FTC	Kit with T4500/UAK, RA15-1/, 8173/U, T6111-Z7/3FTAF, 300L/50FTL and bucket	Non-Stock
BRFKT100/100FT	BRFKT100/100FTC	Kit with T4500/UAK, RA15-1/, 8173/U, T6111-Z7/3FTAF, 300L/100FTL and bucket	Non-Stock
BRFK25/25FT	BRFK25/25FT	Kit with T4000/UAK, RA15-1/, 8173/U, T6111-Z7/3FTAF, 300L/25FTBL and bucket	Non-Stock
BRFK50/50FT	BRFK50/50FT	Kit with T4000/UAK, RA15-1/, 8173/U, T6111-Z7/3FTAF, 300L/50FTBL and bucket	Non-Stock
BRFK75/75FT	BRFK75/75FTC	Kit with T4000/UAK, RA15-1/, 8173/U, T6111-Z7/3FTAF, 300L/75FTBL and bucket	Non-Stock
BRFK100/100FT	BRFK100/100FTC	Kit with T4000/UAK, RA15-1/, 8173/U, T6111-Z7/3FTAF, 300L/100FTBL and bucket	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 4.0

\*Non-Stock designates a 15 day lead time





Model Number	CSA Z259.12 Compliant Description	*Stock Status
<b>Anchorage Connectors</b>		
<b>Carabiners</b>		
FP83	Large pear shaped steel carabiner	Non-Stock
FP86	Steel twist-lock carabiner	Non-Stock
FP86B	Captive pin carabiner; steel	Non-Stock
FP88	Large steel twist-lock carabiner	Non-Stock
<b>Rope Grabs</b>		
FP542	Automatic rope grab with panic lock - 0.6m (2') Soft Pak energy absorbing lanyard and one locking snap hook.	Non-Stock
FP543	Automatic rope grab with panic lock - 0.6m (2') lanyard and one locking snap hook.	Non-Stock
FP563	Automatic rope grab with parking feature - 0.6m (2') web lanyard and one locking snap hook.	Non-Stock
FP564	Automatic rope grab with parking feature - 0.6m (2') Soft Pak energy absorbing lanyard and one locking snap hook.	Stock
FP582	Automatic rope grab with parking feature - 150mm (6") web lanyard and carabiner for 13mm (1/2") cable.	Non-Stock
<b>Vertical Lifelines</b>		
FP11ST/KD50	50' Kernmantle rope for DESCENDER 8120	Non-Stock
FP16E/PS100	15m (50') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/PS125	38m (125') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/PS150	46m (150') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/PS200	60m (200') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/PS25	8m (25') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/PS25/21	8m (25') 3-strand Copolymer rope with rope adjuster attached 5/8" (16mm) diameter	Non-Stock
FP16E/PS300	92m (300') 3-strand Copolymer rope with rope adjuster attached 5/8" (16mm) diameter	Non-Stock
FP16E/PS400	122m (400') 3-strand Copolymer rope with rope adjuster attached 5/8" (16mm) diameter	Non-Stock
FP16E/PS50	15m (50') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/PS50/21	15m (50') 3-strand Copolymer rope with rope adjuster attached 5/8" (16mm) diameter	Non-Stock
FP16E/PS75	23m (75') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/SL100	16mm (5/8") 3-strand polyester rope - One termination an carabiner - 30m (100') long	Non-Stock
FP16E/SL25	16mm (5/8") 3-strand polyester rope - One termination and carabiner - 7.5m (25')	Non-Stock
FP16E/SL50	16mm (5/8") 3-strand polyester rope - One termination and carabiner - 15m (50')	Non-Stock
FP16ST/KH60	Vertical lifeline - 16mm (5/8") hard lay polyester kernmantel rope - One termination an carabiner - 60' long.	Non-Stock
FP16ST/KL100	Vertical lifeline - 16mm (5/8") hard lay nylon kernmantel rope - One termination an carabiner - 30m (100') long.	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 2.0

\*Non-Stock designates a 15 day lead time

Model Number	CSA Z259.12 Compliant Description	*Stock Status
FP16ST/KL25	Vertical lifeline - 16mm (5/8") hard lay nylon kernmantel rope - One termination an carabiner - 7.5m (25') long.	Non-Stock
FP16ST/KL50	Vertical lifeline - 16mm (5/8") hard lay nylon kernmantel rope - One termination an carabiner - 15m (50') long.	Non-Stock
<b>Connecting Devices</b>		
<b>Harness and Lanyard</b>		
FPDCOMBO1/4	Model FPD698/1DP with permanently attached FPD29811/4	Non-Stock
FPDCOMBO1/6	Model FPD698/1DP with permanently attached FPD29811/6	Non-Stock
FPDCOMBO1XL/4	Model FPD698/1DPXL with permanently attached FPD29811/4	Non-Stock
FPDCOMBO1XL/6	Model FPD698/1DPXL harness and FPD29811/6 lanyard	Non-Stock
FPDCOMBO2/4	Model FPD698/1DP with permanently attached FPD29819/4	Non-Stock
FPDCOMBO2/6	Model FPD698/1DP with permanently attached FPD29819/6	Non-Stock
FPDCOMBO2XL/6	Model FPD698/1DPXL with permanently attached FPD29819/7	Non-Stock
<b>Self-Retracting Lifelines</b>		
FP1/305S	Self-retracting lifeline - Cast aluminum housing - Stainless steel cable 5mm (3/16") - 5m (16') long.	Non-Stock
FP2/310S	Self-retracting lifeline - Cast aluminum housing - Stainless steel cable 5mm (3/16") - 10m (33') long.	Non-Stock
FP2/315S	Self-retracting lifeline - Cast aluminum housing - Stainless steel cable 5mm (3/16") - 15m (50') long.	Non-Stock
<b>Decelerator Energy Absorbing Lanyards</b>		
FP28822/4	Decelerator lanyard with two locking snap hooks; 4'	Stock
FP28822/5	Decelerator lanyard with two locking snap hooks; 5'	Non-Stock
FP28822/6	Decelerator lanyard with two locking snap hooks; 6'	Stock
FP28822/8	Decelerator lanyard with two locking snap hooks; 8'	Non-Stock
FP29829	Decelerator lanyard with one locking snap hook and one small locking rebar hook; 6'	Non-Stock
FP28829/4	Decelerator lanyard with one locking snap hook and one small locking rebar hook; 4'	Non-Stock
FP28829/5	Decelerator lanyard with one locking snap hook and one small locking rebar hook; 5'	Non-Stock
FP28829/6	Decelerator lanyard with one locking snap hook and one small locking rebar hook; 6'	Non-Stock
FP2882G/4	Decelerator lanyard with one locking snap hook and one scaffolding hook; 4'	Non-Stock
FP2882G/5	Decelerator lanyard with one locking snap hook and one scaffolding hook; 5'	Non-Stock
FP2882G/6	Decelerator lanyard with one locking snap hook and one scaffolding hook; 6'	Non-Stock
FP289222/6	Decelerator Y-lanyard with three locking snap hooks; 6'	Non-Stock
FP289299/4	Decelerator Y-lanyard with one locking snap hook and two small locking rebar hooks; 4'	Non-Stock
FP289299/6	Decelerator Y-lanyard with one locking snap hook and two small locking rebar hooks; 6'	Non-Stock
FP2892GG/6	Decelerator Y-lanyard with one locking snap hook and two scaffolding hooks; 6'	Non-Stock
FP299299/4	Decelerator Y-lanyard with one locking snap hook and two small locking rebar hooks; 4'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 2.0

\*Non-Stock designates a 15 day lead time

Model Number	CSA Z259.12 Compliant Description	*Stock Status
FP299299/6	Decelerator Y-lanyard with one locking snap hook and two small locking rebar hooks; 6'	Non-Stock
<b>Durability Lanyards</b>		
<b>Continuous Web Energy Absorbing Lanyards</b>		
FPD26311/4	45mm (1 3/4") continuous polyester web energy absorbing lanyard - Double locking snap hook at both ends - 4 feet long.	Non-Stock
FPD26311/6	45mm (1 3/4") continuous polyester web energy absorbing lanyard - Double locking snap hook at both ends - 6 feet long.	Non-Stock
<b>Decelerator Web Lanyard</b>		
FPD29811/4	Polyester Decelerator energy absorbing lanyard - Double locking snap hooks at both ends - 1.2m (4') long.	Stock
FPD29811/6	Polyester Decelerator energy absorbing lanyard - Double locking snap hooks at both ends - 1.8m (6') long.	Stock
FP29819/4	Polyester Decelerator energy absorbing lanyard - One locking snap hook and one small locking rebar hook - 1.2m (4') long.	Non-Stock
FP29819/6	Polyester Decelerator energy absorbing lanyard - One locking snap hook and one small locking rebar hook - 1.8m (6') long.	Non-Stock
FPD2981G/4	Polyester Decelerator energy absorbing lanyard - Double locking snap hook and 2-1/2" stamped scaffolding hook - 1.2m (4') long.	Stock
FPD2981G/6	Polyester Decelerator energy absorbing lanyard - Double locking snap hook and 2-1/2" stamped scaffolding hook - 1.8m (6') long.	Stock
FPD299111/4	Polyester Decelerator energy absorbing Y-lanyard - Double locking snap hooks at all ends - 1.2m (4') long.	Non-Stock
FPD299111/6	Polyester Decelerator energy absorbing Y-lanyard - Double locking snap hooks at all ends - 1.8m (6') long.	Non-Stock
FPD2991GG/4	Polyester Decelerator energy absorbing Y-lanyard - Double locking snap hooks & two 2-1/2" stamped scaffolding hooks - 1.2m (4') long.	Non-Stock
FPD2991GG/6	Polyester Decelerator energy absorbing Y-lanyard - Double locking snap hooks & two 2-1/2" stamped scaffolding hooks - 1.8m (6') long.	Non-Stock
<b>Soft Pak Energy Absorbing Lanyards</b>		
<b>Nylon Rope Lanyards</b>		
732-201-071	Saf-T-Climb lanyard with two locking snap hooks	Non-Stock
732-201-072	Saf-T-Climb adjustable rope lanyard with two locking snap hooks and one scaffolding hook	Non-Stock
<b>Web Lanyards</b>		
732-201-076	Saf-T-Climb 1" web Y-lanyard with one locking snap hook and two scaffolding hooks	Non-Stock
FP22322/4	1" web lanyard with two locking snap hooks; 4'	Non-Stock
FP22322/5	1" web lanyard with two locking snap hooks; 5'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 2.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
FP22322/6	1" web lanyard with with two locking snap hooks; 6'	Non-Stock
FP22329/4	1" web lanyard with one locking snap hook and one small locking rebar hook; 4'	Non-Stock
FP22329/6	1" web lanyard with one locking snap hook and one small locking rebar hook; 6'	Non-Stock
FP226222/6	1" web Y-lanyard with three locking snap hooks; 6'	Non-Stock
FP226299/6	1" web Y-lanyard with with one locking snap hook and two small locking rebar hooks; 6'	Non-Stock
FP2562GG/6	1" web Y-lanyard with with one locking snap hook and two scaffolding hooks; 6'	Stock
FP26322/4	1-3/4" web lanyard with two locking snap hooks; 4'	Non-Stock
FP26322/6	1-3/4" web lanyard with two locking snap hooks; 6'	Stock
FP26329/4	1-3/4" web lanyard with one locking snap hook and one small locking rebar hook; 4'	Non-Stock
FP26329/6	1-3/4" web lanyard with one locking snap hook and one small locking rebar hook; 6'	Non-Stock
FP2632G/4	1-3/4" web lanyard with one locking snap hook and one scaffolding hook; 4'	Non-Stock
FP2632G/6	1-3/4" web lanyard with one locking snap hook and one scaffolding hook; 6'	Non-Stock
FP266222/6	1-3/4" web Y-lanyard with three locking snap hooks; 6'	Non-Stock
FP2662GG/4	1-3/4" web Y-lanyard with one locking snap hook and two scaffolding hook; 4'	Non-Stock
FP2662GG/6	1-3/4" web Y-lanyard with one locking snap hook and two scaffolding hook; 6'	Non-Stock
FP27322/6	1/4" steel cable lanyard with two locking snap hooks; 6'	Non-Stock
FP27329/6	1/4" steel cable lanyard with one locking snap hook and one small locking rebar hook; 6'	Non-Stock
FP2AE2GG/6	1-3/4" Heavy Duty Y-lanyard with one locking snap hook and two scaffolding hooks; 6'	Non-Stock

## Positioning and Restraint

### Web Lanyards

FP22122/4	1" web lanyard with two locking snap hooks; 4'	Non-Stock
FP22122/5	1" web lanyard with two locking snap hooks; 5'	Non-Stock
FP22122/6	1" web lanyard with two locking snap hooks; 6'	Non-Stock
FP22129/4	1" web lanyard with one locking snap hook and one small locking rebar hook; 4'	Non-Stock
FP22129/6	1" web lanyard with one locking snap hook and one small locking rebar hook; 6'	Non-Stock
FP22129/8	1" web lanyard with one locking snap hook and one small locking rebar hook; 8'	Non-Stock
FP22222/6	1" adjustable web lanyard with two locking snap hooks; 6'	Non-Stock
FP22229/6	1" adjustable web lanyard with one locking snap hook and one small locking rebar hook; 6'	Non-Stock
FP22229/10	1" adjustable web lanyard with one locking snap hook and one small locking rebar hook; 10'	Non-Stock
FP22229/25	1" adjustable web lanyard with one locking snap hook and one small locking rebar hook; 25'	Non-Stock
FP2552GG/4	1" web Y-lanyard with one locking snap hook and two scaffolding hooks; 4'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 2.0

\*Non-Stock designates a 15 day lead time

Model Number	CSA Z259.12 Compliant Description	*Stock Status
FP2552GG/6	1" web Y-lanyard with one locking snap hook and two scaffolding hooks; 6'	Non-Stock
FP255C22/5	1" web Y-lanyard with carabiner and two locking snap hooks; 5'	Non-Stock
<b>Rope Lanyards</b>		
FP0541/4650/6R	16mm (5/8") nylon kernmantle work positioning rope - Adjusts to 1.8m (6') with swivel snap.	Non-Stock
FP21122/10	5/8" nylon rope lanyard with two locking snap hooks; 10'	Non-Stock
FP21122/4	5/8" nylon rope lanyard with two locking snap hooks; 4'	Non-Stock
FP21122/6	5/8" nylon rope lanyard with two locking snap hooks; 6'	Non-Stock
FP21122/8	5/8" nylon rope lanyard with two locking snap hooks; 8'	Non-Stock
FP21129/4	5/8" nylon rope lanyard with one locking snap hook and one small locking rebar hook; 4'	Non-Stock
FP21129/6	5/8" nylon rope lanyard with one locking snap hook and one small locking rebar hook; 6'	Non-Stock

## Fall Protection Kits

### Harness and Lanyard Kits

FPDKIT1/4	Aerial Kit which includes: FPD698/1DP harness and FPD29811/4 lanyard in a convenient carrying pouch	Non-Stock
FPDKIT1/6	Aerial Kit which includes: FPD698/1DP harness and FPD29811/6 lanyard in a convenient carrying pouch	Non-Stock
FPDKIT1XL/4	Aerial Kit which includes: FPD698/1DPXL harness and FPD29811/4 lanyard in a convenient carrying pouch	Non-Stock
FPDKIT1XL/6	Aerial Kit which includes: FPD698/1DPXL harness and FPD29811/6 lanyard in a convenient carrying pouch	Non-Stock
FPDKIT2/4	Construction kit which includes: FPD698/1DGP full body harness, FPD29811/4 Decelerator energy absorbing lanyard 4', FP242/4 TNT Spectra sling 4' and convenient carrying bag.	Non-Stock
FPDKIT2/6	Construction kit which includes: FPD698/1DGP full body harness, FPD29811/6 Decelerator energy absorbing lanyard 6', FP242/6 TNT Spectra sling 6' and convenient carrying bag.	Non-Stock
FPDKIT3/4	Scaffolding/forming kit which includes: FPD698/1DGP full body harness, FPD2981G/4 Decelerator energy absorbing lanyard 4' and convenient carrying bag.	Non-Stock
FPDKIT3/6	Scaffolding/forming kit which includes: FPD698/1DGP full body harness, FPD2981G/6 Decelerator energy absorbing lanyard 6' and convenient carrying bag.	Non-Stock
FPDKIT3XL/4	Scaffolding/forming kit which includes: FPD698/1DGPXL full body harness, FPD2981G/4 Decelerator energy absorbing lanyard 4' and convenient carrying bag.	Non-Stock
FPDKIT3XL/6	Scaffolding/forming kit which includes: FPD698/1DGPXL full body harness, FPD2981G/6 Decelerator energy absorbing lanyard 6' and convenient carrying bag.	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 2.0

\*Non-Stock designates a 15 day lead time

Model Number	CSA Z259.12 Compliant Description	*Stock Status
<b>Roofer's Kits</b>		
FP90/25	Roofer's kit with 8m (25') rope - Includes: light weight universal sized harness FP759/1DP, 3-strand copolymer rope (5/8") FP16E/PS25, rope grab with Soft Pak energy absorbing lanyard FP542, carabiners (2), roof brackets (2), nails, small carrying bag Sizes Small to X Large.	Non-Stock
FP90/50	Roofer's kit with 15m (50') rope - Includes: light weight universal sized harness FP759/1DP, 3-strand copolymer rope (5/8") FP16E/PS50, rope grab with Soft Pak energy absorbing lanyard FP542, carabiners (2), roof brackets (2), nails, small carrying bag Sizes Small to X Large.	Non-Stock
FPD90/25	Roofer's kit - Includes: lightweight universal harness with Soft Pak energy absorbing lanyard and rope grab permanently attached FPD698/1DP386, 8m (25') 3-strand copolymer rope 16mm (5/8") FP16E/PS25, 1 roof bracket, nails, in a convenient bucket for easy storage.	Non-Stock
FPD90/25TR	(1) Lightweight Universal harness FPD698/1DP, 4 ft shock absorbing lanyard - FPD29811/4, 8m (25') 3-strand Copolymer rope with rope adjuster attached 5/8" (16mm) diameter - FP16E/PS25/21, (2) roof bracket, Nails, convenient carrying bucket.	Non-Stock
FPD90/50	Roofer's kit - Includes: lightweight universal harness with Soft Pak energy absorbing lanyard and rope grab permanently attached FPD698/1DP386, 15m (50') 3-strand copolymer rope 16mm (5/8") FP16E/PS50, 1 roof bracket, nails, in a convenient bucket for easy storage.	Non-Stock
FPD90/50TR	(1) Lightweight Universal harness FPD698/1DP, 4 ft shock absorbing lanyard - FPD29811/4, 15m (50') 3-strand Copolymer rope with rope adjuster attached 5/8" (16mm) diameter - FP16E/PS50/21, (2) roof bracket, Nails, convenient carrying bucket.	Non-Stock

### Confined Space & Rescue

FP2/415SR	Self-retracting lifeline with rescue winch - Cast aluminum housing - Stainless steel cable 5mm (3/16") - 15m (50') long.	Non-Stock
FP2/515SD	Retractable automatic descent device with stainless steel cable; 50'	Non-Stock
FP2/715SR	Manual retrieval winch with stainless steel cable; 50'	Non-Stock
FP3/733SR	Manual retrieval winch with stainless steel cable; 100'	Non-Stock
FP4017B	Lifting yoke and spreader bar	Non-Stock
FP66/415SR	FP6600/7 - 7' tripod; with FP2/415SR - 15m (50') 3-way SRL; mounting bracket and carrying bag	Non-Stock
FP66/715SR	FP6600/7 - 7' tripod; with FP2/715SR - 15m (100') winch; mounting bracket and carrying bag	Non-Stock

### Horizontal Lifeline Systems

FP1002	Temporary horizontal lifeline Kit, comprising 60' (18m) of 3/8" (10mm) galvanized cable, 2 anchor slings, cable tensioner and cable clips, Soft Pak energy absorber, 2 carabiner connectors	Non-Stock
--------	---	-----------

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 2.0

\*Non-Stock designates a 15 day lead time

Model Number	NEW Model Number (N/A = No change)	CSA Z259.12 Compliant Description	*Stock Status
<b>Anchorage Connectors</b>			
<b>Carabiners</b>			
17D-1/	N/A	Steel twist-lock carabiner; 1" gate opening	Stock
17D-2/	N/A	Aluminum twist-lock carabiner; 1" gate opening	Non-Stock
17D-4/	N/A	Steel twist-lock carabiner; 3/4" gate opening	Stock
18D-1/	N/A	Large steel twist-lock carabiner; 2" gate opening	Non-Stock
18D-1/-001	N/A	Large steel twist-lock carabiner; 1 7/8" gate opening	Non-Stock
<b>Rope Grabs</b>			
8175SLS/3FTYLC	N/A	Trailing Rope Grab – 8175 with attached 3' SofStop shock-absorber with locking snap hook	Stock
8175RLS/2FTWHC	8175RLS-Z7/2FTWHC	Trailing Rope Grab – 8175 with attached 2' rope lanyard with locking snap hook	Non-Stock
8174MLS/4FTYLC	8174MLS-Z7/4FTYLC	Manual Rope Grab – 8174 with attached 4' Manyard shock-absorbing lanyard with locking snap hook	Non-Stock
<b>Rebar Hook Anchors</b>			
480/19INGN	480-Z7/19INGN	Designed to facilitate anchoring to scaffolding, pipe or angle iron, and features a locking rebar hook for easy, one-hand installation and a D-ring on the other end to accommodate the connecting device. 400 lbs. maximum capacity.	Stock
480/4FTGN	480-Z7/4FTGN	Designed to facilitate anchoring to scaffolding, pipe or angle iron, and features a locking rebar hook for easy, one-hand installation and a D-ring on the other end to accommodate the connecting device. 400 lbs. maximum capacity.	Non-Stock
<b>Cable Anchorage Connector</b>			
8186V-Z7/2FTV	N/A	1/4" vinyl-coated, galvanized wire rope, steel 3" O-ring and locking snap hook; 2'	Non-Stock
8186V/6FTV	8186V-Z7/6FTV	1/4" vinyl-coated, galvanized wire rope, steel 3" O-ring and locking snap hook; 6'	Non-Stock
8186V/12FTV	8186V-Z7/12FTV	1/4" vinyl-coated, galvanized wire rope, steel 3" O-ring and locking snap hook; 12'	Non-Stock
8186V/26FTV	8186V-Z7/26FTV	1/4" vinyl-coated, galvanized wire rope, steel 3" O-ring and locking snap hook; 26'	Non-Stock
8187G/6FTG	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 6'	Non-Stock
8187V/10FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 10'	Non-Stock
8187V/12FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 12'	Non-Stock
8187V/15FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 15'	Non-Stock
8187V/18FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 18'	Non-Stock
8187V/20FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 20'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
8187V/22FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 22'	Non-Stock
8187V/3FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 3'	Non-Stock
8187V/4FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 4'	Non-Stock
8187V/5FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 5'	Non-Stock
8187V/6FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 6'	Non-Stock
8187V/8FTV	N/A	1/4" vinyl-coated, galvanized wire rope and a steel 3" O-ring; 8'	Non-Stock
<b>Vertical Lifelines</b>			
194R-2/100FTWH	N/A	5/8" white nylon rope lifeline with carabiner and thimble; 100'	Non-Stock
194R-2/200FTWH	N/A	5/8" white nylon rope lifeline with carabiner and thimble; 200'	Non-Stock
194R-2/25FTWH	N/A	5/8" white nylon rope lifeline with carabiner and thimble; 25'	Non-Stock
194R-2/30FTWH	N/A	5/8" white nylon rope lifeline with carabiner and thimble; 30'	Non-Stock
194R-2/50FTWH	N/A	5/8" white nylon rope lifeline with carabiner and thimble; 50'	Non-Stock
194R-2/75FTWH	N/A	5/8" white nylon rope lifeline with carabiner and thimble; 75'	Non-Stock
194R-5/100FTWH	N/A	5/8" white polyester rope lifeline with carabiner and thimble; 100'	Non-Stock
194R-5/120FTWH	N/A	5/8" white polyester rope lifeline with carabiner and thimble; 120'	Non-Stock
194R-5/25FTWH	N/A	5/8" white polyester rope lifeline with carabiner and thimble; 25'	Non-Stock
194R-5/50FTWH	N/A	5/8" white polyester rope lifeline with carabiner and thimble; 50'	Non-Stock
198RLS-2/15FTWH	198RLS-2-Z7/15FTWH	5/8" Nylon rope lifeline with choke-off loop and locking snap hook; 15'	Non-Stock
198RLS-2/30FTWH	198RLS-2-Z7/30FTWH	5/8" Nylon rope lifeline with choke-off loop and locking snap hook; 30'	Non-Stock
198RLS-2/75FTWH	198RLS-2-Z7/75FTWH	5/8" Nylon rope lifeline with choke-off loop and locking snap hook; 75'	Non-Stock
198RLS-2/100FTWH	198RLS-2-Z7/100FTWH	5/8" Nylon rope lifeline with choke-off loop and locking snap hook; 100'	Non-Stock
198RLS-2/450FTWH	198RLS-2-Z7/450FTWH	5/8" Nylon rope lifeline with choke-off loop and locking snap hook; 450'	Non-Stock
198RLS-5/50FTWH	198RLS-5-Z7/50FTWH	5/8" Polyester rope lifeline with choke-off loop and locking snap hook; 50'	Non-Stock
198RLS-5/200FTWH	198RLS-5-Z7/200FTWH	5/8" Polyester rope lifeline with choke-off loop and locking snap hook; 200'	Non-Stock
201RLS-2/15FTWH	201RLS-2-Z7/15FTWH	5/8" Nylon rope lifeline with locking snap hook at each end; 15'	Non-Stock
201RLS-2/20FTWH	201RLS-2-Z7/20FTWH	5/8" Nylon rope lifeline with locking snap hook at each end; 20'	Non-Stock
201RLS-2/50FTWH	201RLS-2-Z7/50FTWH	5/8" Nylon rope lifeline with locking snap hook at each end; 50'	Non-Stock
202RRS-2/30FTWH	202RRS-2-Z7/30FTWH	5/8" Nylon rope lifeline with locking snap hook and locking rebar hook; 30'	Non-Stock
203RLS-2/20FTWH	203RLS-2-Z7/20FTWH	5/8" Adjustable Nylon rope lifeline with locking snap hook at each end; 20'	Non-Stock
209RRS-2/50FTWH	209RRS-2-Z7/50FTWH	5/8" polyester rope lifeline with locking snap hook and locking rebar hook; 50'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time





<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
300C/100FTBL	N/A	5/8" blue polyester/polypropylene blend rope lifeline w/twist-lock carabiner and loop; 100'	Stock
300C/200FTBL	N/A	5/8" blue polyester/polypropylene blend rope lifeline w/twist-lock carabiner and loop; 200'	Non-Stock
300C/25FTBL	N/A	5/8" blue polyester/polypropylene blend rope lifeline w/twist-lock carabiner and loop; 25'	Non-Stock
300C/300FTBL	N/A	5/8" blue polyester/polypropylene blend rope lifeline w/twist-lock carabiner and loop; 300'	Non-Stock
300C/50FTBL	N/A	5/8" blue polyester/polypropylene blend rope lifeline w/twist-lock carabiner and loop; 50'	Non-Stock
300C/75FTBL	N/A	5/8" blue polyester/polypropylene blend rope lifeline w/twist-lock carabiner and loop; 75'	Non-Stock
300L/25FTBL	300L-Z7/25FTBL	5/8" blue polyester/polypropylene blend rope lifeline w/locking snap hook and loop; 25'	Stock
300L/50FTBL	300L-Z7/50FTBL	5/8" blue polyester/polypropylene blend rope lifeline w/locking snap hook and loop; 50'	Stock
300L/75FTBL	300L-Z7/75FTBL	5/8" blue polyester/polypropylene blend rope lifeline w/locking snap hook and loop; 75'	Stock
300L/100FTBL	300L-Z7/100FTBL	5/8" blue polyester/polypropylene blend rope lifeline w/locking snap hook and loop; 100'	Stock
300L/150FTBL	300L-Z7/150FTBL	5/8" blue polyester/polypropylene blend rope lifeline w/locking snap hook and loop; 150'	Non-Stock
300L/200FTBL	300L-Z7/200FTBL	5/8" blue polyester/polypropylene blend rope lifeline w/locking snap hook and loop; 200'	Non-Stock
T9111R/20FTWH	T9111R-Z7/20FTWH	5/8" rope lifeline w/two locking snap hooks; 20'	Non-Stock
T9111R/25FTWH	T9111R-Z7/25FTWH	5/8" rope lifeline w/two locking snap hooks; 25'	Non-Stock
T9112R/20FTWH	T9112R-Z7/20FTWH	5/8" rope lifeline w/locking snap hook and locking rebar hook; 20'	Non-Stock
<b>Body Wear</b>			
E753/S/MGN	N/A	Miller DuraFlex® Harness w/mating buckles, web loop back D-ring, protective pads and self-recsue positioning loops; Small/Medium	Non-Stock
E753/UGN	N/A	Miller DuraFlex® Harness w/mating buckles, web loop back D-ring, protective pads and self-recsue positioning loops; Universal (L/XL)	Non-Stock
E753/XXLGN	N/A	Miller DuraFlex® Harness w/mating buckles, web loop back D-ring, protective pads and self-recsue positioning loops; XXL	Non-Stock
<b>Connecting Devices</b>			
<b>TurboLite™ Personal Fall Limiters</b>			
MFL-1/6FT	MFL-1-Z7/6FT	TurboLite w/ steel twist-lock carabiner and locking snap hook	Stock
MFL-2/6FT	MFL-2-Z7/6FT	TurboLite w/ steel twist-lock carabiner and locking rebar hook	Stock
MFL-3/6FT	MFL-3-Z7/6FT	TurboLite w/o unit connector and locking snap hook	Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
MFL-4/6FT	MFL-4-Z7/6FT	TurboLite w/o unit connector and locking rebar hook	Stock
MFL-5/6FT	MFL-5-Z7/6FT	TurboLite w/o unit connector and locking swivel snap hook	Non-Stock
MFL-6/6FT	MFL-6-Z7/6FT	TurboLite w/o unit connector and locking swivel rebar hook	Non-Stock
MFL-9/6FT	MFL-9-Z7/6FT	TurboLite w/two locking snap hooks	Stock
MFL-10/6FT	MFL-10-Z7/6FT	TurboLite w/ locking snap hook and locking rebar hook	Non-Stock
MFL-12/6FT	MFL-12-Z7/6FT	TurboLite with 17D-2/ carabiner and locking aluminum rebar hook	Non-Stock
<b>Twin Turbo™ Personal Fall Limiters</b>			
MFLB-3/6FT	MFLB-3-Z7/6FT	Twin Turbo D-Ring Connector and two (2) MFL-3-Z7/6FT TurboLite PFL's	Stock
MFLB-4/6FT	MFLB-4-Z7/6FT	Twin Turbo D-Ring Connector and two (2) MFL-4-Z7/6FT TurboLite PFL's	Stock
MFLB-12/6FT	MFLB-12-Z7/6FT	Twin Turbo D-Ring Connector and two (2) MFL-12-Z7/6FT TurboLite PFL's	Non-Stock
<b>Turbo T-BAK™ Personal Fall Limiters</b>			
MFLT-1/7.5FT	N/A	Turbo T-BAK without unit connector	Non-Stock
MFLT-2/7.5FT	N/A	Turbo T-BAK with Steel twist lock Carabiner	Non-Stock
MFLT-3/7.5FT	N/A	Turbo T-BAK with Aluminum twist lock Carabiner	Non-Stock
MFLT-5/7.5FT	N/A	Turbo T-BAK with ANSI Z359.1.2007 Compliant Snap hook	Non-Stock
<b>Twin Turbo T-BAK™ Personal Fall Limiters</b>			
MFLT-1/7.5FT	N/A	Twin Turbo D-ring connector with two MFLT-1/7.5FT units	Stock
<b>Miller Scorpion™ Personal Fall Limiters</b>			
PFL-1/9FT	PFL-1-Z7/9FT	Without unit connector; locking snap hook; 9'	Non-Stock
PFL-2/9FT	PFL-2-Z7/9FT	Steel twist-lock carabiner; locking snap hook; 9'	Stock
PFL-3/9FT	PFL-3-Z7/9FT	Stainless steel swivel shackle; locking snap hook; 9'	Stock
PFL-4/9FT	PFL-4-Z7/9FT	Carabiner and swivel shackle; locking snap hook; 9'	Stock
PFL-6/9FT	PFL-6-Z7/9FT	Rebar hook and swivel shackle; locking snap hook; 9'	Stock
PFL-7/9FT	PFL-7-Z7/9FT	Locking snap hook and swivel shackle; locking snap hook; 9'	Non-Stock
PFL-9/9FT	PFL-9-Z7/9FT	Carabiner and swivel shackle; locking rebar hook; 9'	Stock
PFL-11/9FT	PFL-11-Z7/9FT	Locking snap hook and swivel shackle; locking rebar hook; 9'	Non-Stock
PFL-12/9FT	PFL-12-Z7/9FT	Carabiner and swivel shackle; locking rebar swivel hook; 9'	Non-Stock
PFL-14/9FT	PFL-14-Z7/9FT	Locking snap hooks and swivel shackle; locking swivel rebar hook; 9'	Non-Stock
PFL-15/9FT	PFL-15-Z7/9FT	Without unit connector; locking swivel snap hook; 9'	Non-Stock
PFL-16/9FT	PFL-16-Z7/9FT	Steel twist-lock carabiner; locking swivel snap hook; 9'	Non-Stock
PFLCMK/	PFLCMK-Z7/	Cab mount bracket and PFL-15-Z7/9FT; 9'	Non-Stock
<b>Miller MiniLite® Fall Limiters</b>			
FL11/11FT	FL11-Z7/11FT	without an anchorage connection and attached snap hook on web lanyard end; 11'	Stock
FL11-0/11FT	FL11-0-Z7/11FT	Without an anchorage connection and attached snap hook on web lanyard end; 11'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
FL11-1/11FT	FL11-1-Z7/11FT	Steel twist-lock carabiner and attached snap hook on web lanyard end; 11'	Stock
FL11-2/11FT	FL11-2-Z7/11FT	Stainless steel swivel shackle and attached snap hook on web lanyard end; 11'	Non-Stock
FL11-3/11FT	FL11-3-Z7/11FT	Steel twist-lock carabiner & swivel shackle and attached snap hook on web lanyard end; 11'	Stock
FL11-4/11FT	FL11-4-Z7/11FT	3 ft. cross-arm strap on the anchorage end and attached snap hook on web lanyard end; 11'	Non-Stock
FL11-5/11FT	FL11-5-Z7/11FT	Locking rebar hook and attached snap hook on web lanyard end; 11'	Non-Stock
FL11-6/11FT	FL11-6-Z7/11FT	Locking rebar hook & swivel shackle and attached snap hook on web lanyard end; 11'	Stock
FL11-7/11FT	FL11-7-Z7/11FT	Locking snap hook and attached snap hook on web lanyard end; 11'	Non-Stock
FL11-8/11FT	FL11-8-Z7/11FT	Locking snap hook & swivel shackle and attached snap hook on web lanyard end; 11'	Stock
FL11-11/11FT	FL11-11-Z7/11FT	Locking snap hook & swivel shackle and attached rebar hook on web lanyard end; 11'	Non-Stock
<b>Black Rhino™ Self-Retracting Lifelines</b>			
CFL-1/9FT	CFL-1-Z7/9FT	9' cable self-retracting lanyard without an anchorage connector and locking swivel snap hook with load indicator.	Non-Stock
CFL-2/9FT	CFL-2-Z7/9FT	9' cable self-retracting lanyard with steel twist lock carabiner; locking swivel snap hook with load indicator	Stock
CFL-3/9FT	CFL-3-Z7/9FT	9' Stainless steel swivel (need carabiner, not included); locking swivel snap hook with load indicator	Non-Stock
CFL-4/9FT	CFL-4-Z7/9FT	9' cable self-retracting lanyard with stainless steel swivel and twist-lock carabiner; locking swivel snap hook with load indicator	Stock
CFL-5/9FT	CFL-5-Z7/9FT	9' stainless steel swivel and locking rebar hook; locking swivel snap hook with load indicator	Stock
CFL-6/9FT	CFL-6-Z7/9FT	9' stainless steel swivel and twist lock carabiner; locking rebar hook	Non-Stock
CFLCMK/ CFLCMK/	CFLCMK-Z7/ CFLCMK-Z7/	Black Rhino™ cab mount	Non-Stock
<b>Falcon™ Self-Retracting Lifelines</b>			
<b>Falcon™ Web</b>			
MP16P/16FT	MP16P-Z7/16FT	16' web lifeline with stainless steel swivel, carabiner and locking snap	Non-Stock
MP20P/20FT	MP20P-Z7/20FT	20' web lifeline with stainless steel swivel, carabiner and locking snap	Non-Stock
<b>Falcon™ Cable</b>			
MP20G/20FT	MP20G-Z7/20FT	20-ft. galvanized wire rope (3/16-in.) with tagline and carabiner	Stock
MP20SS/20FT	MP20SS-Z7/20FT	20-ft. stainless steel wire rope (3/16-in.) with tagline and carabiner	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
MP30G/30FT	MP30G-Z7/30FT	30-ft. galvanized wire rope (3/16-in.) with tagline and carabiner	Stock
MP30SS/30FT	MP30SS-Z7/30FT	30-ft. stainless steel wire rope (3/16-in.) with tagline and carabiner	Non-Stock
MP50G/50FT	MP50G-Z7/50FT	50-ft. galvanized wire rope (3/16-in.) with tagline and carabiner	Stock
MP50SS/50FT	MP50SS-Z7/50FT	50-ft. stainless steel wire rope (3/16-in.) with tagline and carabiner	Non-Stock
MP65G/65FT	MP65G-Z7/65FT	65-ft. galvanized steel wire rope (3/16-in.) with tagline and carabiner	Non-Stock
MP65SS/65FT	MP65SS-Z7/65FT	65-ft. stainless steel wire rope (3/16-in.) with tagline and carabiner	Non-Stock
<b>MightyLite™ Self-Retracting Lifelines (SRL)</b>			
<b>20 ft. MightLite SRLs</b>			
RL20BG/20FT	RL20BG-Z7/20FT	20' galvanized wire rope (3/16") lifeline	Non-Stock
RL20G/20FT	RL20G-Z7/20FT	20' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Stock
RL20P/20FT	RL20P-Z7/20FT	20' polyester web (1") lifeline w/carabiner & tagline	Non-Stock
RL20SS/20FT	RL20SS-Z7/20FT	20' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Stock
<b>30 ft. MightLite SRLs</b>			
RL30BG/30FT	RL30BG-Z7/30FT	30' galvanized wire rope (3/16") lifeline	Non-Stock
RL30G/30FT	RL30G-Z7/30FT	30' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
RL30SS/30FT	RL30SS-Z7/30FT	30' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
RLS30BS/30FT	RLS30BS-Z7/30FT	30' stainless steel wire rope (3/16") lifeline	Non-Stock
RLS30G/30FT	RLS30G-Z7/30FT	30' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Stock
RLS30S/30FT	RLS30S-Z7/30FT	30' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Stock
<b>40 ft. MightLite SRLs</b>			
RL40K/40FT	RL40K-Z7/40FT	40' Kevlar® lifeline w/carabiner & tagline	Non-Stock
<b>50 ft. MightLite SRLs</b>			
RL50BP/50FT	RL50BP-Z7/50FT	50' polyester web (1") lifeline	Non-Stock
RL50P/50FT	RL50P-Z7/50FT	50' polyester web (1") lifeline w/carabiner & tagline	Non-Stock
RL50SS/50FT	RL50SS-Z7/50FT	50' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
<b>65 ft. MightLite SRLs</b>			
RL65G/65FT	RL65G-Z7/65FT	65' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Stock
RL65SS/65FT	RL65SS-Z7/65FT	65' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
<b>100 ft. MightLite SRLs</b>			
RL100BG/100FT	RL100BG-Z7/100FT	100' galvanized wire rope (3/16") lifeline	Non-Stock
RL100G/100FT	RL100G-Z7/100FT	100' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
RL100SS/100FT	RL100SS-Z7/100FT	100' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Stock
<b>120 ft. MightLite SRLs</b>			
RL120G/120FT	RL120G-Z7/120FT	120' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
<b>130 ft. MightLite SRLs</b>			
RL130G/130FT	RL130G-Z7/130FT	130' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
RL130SS/130FT	RL130SS-Z7/130FT	130' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
<b>175 ft. MightyLite SRLs</b>			
RL175G/175FT	RL175G-Z7/175FT	175' galvanized wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
RL175SS/175FT	RL175SS-Z7/175FT	175' stainless steel wire rope (3/16") lifeline w/carabiner & tagline	Non-Stock
<b>Titan™ Fall Limiters</b>			
TFL/11FT	TFL-Z7/11FT	Without an anchorage connection and attached snap hook on web lanyard end; 11'	Non-Stock
TFL-1/11FT	TFL-1-Z7/11FT	Steel twist-lock carabiner and attached snap hook on web lanyard end; 11'	Non-Stock
TFL-3/11FT	TFL-3-Z7/11FT	Stainless steel swivel shackle & carabiner and attached snap hook on web lanyard end; 11'	Non-Stock
<b>Titan™ Self-Retracting Lifelines</b>			
TRW/8FT	TRW-Z7/8FT	8' polyester web (1") lifeline w/carabiner	Non-Stock
TRWS/8FT	TRWS-Z7/8FT	8-ft. webbing retractable lanyard with top swivel	Non-Stock
TR20/20FT	TR20-Z7/20FT	20' galvanized wire rope (3/16") lifeline w/carabiner	Non-Stock
TRW/20FT	TRW-Z7/20FT	20' polyester web (1") lifeline w/carabiner	Non-Stock
TR30/30FT	TR30-Z7/30FT	30' galvanized wire rope (3/16") lifeline w/carabiner	Non-Stock
TR50/50FT	TR50-Z7/50FT	50' galvanized wire rope (3/16") lifeline w/carabiner	Non-Stock
TR65/65FT	TR65-Z7/65FT	65' galvanized wire rope (3/16") lifeline w/carabiner	Non-Stock
<b>Retractable Web Lanyards</b>			
8327/6FTYL	8327-Z7/6FTYL	Retractable web lanyard with a carabiner; 6'	Non-Stock
8327/7FTYL	8327-Z7/7FTYL	Retractable web lanyard with a carabiner; 7'	Non-Stock
8327/8FTYL	8327-Z7/8FTYL	Retractable web lanyard with a carabiner; 8'	Non-Stock
8327/10FTYL	8327-Z7/10FTYL	Retractable web lanyard with a carabiner; 10'	Stock
8327A/10FTYL	8327A-Z7/10FTYL	Retractable web lanyard with a carabiner; 10'	Non-Stock
8327F/7FTYL	8327F-Z7/7FTYL	Retractable web lanyard with a carabiner; 7'	Non-Stock
8327SW/6FTYL	N/A	Retractable web lanyard with a carabiner; 6'	Non-Stock
8327SW/8FTYL	N/A	Retractable web lanyard with a carabiner; 8'	Non-Stock
8327SW/10FTYL	N/A	Retractable web lanyard with a carabiner; 10'	Stock
AD6902/7FTYL	AD6902-Z7/7FTYL	Retractable web lanyard with two carabiners; 7'	Non-Stock
AD6902/8FTYL	AD6902-Z7/8FTYL	Retractable web lanyard with two carabiners; 8'	Stock
<b>Manyard® Lanyards</b>			
216WLS/4FTYL	216WLS-Z7/4FTYLC	4' Manyard lanyard with two locking snap hooks	Stock
216WLS/5FTYL	216WLS-Z7/5FTYLC	5' Manyard lanyard with two locking snap hooks	Stock
216WLS/5FT6INYL	216WLS-Z7/5FT6INYLC	5' 6" Manyard lanyard with two locking snap hooks	Non-Stock
216WLS/6FTYL	216WLS-Z7/6FTYLC	6' Manyard lanyard with two locking snap hooks	Non-Stock
216WLS/8FTYL	216WLS-Z7/8FTYLC	8' Manyard lanyard with two locking snap hooks	Stock
216WLS/10FTYL	216WLS-Z7/10FTYLC	10' Manyard lanyard with two locking snap hooks	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
219WRS/4FTYL	219WRS-Z7/4FTYLC	4' Manyard lanyard with one locking snap hook and one locking rebar hook	Stock
219WRS/5FTYL	219WRS-Z7/5FTYLC	5' Manyard lanyard with one locking snap hook and one locking rebar hook	Stock
219WRS/6FTYL	219WRS-Z7/6FTYLC	6' Manyard lanyard with one locking snap hook and one locking rebar hook	Stock
219WRS/10FTYL	219WRS-Z7/10FTYLC	10' Manyard lanyard with one locking snap hook and one locking rebar hook	Non-Stock
231WRS/5FTYL	231WRS-Z7/5FTYLC	5' Manyard lanyard with one locking snap hook and two locking rebar hooks	Stock
231WRS/6FTYL	231WRS-Z7/6FTYLC	6' double leg Manyard lanyard with one locking snap hook and two locking rebar hooks	Stock
232WLS/6FTYL	232WLS-Z7/6FTYLC	6' double leg Manyard lanyard with three locking snap hooks	Stock
233WLS/6FTYL	233WLS-Z7/6FTYLC	6' Manyard lanyard with one choke-off loop and one locking snap hook	Non-Stock
<b>Manyard II® Lanyards</b>			
216M/4FTGN	216M-Z7/4FTGNC	4' Manyard II lanyard with two locking snap hooks	Non-Stock
216M/5FTGN	216M-Z7/5FTGNC	5' Manyard II lanyard with two locking snap hooks	Stock
216M/6FTGN	216M-Z7/6FTGNC	6' Manyard II lanyard with two locking snap hooks	Stock
216M/10FTGN	216M-Z7/10FTGNC	10' Manyard II lanyard with two locking snap hooks	Non-Stock
216MD/6FTBL	216MD-Z7/6FTBLC	6' Manyard II lanyard with two locking snap hooks; blue	Non-Stock
216MK/5FTBK	216MK-Z7/5FTBKC	5' Kevlar® Manyard II lanyard with two locking snap hooks	Non-Stock
216MK/6FTBK	216MK-Z7/6FTBKC	6' Kevlar® Manyard II lanyard with two locking snap hooks	Non-Stock
216MO/6FTGN	216MO-Z7/6FTGNC	6' Manyard II lanyard with O-ring, and two locking snap hooks	Non-Stock
219M/5FTGN	219M-Z7/5FTGNC	5' Manyard II lanyard with one locking snap hook and one locking rebar hook	Non-Stock
219M/6FTGN	219M-Z7/6FTGNC	6' Manyard II lanyard with one locking snap hook and one locking rebar hook	Non-Stock
219MD/6FTBL	219MD-Z7/6FTBLC	6' Manyard II lanyard with one locking snap hook and one locking rebar hook; blue	Non-Stock
219MO/6FTGN	219MO-Z7/6FTGNC	6' Manyard II lanyard with O-ring, one locking snap hook and one locking rebar hook; blue	Non-Stock
231M/5FTGN	231M-Z7/5FTGNC	5' double leg Manyard II lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
231M/6FTGN	231M-Z7/6FTGNC	6' double leg Manyard II lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
231MD/6FTBL	231MD-Z7/6FTBLC	6' double leg Manyard II lanyard with a D-ring, one locking snap hook and two locking rebar hooks	Non-Stock
231MAL/6FTGN	231MAL-Z7/6FTGNC	6' double leg Manyard II lanyard with one locking aluminum snap hook and two locking aluminum rebar hooks	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
232M/6FTGN	232M-Z7/6FTGNC	6' double leg Manyard II lanyard with three locking snap hooks	Non-Stock
233M/6FTGN	233M-Z7/6FTGNC	6' single leg Manyard II lanyard with a choke-off loop and one locking snap hook	Non-Stock
233MK/6FTBK	233MK-Z7/6FTBKC	6' Kevlar® Manyard II lanyard with a choke-off loop and one locking snap hook	Non-Stock
233MORS/6FTGN	233MORS-Z7/6FTGNC	6' Manyard II lanyard with O-ring and choke-off loop and one locking rebar hook	Non-Stock
233MRK/4FTBK	233MRK-Z7/4FTBKC	4' Kevlar® Manyard II lanyard with a choke-off loop and one locking rebar hook	Non-Stock
233MRAL/6FTGN	233MRAL-Z7/6FTGNC	6' Manyard II lanyard with a choke-off loop and one locking, aluminum snap hook	Non-Stock
<b>Manyard HP™ Lanyards</b>			
216TC/6FTGN	216TC-Z7/6FTGNC	6' Manyard HP lanyard with one snap hook and one carabiner	Non-Stock
216TWDLS/4FTBL	216TWDLS-Z7/4FTBLC	4' Manyard HP lanyard with two locking snap hooks; blue	Non-Stock
216TWLS/4FTGN	216TWLS-Z7/4FTGNC	4' Manyard HP lanyard with two locking snap hooks	Non-Stock
216TWLS/6FTGN	216TWLS-Z7/6FTGNC	6' Manyard HP lanyard with two locking snap hooks	Non-Stock
219TWRS/4FTGN	219TWRS-Z7/4FTGNC	4' Manyard HP lanyard with one locking snap hook and one locking rebar hook	Stock
219TWRS/6FTGN	219TWRS-Z7/6FTGNC	6' Manyard HP lanyard with one locking snap hook and one locking rebar hook	Stock
231TWRS/6FTGN	231TWRS-Z7/6FTGNC	6' Manyard HP lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
232TWLS/6FTGN	232TWLS-Z7/6FTGN	6' Manyard HP lanyard with three locking snap hooks	Non-Stock
233TWRS/6FTGN	233TWRS-Z7/6FTGNC	6' Manyard HP lanyard with choke-off loop and one locking rebar hook	Non-Stock
<b>Miller Lanyards w/ SofStop®</b>			
8798/4FTYL	8798-Z7/4FTYLC	4' lanyard with three locking snap hooks	Non-Stock
8798/6FTYL	8798-Z7/6FTYLC	6' lanyard with three locking snap hooks	Non-Stock
8798K/6FTBL	8798K-Z7/6FTBLC	6' Arc-rated Kevlar® lanyard with three locking snap hooks	Non-Stock
8798KR/4FTBK	8798KR-Z7/4FTBKC	4' Arc-rated Kevlar® lanyard with a locking snap hook and two locking rebar hooks	Non-Stock
8798KR/6FTBK	8798KR-Z7/6FTBKC	6' Arc-rated Kevlar® lanyard with a locking snap hook and two locking rebar hooks	Non-Stock
8798KR/6FTBL	8798KR-Z7/6FTBLC	6' Arc-rated Kevlar® lanyard with a locking snap hook and two locking rebar hooks	Non-Stock
8798R/4FTYL	8798R-Z7/4FTYLC	4' lanyard with a locking snap hook and two locking rebar hooks	Non-Stock
8798R/6FTYL	8798R-Z7/6FTYLC	6' lanyard with a locking snap hook and two locking rebar hooks	Non-Stock
8799KR/6FTBK	8799KR-Z7/6FTBKC	6' Arc-rated Kevlar® lanyard with a choke-off loop and two locking rebar hooks	Non-Stock
910WLS/4FTYL	910WLS-Z7/4FTYLC	4' adjustable lanyard with two locking snap hooks	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
910WLS/6FTYL	910WLS-Z7/6FTYLC	6' adjustable lanyard with two locking snap hooks	Non-Stock
913K/6FTBK	913K-Z7/6FTBKC	6' Arc-rated Kevlar® lanyard with two locking snap hooks	Non-Stock
913K/6FTBL	913K-Z7/6FTBLC	6' Kevlar®/Nomex® lanyard with two locking snap hooks	Non-Stock
913KR/4FTBK	913KR-Z7/4FTBKC	4' Arc-rated Kevlar® lanyard with one locking snap hook and one locking rebar hook	Non-Stock
913KR/6FTBK	913KR-Z7/6FTBKC	6' Arc-rated Kevlar® lanyard with one locking snap hook and one locking rebar hook	Non-Stock
913WLS/3FTYL	913WLS-Z7/3FTYLC	3' lanyard with two locking snap hooks	Stock
913WLS/6FTYL	913WLS-Z7/6FTYLC	6' lanyard with two locking snap hooks	Stock
913WLS/10FTYL	913WLS-Z7/10FTYLC	10' lanyard with two locking snap hooks	Non-Stock
922KR/6FTBL	922KR-Z7/6FTBLC	6' Kevlar®/Nomex® lanyard with one locking snap hook and one locking rebar hook	Non-Stock
922WRS/3FTYL	922WRS-Z7/3FTYLC	3' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
922WRS/5FTYL	922WRS-Z7/5FTYLC	5' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
922WRS/6FTYL	922WRS-Z7/6FTYLC	6' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
922WRS/12FTYL	922WRS-Z7/12FTYLC	12' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
928LS/18INYL	928LS-Z7/18INYLC	18" shock-absorber with D-ring and locking snap hook	Non-Stock
933K/6FTBK	933K-Z7/6FTBKC	6' Kevlar®/Nomex® lanyard with one choke-off loop and one locking rebar hook	Non-Stock
940WLS-E6/6FTGN	940WLS-E6-Z7/6FTGNC	6' E6 lanyard with two locking snap hooks	Non-Stock
940WRS-E6/4FTGN	940WRS-E6-Z7/4FTGNC	4' E6 lanyard with one locking snap hook and one locking rebar hook	Non-Stock
980T-E6/6FTGN	980T-E6-Z7/6FTGNC	6' E6 lanyard with three locking snap hooks	Non-Stock
980TR-E6/4FTGN	980TR-E6-Z7/4FTGNC	4' E6 lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
980TR-E6/5FTGN	980TR-E6-Z7/5FTGNC	5' E6 lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
980TR-E6/6FTGN	980TR-E6-Z7/6FTGNC	6' E6 lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
<b>Miller StretchStop®</b>			
8798RSS/6FTGN	8798RSS-Z7/6FTGNC	6' lanyard with one locking snap hook and two locking rebar hooks	Stock
8798SS/6FTGN	8798SS-Z7/6FTGNC	6' lanyard with three locking snap hooks	Non-Stock
913RSS/6FTGN	913RSS-Z7/6FTGNC	6' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
913RSSO/6FTGN	913RSSO-Z7/6FTGNC	6' lanyard with O-ring, one locking snap hook and one locking rebar hook	Non-Stock
913SS/8FTGN	913SS-Z7/8FTGNC	6' lanyard with two locking snap hooks	Non-Stock
913SSD/6FTBL	913SSD-Z7/6FTBLC	6' lanyard with two locking snap hooks; blue	Non-Stock
940SS-E6/6FTGN	940SS-E6-Z7/6FTGNC	6' E6 lanyard with two locking snap hooks	Non-Stock
940RSS-E6/6FTGN	940RSS-E6-Z7/6FTGNC	6' E6 lanyard with rescue O-rings, one locking snap hook and two locking rebar hooks	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time





<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
980RSS-E6/5FTGN	980RSS-E6-Z7/5FTGNC	5' lanyard with SofStop Double Pack, one locking snap hook and two locking rebar hooks	Non-Stock
980RSS-E6/6FTGN	980RSS-E6-Z7/6FTGNC	6' lanyard with SofStop Double Pack, one locking snap hook and two locking rebar hooks	Non-Stock
980RSS-RL-E6/6FTGN	980RSS-RL-E6-Z7/6FTGNC	6' lanyard with SofStop Double Pack, rescue loops, one locking snap hook and two locking rebar hooks	Non-Stock
<b>Miller HP™ Lanyards w/ SofStop® Lanyards</b>			
8798T/6FTGN	8798T-Z7/6FTGNC	6' lanyard with three locking snap hooks	Non-Stock
8798TR/4FTGN	8798TR-Z7/4FTGNC	4' lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
8798TR/5FTGN	8798TR-Z7/5FTGNC	5' lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
8798TR/6FTGN	8798TR-Z7/6FTGNC	6' lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
8878TR/6FTGN	8878TR-Z7/6FTGNC	6' adjustable lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
910TWLS/4FTGK	910TWLS-Z7/4FTGKC	4' adjustable lanyard with two locking snap hooks	Non-Stock
910TWLS/6FTGK	910TWLS-Z7/6FTGKC	6' adjustable lanyard with two locking snap hooks	Non-Stock
913TWLS/6FTGK	913TWLS-Z7/6FTGKC	6' lanyard with two locking snap hooks	Non-Stock
922TWRS/4FTGK	922TWRS-Z7/4FTGKC	4' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
922TWRS/6FTGK	922TWRS-Z7/6FTGKC	6' lanyard with one locking snap hook and one locking rebar hook	Non-Stock
940T-E6/4FTGN	940T-E6-Z7/4FTGNC	4' E6 lanyard with two locking snap hooks	Non-Stock
940T-E6/5FTGN	940T-E6-Z7/5FTGNC	5' E6 lanyard with two locking snap hooks	Non-Stock
940T-E6/6FTGN	940T-E6-Z7/6FTGNC	6' E6 lanyard with two locking snap hooks	Non-Stock
940TR-E6/4FTGN	940TR-E6-Z7/4FTGNC	4' E6 lanyard with one locking snap hook and one rebar hook	Non-Stock
940TR-E6/5FTGN	940TR-E6-Z7/5FTGNC	5' E6 lanyard with one locking snap hook and one rebar hook	Non-Stock
940TR-E6/6FTGN	940TR-E6-Z7/6FTGNC	6' E6 lanyard with one locking snap hook and one rebar hook	Non-Stock
<b>Wire Rope Lanyard w/ SofStop®</b>			
8798RVC/4FTYL	8798RVC-Z7/4FTYLC	4' 1/4-in. vinyl covered cable with SofStop and two locking rebar hooks	Non-Stock
8798RVC/6FTYL	8798RVC-Z7/6FTYLC	6' 1/4-in. vinyl covered cable with SofStop and two locking rebar hooks	Non-Stock
907K/4FTBL	907K-Z7/4FTBLC	4' 1/4-in. wire rope lifeline with Kevlar® SofStop and two locking snap hooks	Non-Stock
907K/6FTBL	907K-Z7/6FTBLC	6' 1/4-in. wire rope lifeline with Kevlar® SofStop and two locking snap hooks	Non-Stock
907LS/6FTYL	907LS-Z7/6FTYLC	6' 1/4-in. wire rope lifeline with SofStop and two locking snap hooks	Non-Stock
907NLS/4FTYL	907NLS-Z7/4FTYLC	4' 1/4-in. vinyl coated wire rope lifeline with SofStop and two locking snap hooks	Non-Stock
907NLS/6FTYL	907NLS-Z7/6FTYLC	6' 1/4-in. vinyl coated wire rope lifeline with SofStop and two locking snap hooks	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



Model Number	NEW Model Number (N/A = No change)	CSA Z259.12 Compliant Description	*Stock Status
<b>Miller BackBiter® Tie-Back Lanyards</b>			
8798B/4FTGNC	N/A	4' double leg lanyard with one locking snap hook and two locking Miller 5K® hooks	Non-Stock
8798B/6FTGNC	N/A	6' double leg lanyard with one locking snap hook and two locking Miller 5K® hooks	Stock
8798B/8FTGNC	N/A	8' double leg lanyard with one locking snap hook and two locking Miller 5K® hooks	Non-Stock
8798BD/6FTBLC	N/A	6' double leg lanyard with one locking snap hook and two locking Miller 5K® hooks; blue	Non-Stock
8798BK/6FTGNC	N/A	6-ft. working length; Twin leg Kevlar® and Nomex® web lanyard w/2 5K® snap hooks and 1 locking snap hook	Non-Stock
8798BO/6FTGNC	N/A	6-ft. working length; Twin leg Cordura® web lanyard w/2 5K® snap hooks and 1 locking snap hook and "O" Ring Extension	Non-Stock
8798KB/6FTBKC	N/A	6-ft. working length; Twin leg Arc-Rated Kevlar® web lanyard w/2 5K® snap hooks and 1 locking snap hook	Non-Stock
913B/3FTGNC	N/A	3-ft. working length; Cordura® web lanyard w/1 5K® snap hook and 1 locking snap hook; Green	Non-Stock
913B/4FTGNC	N/A	4-ft. working length; Cordura® web lanyard w/1 5K® snap hook and 1 locking snap hook; Green	Non-Stock
913B/5FTGNC	N/A	5-ft. working length; Cordura® web lanyard w/1 5K® snap hook and 1 locking snap hook; Green	Stock
913B/6FTGNC	N/A	6-ft. working length; Cordura® web lanyard w/1 5K® snap hook and 1 locking snap hook; Green	Stock
913BD/6FTBLC	N/A	6-ft. working length; Cordura® web lanyard w/1 5K® snap hook and 1 locking snap hook; Blue	Non-Stock
913KB/6FTBKC	N/A	6-ft. working length; Arc-Rated Kevlar® web lanyard w/1 5K® snap hook and 1 locking snap hook	Non-Stock
913KB/6FTBLC	N/A	6-ft. working length; Arc-Rated Kevlar® web lanyard w/1 5K® snap hook and 1 locking snap hook; Blue	Non-Stock
940B-E6/6FTGN	N/A	6-ft. working length; Cordura® web lanyard w/1 5K® snap hook, 1 locking snap hook and SofStop Double Pack; Blue	Non-Stock
980B-E6/6FTGN	N/A	6-ft. working length; Cordura® web lanyard w/1 5K® snap hook, 1 locking snap hook and SofStop Double Pack; Green	Non-Stock
910B/6FTGNC	N/A	Adjustable 4-ft. – 6-ft. working length; Cordura® web lanyard w/1 5K® snap hook and 1 locking snap hook; Green	Non-Stock
<b>Positioning and Restraint</b>			
<b>StopFall</b>			
7600B/YL	7600B/YL	StopFall System fits wood pole size 25" - 50" (635mm - 1270mm) circumference with tongue buckle adjustment.	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
7700A/YL/GP-1	7700A/YL/GP-2	StopFall System with Gaff Pullers fits wood pole size 20" - 60" (508mm - 1524mm) circumference with tongue buckle adjustment.	Non-Stock
<b>Positioning Assemblies</b>			
6756RS-Z7/	N/A	Rebar chain assembly with two locking snap hooks and one locking rebar hook; swivel attachment and length adjuster	Stock
6757WRS-Z7/35INGN	N/A	Rebar green web assembly with locking rebar hook and two locking snap hooks; 35"	Non-Stock
6757WRS4/27INBL	6757WRS4-Z7/27INBL	Rebar blue web assembly with locking rebar hook and two locking snap hooks; 27"	Non-Stock
<b>Web Lanyards</b>			
210WLS/4FT6INYL	210WLS-Z7/4FT6INYL	4' 6" adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/6FTYL	210WLS-Z7/6FTYL	6' adjustable web lanyard with two locking snap hooks	Stock
210WLS/10FTYL	210WLS-Z7/10FTYL	10' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/12FTYL	210WLS-Z7/12FTYL	12' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/16FTYL	210WLS-Z7/16FTYL	16' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/20FTYL	210WLS-Z7/20FTYL	20' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/25FTYL	210WLS-Z7/25FTYL	25' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/30FTYL	210WLS-Z7/30FTYL	30' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/34FTYL	210WLS-Z7/34FTYL	34' adjustable web lanyard with two locking snap hooks	Non-Stock
210WLS/38FTYL	210WLS-Z7/38FTYL	38' adjustable web lanyard with two locking snap hooks	Non-Stock
210TWLS-Z7/12FTGN	N/A	Miller HP™ adjustable positioning/restraint Lanyard w/2 locking snap hooks; 12-ft.	Non-Stock
210TWLS-Z7/6FTGN	N/A	Miller HP™ adjustable positioning/restraint Lanyard w/2 locking snap hooks; 6-ft.	Non-Stock
211WLS/25FTYL	211WLS-Z7/25FTYL	25' adjustable web lanyard with one locking snap hook and one loop	Stock
212WLS/3FTYL	212WLS-Z7/3FTYL	3' web lanyard with one locking snap hook and one web loop	Non-Stock
212WLS/4FTYL	212WLS-Z7/4FTYL	4' web lanyard with one locking snap hook and one web loop	Non-Stock
<b>Web Lanyards</b>			
213TWLS/4FTGN	213TWLS-Z7/4FTGN	4' web lanyard with two locking snap hooks	Non-Stock
213TWLS/6FTGN	213TWLS-Z7/6FTGN	6' web lanyard with two locking snap hooks	Non-Stock
213WLS/3FTYL	213WLS-Z7/3FTYL	3' web lanyard with two locking snap hooks	Stock
213WLS/3FT6INYL	213WLS-Z7/3FT6INYL	3' 6" web lanyard with two locking snap hooks	Non-Stock
213WLS/4FTYL	213WLS-Z7/4FTYL	4' web lanyard with two locking snap hooks	Stock
213WLS/6FTYL	213WLS-Z7/6FTYL	6' web lanyard with two locking snap hooks	Stock
213WLS/8FTYL	213WLS-Z7/8FTYL	8' web lanyard with two locking snap hooks	Non-Stock
213WLS/25FTYL	213WLS-Z7/25FTYL	25' web lanyard with two locking snap hooks	Non-Stock
226WRS/3FTYL	226WRS-Z7/3FTYL	3' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock
226WRS/4FTYL	226WRS-Z7/4FTYL	4' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
226WRS/6FTYL	226WRS-Z7/6FTYL	6' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock
226WRS/8FTYL	226WRS-Z7/8FTYL	8' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock
226WRS/10FTYL	226WRS-Z7/10FTYL	10' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock
226WRS/12FTYL	226WRS-Z7/12FTYL	12' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock
8928/18INBK	8928-Z7/18INBK	18" web extension with a snap hook and a D-ring on the opposite end	Stock
8928/4FTBK	8928-Z7/4FTBK	4' web extension with a snap hook and a D-ring on the opposite end	Non-Stock
<b>Rope Lanyards</b>			
201RLS-2/5FTWH	201RLS-2-Z7/5FTWH	5' 5/8" nylon rope lanyard with two locking snap hooks	Non-Stock
201RLS-2/6FTWH	201RLS-2-Z7/6FTWH	6' 5/8" nylon rope lanyard with two locking snap hooks	Stock
201RLS-5/4FTWH	201RLS-5-Z7/4FTWH	4' 5/8" polyester rope lanyard with two locking snap hooks	Non-Stock
201RLS-8/12FTWH	201RLS-8-Z7/12FTWH	12' 1/2" nylon rope lanyard with two locking snap hooks	Non-Stock
201RLS-8/4FTWH	201RLS-8-Z7/4FTWH	4' 1/2" nylon rope lanyard with two locking snap hooks	Non-Stock
202RRS-2/2FTWH	202RRS-2-Z7/2FTWH	2' 5/8" nylon rope lanyard with one locking snap hook and one locking rebar hook	Non-Stock
202RRS-2/3FTWH	202RRS-2-Z7/3FTWH	3' 5/8" nylon rope lanyard with one locking snap hook and one locking rebar hook	Non-Stock
<b>Wire Lanyards</b>			
206NLS/6FTV	206NLS-Z7/6FTV	6' vinyl-coated wire rope lifeline with one locking snap hook and one cable loop	Non-Stock
207LS/2FTG	207LS-Z7/2FTG	2' wire rope lifeline with two locking snap hooks	Non-Stock
207LS/3FTG	207LS-Z7/3FTG	3' wire rope lifeline with two locking snap hooks	Non-Stock
207LS/4FTG	207LS-Z7/4FTG	4' wire rope lifeline with two locking snap hooks	Non-Stock
207LS/5FTG	207LS-Z7/5FTG	5' wire rope lifeline with two locking snap hooks	Non-Stock
207NLS/6FTV	207NLS-Z7/6FTV	3' vinyl-coated wire rope lifeline with two locking snap hooks	Non-Stock
<b>Safety Straps</b>			
55NFLS/5FT6INYL	55NFLS-Z7/5FT6INYL	5' 6" nylon safety strap with friction buckle adjuster and two snap hooks	Non-Stock
6NFLS/6FTYL	6NFLS-Z7/6FTYL	6' nylon safety strap with friction buckle adjuster and two snap hooks	Non-Stock
65NFLS/6FT6INYL	65NFLS-Z7/6FT6INYL	6' 6" nylon safety strap with friction buckle adjuster and two snap hooks	Non-Stock
6YRLS/6FTBR	6YRLS-Z7/6FTBR	6' six-ply nylon safety strap with tongue buckle adjuster and two snap hooks	Non-Stock
7NFLS/6FTYL	7NFLS-Z7/6FTYL	7' nylon safety strap with friction buckle adjuster and two snap hooks	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
7YRLS/6FTBR	7YRLS-Z7/6FTBR	7' six-ply nylon safety strap with tongue buckle adjuster and two snap hooks	Non-Stock
<b>Titan™ Pack Style Lanyards</b>			
T6111/3FTAF	T6111-Z7/3FTAFC	3' lanyard with two locking snap hooks	Stock
T6111/5FTAF	T6111-Z7/5FTAFC	5' lanyard with two locking snap hooks	Non-Stock
T6111/6FTAF	T6111-Z7/6FTAFC	6' lanyard with two locking snap hooks	Non-Stock
T6112/3FTAF	T6112-Z7/3FTAFC	3' lanyard with one locking snap hook and one large locking rebar hook	Non-Stock
T6121/4FTAF	T6121-Z7/4FTAFC	4' lanyard with three locking snap hooks	Non-Stock
T6121/6FTAF	T6121-Z7/6FTAFC	6' lanyard with three locking snap hooks	Non-Stock
T6122/4FTAF	T6122-Z7/4FTAFC	4' lanyard with one locking snap hook and two large locking rebar hooks	Non-Stock
T6122/6FTAF	T6122-Z7/6FTAFC	6' lanyard with one locking snap hook and two large locking rebar hooks	Stock
<b>Titan™ Tie-Back Lanyards</b>			
T6111TB/6FTAF	T6111TB-Z7/6FTAFC	6' lanyard with one locking snap hook and one auto-lock carabiner	Non-Stock
T6121TB/6FTAF	T6121TB-Z7/6FTAFC	6' lanyard with one locking snap hook and two auto-lock carabiners	Non-Stock
<b>Titan™ Stretch Pack Style Lanyards</b>			
T6122SS/4FTAF	T6122SS-Z7/4FTAFC	4' lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
T6122SS/6FTAF	T6122SS-Z7/6FTAFC	6' lanyard with one locking snap hook and two locking rebar hooks	Non-Stock
<b>Titan™ Tubular Lanyards</b>			
T5011/6FTAF	T5011-Z7/6FTAFC	6' lanyard with a choke-off loop and locking snap hook	Non-Stock
T5111/4FTAF	T5111-Z7/4FTAFC	4' lanyard with two locking snap hooks	Stock
T5111/5FTAF	T5111-Z7/5FTAFC	5' lanyard with two locking snap hooks	Stock
T5111/6FTAF	T5111-Z7/6FTAFC	6' lanyard with two locking snap hooks	Stock
T5111/8FTAF	T5111-Z7/8FTAFC	8' lanyard with two locking snap hooks	Non-Stock
T5111/9FTAF	T5111-Z7/9FTAFC	9' lanyard with two locking snap hooks	Non-Stock
T5111/10FTAF	T5111-Z7/10FTAFC	10' lanyard with two locking snap hooks	Non-Stock
T5112/4FTAF	T5112-Z7/4FTAFC	4' lanyard with one locking snap hook and one large locking rebar hook	Non-Stock
T5112/6FTAF	T5112-Z7/6FTAFC	6' lanyard with one locking snap hook and one large locking rebar hook	Stock
T5122/4FTAF	T5122-Z7/4FTAFC	4' lanyard with one locking snap hook and two large locking rebar hooks	Non-Stock
T5122/5FTAF	T5122-Z7/5FTAFC	5' lanyard with one locking snap hook and two large locking rebar hooks	Non-Stock
T5122/6FTAF	T5122-Z7/6FTAFC	6' lanyard with one locking snap hook and two large locking rebar hooks	Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



Model Number	NEW Model Number (N/A = No change)	CSA Z259.12 Compliant Description	*Stock Status
<b>Titan™ Stretch Tubular Lanyards</b>			
T5111SS/6FTAF	T5111SS-Z7/6FTAFC	6' lanyard with two locking snap hooks	Non-Stock
T6112SS/6FTAF	T6112SS-Z7/6FTAFC	6' lanyard with one locking snap hook and one large locking rebar hook	Non-Stock
T5122SS/6FTAF	T5122SS-Z7/6FTAFC	6' lanyard with one locking snap hook and two large locking rebar hooks	Non-Stock
<b>Titan™ Positioning and Restraint Lanyards</b>			
T8221/	T8221-Z7/	Rebar chain assembly	Stock
T8221W/27INYL	T8221W-Z7/27INYL	27" web lanyard with two locking snap hooks and one locking rebar hook	Non-Stock
T9111R/6FTWH	T9111R-Z7/6FTWH	6' rope lanyard with two locking snap hooks	Non-Stock
T9111W/4FTAF	T9111W-Z7/4FTAF	4' web lanyard with two locking snap hooks	Non-Stock
T9111W/6FTAF	T9111W-Z7/6FTAF	6' web lanyard with two locking snap hooks	Non-Stock
T9111W/8FTAF	T9111W-Z7/8FTAF	8' web lanyard with two locking snap hooks	Non-Stock
T9112W/6FTAF	T9112W-Z7/6FTAF	6' web lanyard with one locking snap hook and one locking rebar hook	Non-Stock
T8221W/4FTYL	T8221W-Z7/4FTYL	4' web lanyard with two locking snap hooks and one locking rebar hook	Non-Stock
T9111R/10FTWH	T9111R-Z7/10FTWH	10' rope lanyard with two locking snap hooks	Non-Stock
<b>Confined Space</b>			
<b>Miller MightEvac® Self-Retracting Lifelines with Emergency Retrieval Hoist</b>			
<b>Galvanized</b>			
MR50G/50FT	MR50G-Z7/50FT	50' galvanized wire rope (3/16") unit w/carabiner	Stock
MR100G/100FT	MR100G-Z7/100FT	100' galvanized wire rope (3/16") unit w/carabiner	Non-Stock
MR130G/130FT	MR130G-Z7/130FT	130' galvanized wire rope (3/16") unit w/carabiner	Non-Stock
<b>Stainless</b>			
MR50S/50FT	MR50S-Z7/50FT	50' stainless steel wire rope (3/16") unit w/carabiner	Non-Stock
MR100S/100FT	MR100S-Z7/100FT	100' stainless steel wire rope (3/16") unit w/carabiner	Non-Stock
MR130S/130FT	MR130S-Z7/130FT	130' stainless steel wire rope (3/16") unit w/carabiner	Non-Stock
<b>Kevlar</b>			
MR40K/40FT	MR40K-Z7/40FT	40' kevlar rope unit w/carabiner	Non-Stock
MR80K/80FT	MR80K-Z7/80FT	80' kevlar rope unit w/carabiner	Non-Stock
<b>Galvanized with Mounting Bracket &amp; Pulley</b>			
MR50GB/50FT	MR50GB-Z7/50FT	MR50G w/mounting bracket & pulley	Stock
MR100GB/100FT	MR100GB-Z7/100FT	MR100G w/mounting bracket & pulley	Non-Stock
MR130GB/130FT	MR130GB-Z7/130FT	MR130G w/mounting bracket & pulley	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



Model Number	NEW Model Number (N/A = No change)	CSA Z259.12 Compliant Description	*Stock Status
<b>Miller MightEvac® Self-Retracting Lifelines with Emergency Retrieval Hoist</b>			
<b>Stainless with Mounting Bracket &amp; Pulley</b>			
MR50SB/50FT	MR50SB-Z7/50FT	MR50S w/mounting bracket & pulley	Non-Stock
MR100SB/100FT	MR100SB-Z7/100FT	MR100S w/mounting bracket & pulley	Non-Stock
MR130SB/130FT	MR130SB-Z7/130FT	MR130S w/mounting bracket & pulley	Non-Stock
<b>Kevlar with Mounting Bracket and Pulley</b>			
MR40KB/40FT	MR40KB-Z7/40FT	MR40K w/mounting bracket & pulley	Non-Stock
MR80KB/80FT	MR80KB-Z7/80FT	MR80K w/mounting bracket & pulley	Non-Stock
<b>Miller MightEvac® Confined Space Entry &amp; Rescue Systems</b>			
Confined Space Systems also include a pulley, carabiner and two heavy-duty equipment bags			
<b>Galvanized with 7ft tripod</b>			
MR50GC/50FT	MR50GC-Z7/50FT	MR50GB w/ 7' tripod	Stock
MR100GC/100FT	MR100GC-Z7/100FT	MR100GB w/ 7' tripod	Non-Stock
MR130GC/130FT	MR130GC-Z7/130FT	MR130GB w/ 7' tripod	Non-Stock
<b>Stainless with 7ft tripod</b>			
MR50SC/50FT	MR50SC-Z7/50FT	MR50SB w/ 7' tripod	Non-Stock
MR100SC/100FT	MR100SC-Z7/100FT	MR100SB w/ 7' tripod	Non-Stock
MR130SC/130FT	MR130SC-Z7/130FT	MR130SB w/ 7' tripod	Non-Stock
<b>Kevlar with 7ft tripod</b>			
MR40KC/40FT	MR40KC-Z7/40FT	MR40KB w/ 7' tripod	Non-Stock
MR40KCN/40FT	MR40KCN-Z7/40FT	MR40KC w/ 7' tripod and 8440K winch	Non-Stock
MR80KC/80FT	MR80KC-Z7/80FT	MR80KB w/ 7' tripod	Non-Stock
<b>Galvanized with 7ft tripod and ManHandler® winch</b>			
MR100GCM/100FT	MR100GCM-Z7/100FT	MR50GC w/ 65' ManHandler	Non-Stock
<b>Galvanized with 9ft tripod</b>			
MR50GX/50FT	MR50GX-Z7/50FT	MR50GB w/ 9' tripod	Non-Stock
MR100GX/100FT	MR100GX-Z7/100FT	MR100GB w/ 9' tripod	Non-Stock
MR130GX/130FT	MR130GX-Z7/130FT	MR130GB w/ 9' tripod	Non-Stock
<b>Stainless with 9ft tripod</b>			
MR100SX/100FT	MR100SX-Z7/100FT	MR100SB w/ 9' tripod	Non-Stock
MR130SX/130FT	MR130SX-Z7/130FT	MR130SB w/ 9' tripod	Non-Stock
<b>Miller ManHandler Work Winch</b>			
8442/65FT	8442-Z7/65FT	ManHandler Hoist w/65-ft. of 3/16-in. galvanized wire rope	Stock
8442/100FT	8442-Z7/100FT	ManHandler Hoist w/100-ft. of 3/16-in. galvanized wire rope	Non-Stock
8442GC/65FT	8442GC-Z7/65FT	ManHandler w/65-ft of 3/16" galvanized wire rope / 7-ft. tripod	Non-Stock
8442SS/65FT	8442SS-Z7/65FT	ManHandler w/65-ft of 3/16" stainless steel wire rope	Non-Stock
8442SS/100FT	8442SS-Z7/100FT	ManHandler w/100-ft of 3/16" stainless steel wire rope	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



Model Number	NEW Model Number (N/A = No change)	CSA Z259.12 Compliant Description	*Stock Status
<b>Miller DuraHoist Confined Space Systems</b>			
DH-1/	N/A	Four-Piece System with ManHandler hoist/winch w/65-ft. of 3/16-in. galvanized steel cable	Non-Stock
DH-3/	N/A	One-piece adjustable mast	Stock
DH-7ZP/	N/A	Floor mount sleeve; zinc-plated, mild steel	Non-Stock
DH-8SS/	N/A	Wall mount sleeve - stainless steel	Non-Stock
<b>Rescue</b>			
<b>Miller QuickPick™ Rescue Kits</b>			
QP/25FT	N/A	QuickPick Standard Kit; 25'	Non-Stock
QP/50FT	N/A	QuickPick Standard Kit; 50'	Non-Stock
QP/75FT	N/A	QuickPick Standard Kit; 75'	Non-Stock
QP/100FT	N/A	QuickPick Standard Kit; 100'	Non-Stock
QP-1/25FT	N/A	QuickPick Premium Kit; 25'	Non-Stock
QP-1/50FT	N/A	QuickPick Premium Kit; 50'	Non-Stock
QP-1/75FT	N/A	QuickPick Premium Kit; 75'	Non-Stock
QP-1/100FT	N/A	QuickPick Premium Kit; 100'	Non-Stock
QP-EP	N/A	12-ft. Rescue Pole with Carabiner Clip, Carabiner, Pigtail, Miller WristBandit™ Tool Lanyard and bag	Non-Stock
<b>Miller SafEscape® ELITE Rescue Descent Device</b>			
<b>SafEscape ELITE RDD</b>			
SE/50FT	N/A	Miller SafEscape ELITE RDD; 50'	Non-Stock
SE/75FT	N/A	Miller SafEscape ELITE RDD; 75'	Non-Stock
SE/100FT	N/A	Miller SafEscape ELITE RDD; 100'	Non-Stock
SE/125FT	N/A	Miller SafEscape ELITE RDD; 125'	Non-Stock
SE/150FT	N/A	Miller SafEscape ELITE RDD; 150'	Non-Stock
SE/175FT	N/A	Miller SafEscape ELITE RDD; 175'	Non-Stock
SE/200FT	N/A	Miller SafEscape ELITE RDD; 200'	Non-Stock
SE/225FT	N/A	Miller SafEscape ELITE RDD; 225'	Non-Stock
SE/250FT	N/A	Miller SafEscape ELITE RDD; 250'	Non-Stock
SE/275FT	N/A	Miller SafEscape ELITE RDD; 275'	Non-Stock
SE/300FT	N/A	Miller SafEscape ELITE RDD; 300'	Non-Stock
<b>SafEscape Crane Rescue Kit</b>			
SECRKT/50FT	N/A	Crane Rescue Kit; 50'	Non-Stock
SECRKT/75FT	N/A	Crane Rescue Kit; 75'	Non-Stock
SECRKT/100FT	N/A	Crane Rescue Kit; 100'	Non-Stock
SECRKT/125FT	N/A	Crane Rescue Kit; 125'	Non-Stock
SECRKT/150FT	N/A	Crane Rescue Kit; 150'	Non-Stock
SECRKT/175FT	N/A	Crane Rescue Kit; 175'	Non-Stock
SECRKT/200FT	N/A	Crane Rescue Kit; 200'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time





<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
SECRKT/225FT	N/A	Crane Rescue Kit; 225'	Non-Stock
SECRKT/250FT	N/A	Crane Rescue Kit; 250'	Non-Stock
SECRKT/275FT	N/A	Crane Rescue Kit; 275'	Non-Stock
SECRKT/300FT	N/A	Crane Rescue Kit; 300'	Non-Stock
<b>SafEscape ELITE RDD w/Hoisting Wheel</b>			
SEHW/50FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 50'	Non-Stock
SEHW/75FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 75'	Non-Stock
SEHW/100FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 100'	Non-Stock
SEHW/125FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 125'	Non-Stock
SEHW/150FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 150'	Non-Stock
SEHW/175FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 175'	Non-Stock
SEHW/200FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 200'	Non-Stock
SEHW/225FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 225'	Non-Stock
SEHW/250FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 250'	Non-Stock
SEHW/275FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 275'	Non-Stock
SEHW/300FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 300'	Non-Stock
SEHW/350FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 350'	Non-Stock
SEHW/500FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel; 500'	Non-Stock
<b>SafEscape ELITE RDD w/Hoisting Wheel &amp; Ladder Bracket</b>			
SEHWLB/50FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 50'	Non-Stock
SEHWLB/75FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 75'	Non-Stock
SEHWLB/100FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 100'	Non-Stock
SEHWLB/125FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 125'	Non-Stock
SEHWLB/150FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 150'	Non-Stock
SEHWLB/175FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 175'	Non-Stock
SEHWLB/200FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 200'	Non-Stock
SEHWLB/225FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 225'	Non-Stock
SEHWLB/250FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 250'	Non-Stock
SEHWLB/275FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 275'	Non-Stock
SEHWLB/300FT	N/A	SafEscape ELITE RDD w/Hoisting Wheel & Ladder Bracket; 300'	Non-Stock
<b>Wind Energy Kit</b>			
SEWPKT/25FT	N/A	Wind Energy Kit; 25'	Non-Stock
SEWPKT/50FT	N/A	Wind Energy Kit; 50'	Non-Stock
SEWPKT/75FT	N/A	Wind Energy Kit; 75'	Non-Stock
SEWPKT/100FT	N/A	Wind Energy Kit; 100'	Non-Stock
SEWPKT/125FT	N/A	Wind Energy Kit; 125'	Non-Stock
SEWPKT/150FT	N/A	Wind Energy Kit; 150'	Non-Stock
SEWPKT/175FT	N/A	Wind Energy Kit; 175'	Non-Stock
SEWPKT/200FT	N/A	Wind Energy Kit; 200'	Non-Stock
SEWPKT/225FT	N/A	Wind Energy Kit; 225'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
SEWPKT/250FT	N/A	Wind Energy Kit; 250'	Non-Stock
SEWPKT/275FT	N/A	Wind Energy Kit; 275'	Non-Stock
SEWPKT/300FT	N/A	Wind Energy Kit; 300'	Non-Stock
SEWPKT/350FT	N/A	Wind Energy Kit; 350'	Non-Stock
SEWPKT/600FT	N/A	Wind Energy Kit; 600'	Non-Stock
<b>Humidity-Resistant Storage Case</b>			
SEWPKTC/50FT	N/A	Humidity-Resistant Storage Case; 50'	Non-Stock
SEWPKTC/75FT	N/A	Humidity-Resistant Storage Case; 75'	Non-Stock
SEWPKTC/100FT	N/A	Humidity-Resistant Storage Case; 100'	Non-Stock
SEWPKTC/125FT	N/A	Humidity-Resistant Storage Case; 125'	Non-Stock
SEWPKTC/150FT	N/A	Humidity-Resistant Storage Case; 150'	Non-Stock
SEWPKTC/175FT	N/A	Humidity-Resistant Storage Case; 175'	Non-Stock
SEWPKTC/200FT	N/A	Humidity-Resistant Storage Case; 200'	Non-Stock
<b>Humidity-Resistant Storage Case</b>			
SEWPKTC/225FT	N/A	Humidity-Resistant Storage Case; 225'	Non-Stock
SEWPKTC/250FT	N/A	Humidity-Resistant Storage Case; 250'	Non-Stock
SEWPKTC/275FT	N/A	Humidity-Resistant Storage Case; 275'	Non-Stock
SEWPKTC/300FT	N/A	Humidity-Resistant Storage Case; 300'	Non-Stock
SEWPKTC/325FT	N/A	Humidity-Resistant Storage Case; 325'	Non-Stock
<b>Series 70 Universal Rescue System</b>			
70-100/100FT	N/A	Series 70 System w/25-ft. working length	Non-Stock
70-200/200FT	N/A	Series 70 System w/50-ft. working length	Non-Stock
70-400/400FT	N/A	Series 70 System w/100-ft. working length	Non-Stock
70-500/500FT	N/A	Series 70 System w/125-ft. working length	Non-Stock
70-C/	N/A	Rope control handle w/attached Miller lanyard	Non-Stock
<b>Horizontal Lifeline Systems</b>			
<b>Miller SkyGrip® Temporary Horizontal Cable Lifeline Systems</b>			
<b>Systems with Standard Base</b>			
SGS18/120FT	N/A	SkyGrip system with standard base; 120'	Non-Stock
SGS18/180FT	N/A	SkyGrip system with standard base; 180'	Non-Stock
SGS18/240FT	N/A	SkyGrip system with standard base; 240'	Non-Stock
SGS18/300FT	N/A	SkyGrip system with standard base; 300'	Non-Stock
SGS18/30FT	N/A	SkyGrip system with standard base; 30'	Non-Stock
SGS18/60FT	N/A	SkyGrip system with standard base; 60'	Non-Stock
<b>Systems with Large Base</b>			
SGS36/120FT	N/A	SkyGrip system with large base; 120'	Non-Stock
SGS36/180FT	N/A	SkyGrip system with large base; 180'	Non-Stock
SGS36/240FT	N/A	SkyGrip system with large base; 240'	Non-Stock
SGS36/300FT	N/A	SkyGrip system with large base; 300'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



<b>Model Number</b>	<b>NEW Model Number</b> (N/A = No change)	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
SGS36/30FT	N/A	SkyGrip system with large base; 30'	Non-Stock
SGS36/60FT	N/A	SkyGrip system with large base; 60'	Non-Stock
<b>SkyGrip Systems for Concrete Applications</b>			
SGC/120FT	N/A	SkyGrip system for concrete applications; 120'	Non-Stock
SGC/180FT	N/A	SkyGrip system for concrete applications; 180'	Non-Stock
SGC/240FT	N/A	SkyGrip system for concrete applications; 240'	Non-Stock
SGC/300FT	N/A	SkyGrip system for concrete applications; 300'	Non-Stock
SGC/30FT	N/A	SkyGrip system for concrete applications; 30'	Non-Stock
SGC/60FT	N/A	SkyGrip system for concrete applications; 60'	Non-Stock
<b>SkyGrip HLL Kits with Miller-Approved Anchorages</b>			
SG416/180FT	N/A	SkyGrip wire rope lifeline and two D-bolt anchors (416); 180'	Non-Stock
SG416/270FT	N/A	SkyGrip wire rope lifeline and two D-bolt anchors (416); 270'	Non-Stock
SG416/30FT	N/A	SkyGrip wire rope lifeline and two D-bolt anchors (416); 30'	Non-Stock
SG416/330FT	N/A	SkyGrip wire rope lifeline and two D-bolt anchors (416); 330'	Non-Stock
SG416/60FT	N/A	SkyGrip wire rope lifeline and two D-bolt anchors (416); 60'	Non-Stock
SG417/60FT	N/A	SkyGrip wire rope lifeline and two D-bolt anchors (417); 60'	Non-Stock
SG494/60FT	N/A	SkyGrip wire rope lifeline and two Miller Grip anchorage connectors (494); 60'	Non-Stock
SG497/60FT	N/A	SkyGrip wire rope lifeline and two Miller Grip anchorage connectors (497); 60'	Non-Stock
SG8183-10/60FT	N/A	SkyGrip wire rope lifeline and two 10-ft. cross-arm straps (8181/10FTGN); 60'	Non-Stock
SG8183-6/30FT	N/A	SkyGrip wire rope lifeline and two 10-ft. cross-arm straps (8181/10FTGN); 30'	Non-Stock
SG8815-12/30FT	N/A	SkyGrip wire rope lifeline and two fixed beam anchors (8815-12); 30'	Non-Stock
SG8815-12/60FT	N/A	SkyGrip wire rope lifeline and two fixed beam anchors (8815-12); 60'	Non-Stock
SG8815-24/60FT	N/A	SkyGrip wire rope lifeline and two fixed beam anchors (8815-24); 60'	Non-Stock
<b>SkyGrip HLLs w/Energy Absorber, Tension Indicator, Combo-clamp-thimble, Turnbuckle, Cable &amp; Wire Rope Clip</b>			
SGLLK/100FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 100'	Non-Stock
SGLLK/120FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 120'	Non-Stock
SGLLK/180FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 180'	Non-Stock
SGLLK/20FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 20'	Non-Stock
SGLLK/240FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 240'	Non-Stock
SGLLK/300FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 300'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



Model Number	NEW Model Number (N/A = No change)	CSA Z259.12 Compliant Description	*Stock Status
SGLLK/30FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 30'	Non-Stock
SGLLK/400FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 400'	Non-Stock
SGLLK/60FT	N/A	SkyGrip HLLs with energy absorber, tension indicator, combo-clamp-thimble, turnbuckle, cable & wire rope clip; 60'	Non-Stock
<b>Miller TechLine™ Horizontal Lifeline</b>			
HLLR1-L/30FT	N/A	1 person system without cross-arm strap; 30'	Non-Stock
HLLR1-L/60FT	N/A	1 person system without cross-arm strap; 60'	Non-Stock
HLLR2-L/30FT	N/A	2 person system without cross-arm strap; 30'	Non-Stock
HLLR2-L/50FT	N/A	2 person system without cross-arm strap; 50'	Non-Stock
HLLR2-L/60FT	HLLR2-Z7/60FT	2 person system without cross-arm strap; 60'	Stock
<b>Kits</b>			
<b>Welder's Kits</b>			
9650K/UBL	9650K/UBLC	Kit with 650K/UBL, 8485K/6FTBL, 907K-Z7/6FTBLC and carrying bag	Non-Stock
9650K-7W/U/4FTBL	9650K-7W/U/4FTBLC	Kit with 650K-7/UBL, 8485K/6FTBL, 913K-Z7/6FTBLC and carrying bag	Non-Stock
9650KW/BL	9650KW/BLC	Kit with 650K/UBL, 913K-Z7/6FTBLC, 8185K/6FTBL, and carrying bag	Non-Stock
9751KW/L/XLBL	9751KW/L/XLBLC	Kit with 751K/UBL, 913K-Z7/6FTBLC, 8185K/6FTBL, and carrying bag	Non-Stock
<b>Aerial Lift Kits</b>			
MK650-4UMFL-1/6FT	MK650-4UMFL-1/6FTC	Kit with 650-4/UYK, MFL-1-Z7/6FT and carrying bag	Non-Stock
<b>Titan™ Fall Protection Kits</b>			
TK4051/U/6FTAK	TK4051/U/6FTAKC	Kit with T4000/UAK, T5111/6FTAF and carrying bag	Non-Stock
TK4051B/U/6FTAK	TK4051B/U/6FTAKC	Kit with T4000/UAK, T5111/6FTAF and Titan carrying bag	Non-Stock
TK4052/U/6FTAK	TK4052/U/6FTAKC	Kit with T4000/UAK, T5112/6FTAF and carrying bag	Non-Stock
<b>Titan™ ReadyRoof® Kits</b>			
BRFKT25/25FT	BRFKT25/25FTC	Kit with T4500/UAK, RA15-1/, 8173/U, T6111-Z7/3FTAF, 300L/25FTL and bucket	Non-Stock
BRFKT50/50FT	BRFKT50/50FTC	Kit with T4500/UAK, RA15-1/, 8173/U, T6111-Z7/3FTAF, 300L/50FTL and bucket	Non-Stock
BRFKT100/100FT	BRFKT100/100FTC	Kit with T4500/UAK, RA15-1/, 8173/U, T6111-Z7/3FTAF, 300L/100FTL and bucket	Non-Stock
BRFK100/100FT	BRFK100/100FTC	Kit with T4000/UAK, RA15-1/, 8173/U, T6111-Z7/3FTAF, 300L/100FTBL and bucket	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 3.0

\*Non-Stock designates a 15 day lead time



Model Number	CSA Z259.12 Compliant Description	*Stock Status
<b>Anchorage Connectors</b>		
<b>Carabiners</b>		
FP83	Large pear shaped steel carabiner	Non-Stock
FP86	Steel twist-lock carabiner	Non-Stock
FP86B	Captive pin carabiner; steel	Non-Stock
FP88	Large steel twist-lock carabiner	Non-Stock
<b>Rope Grabs</b>		
FP542	Automatic rope grab with panic lock - 0.6m (2') Soft Pak energy absorbing lanyard and one locking snap hook.	Non-Stock
FP543	Automatic rope grab with panic lock - 0.6m (2') lanyard and one locking snap hook.	Non-Stock
FP563	Automatic rope grab with parking feature - 0.6m (2') web lanyard and one locking snap hook.	Non-Stock
FP564	Automatic rope grab with parking feature - 0.6m (2') Soft Pak energy absorbing lanyard and one locking snap hook.	Non-Stock
FP582	Automatic rope grab with parking feature - 150mm (6") web lanyard and carabiner for 13mm (1/2") cable.	Non-Stock
<b>Vertical Lifelines</b>		
FP11ST/KD50	50' Kernmantle rope for DESCENDER 8120	Non-Stock
FP16E/PS100	15m (50') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/PS125	38m (125') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/PS150	46m (150') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/PS200	60m (200') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/PS25	8m (25') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/PS25/21	8m (25') 3-strand Copolymer rope with rope adjuster attached 5/8" (16mm) diameter	Non-Stock
FP16E/PS300	92m (300') 3-strand Copolymer rope with rope adjuster attached 5/8" (16mm) diameter	Non-Stock
FP16E/PS400	122m (400') 3-strand Copolymer rope with rope adjuster attached 5/8" (16mm) diameter	Non-Stock
FP16E/PS50	15m (50') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/PS50/21	15m (50') 3-strand Copolymer rope with rope adjuster attached 5/8" (16mm) diameter	Non-Stock
FP16E/PS75	23m (75') 3-strand Copolymer rope 5/8" (16mm) diameter	Non-Stock
FP16E/SL100	16mm (5/8") 3-strand polyester rope - One termination an carabiner - 30m (100') long	Non-Stock
FP16E/SL25	16mm (5/8") 3-strand polyester rope - One termination and carabiner - 7.5m (25')	Non-Stock
FP16E/SL50	16mm (5/8") 3-strand polyester rope - One termination and carabiner - 15m (50')	Non-Stock
FP16ST/KH60	Vertical lifeline - 16mm (5/8") hard lay polyester kernmantel rope - One termination an carabiner - 60' long.	Non-Stock
FP16ST/KL100	Vertical lifeline - 16mm (5/8") hard lay nylon kernmantel rope - One termination an carabiner - 30m (100') long.	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 1.0

\*Non-Stock designates a 15 day lead time

Model Number	CSA Z259.12 Compliant Description	*Stock Status
FP16ST/KL25	Vertical lifeline - 16mm (5/8") hard lay nylon kernmantel rope - One termination an carabiner - 7.5m (25') long.	Non-Stock
FP16ST/KL50	Vertical lifeline - 16mm (5/8") hard lay nylon kernmantel rope - One termination an carabiner - 15m (50') long.	Non-Stock

## Connecting Devices

### Harness and Lanyard Combos

FPDCOMBO1/4	Model FPD698/1DP with permanently attached FPD29811/4	Non-Stock
FPDCOMBO1/6	Model FPD698/1DP with permanently attached FPD29811/6	Non-Stock
FPDCOMBO1XL/4	Model FPD698/1DPXL with permanently attached FPD29811/4	Non-Stock
FPDCOMBO1XL/6	FPD698/1DPXL harness and FPD29811/6 lanyard	Non-Stock

### Self-Retracting Lifelines

FP1/305S	Self-retracting lifeline - Cast aluminum housing - Stainless steel cable 5mm (3/16") - 5m (16') long.	Non-Stock
FP2/310S	Self-retracting lifeline - Cast aluminum housing - Stainless steel cable 5mm (3/16") - 10m (33') long.	Non-Stock
FP2/315S	Self-retracting lifeline - Cast aluminum housing - Stainless steel cable 5mm (3/16") - 15m (50') long.	Non-Stock

### Decelerator Energy Absorbing Lanyards

FP28822/4	Decelerator lanyard with two locking snap hooks; 4'	Non-Stock
FP28822/5	Decelerator lanyard with two locking snap hooks; 5'	Non-Stock
FP28822/6	Decelerator lanyard with two locking snap hooks; 6'	Non-Stock
FP28822/8	Decelerator lanyard with two locking snap hooks; 8'	Non-Stock
FP2882G/4	Decelerator lanyard with one locking snap hook and one scaffolding hook; 4'	Non-Stock
FP2882G/5	Decelerator lanyard with one locking snap hook and one scaffolding hook; 5'	Non-Stock
FP2882G/6	Decelerator lanyard with one locking snap hook and one scaffolding hook; 6'	Non-Stock
FP289222/6	Decelerator Y-lanyard with three locking snap hooks; 6'	Non-Stock
FP2892GG/6	Decelerator Y-lanyard with one locking snap hook and two scaffolding hooks; 6'	Non-Stock

### Durabilt Lanyards

#### Continuous Web Energy Absorbing Lanyards

FPD26311/4	45mm (1 3/4") continuous polyester web energy absorbing lanyard - Double locking snap hook at both ends - 4 feet long.	Non-Stock
FPD26311/6	45mm (1 3/4") continuous polyester web energy absorbing lanyard - Double locking snap hook at both ends - 6 feet long.	Non-Stock

#### Decelerator Web Lanyard

FPD29811/4	Polyester Decelerator energy absorbing lanyard - Double locking snap hooks at both ends - 1.2m (4') long.	Non-Stock
FPD29811/6	Polyester Decelerator energy absorbing lanyard - Double locking snap hooks at both ends - 1.8m (6') long.	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 1.0

\*Non-Stock designates a 15 day lead time

<b>Model Number</b>	<b>CSA Z259.12 Compliant Description</b>	<b>*Stock Status</b>
FPD2981G/4	Polyester Decelerator energy absorbing lanyard - Double locking snap hook and 2-1/2" stamped scaffolding hook - 1.2m (4') long.	Non-Stock
FPD2981G/6	Polyester Decelerator energy absorbing lanyard - Double locking snap hook and 2-1/2" stamped scaffolding hook - 1.8m (6') long.	Non-Stock
FPD299111/4	Polyester Decelerator energy absorbing Y-lanyard - Double locking snap hooks at all ends - 1.2m (4') long.	Non-Stock
FPD299111/6	Polyester Decelerator energy absorbing Y-lanyard - Double locking snap hooks at all ends - 1.8m (6') long.	Non-Stock
FPD2991GG/4	Polyester Decelerator energy absorbing Y-lanyard - Double locking snap hooks & two 2-1/2" stamped scaffolding hooks - 1.2m (4') long.	Non-Stock
FPD2991GG/6	Polyester Decelerator energy absorbing Y-lanyard - Double locking snap hooks & two 2-1/2" stamped scaffolding hooks - 1.8m (6') long.	Non-Stock

### Soft Pak Energy Absorbing Lanyards

#### Nylon Rope Lanyards

732-201-071	Saf-T-Climb lanyard with two locking snap hooks	Non-Stock
732-201-072	Saf-T-Climb adjustable rope lanyard with two locking snap hooks and one scaffolding hook	Non-Stock

#### Web Lanyards

732-201-076	Saf-T-Climb 1" web Y-lanyard with one locking snap hook and two scaffolding hooks	Non-Stock
FP22322/4	1" web lanyard with two locking snap hooks; 4'	Non-Stock
FP22322/5	1" web lanyard with two locking snap hooks; 5'	Non-Stock
FP22322/6	1" web lanyard with two locking snap hooks; 6'	Non-Stock
FP226222/6	1" web Y-lanyard with three locking snap hooks; 6'	Non-Stock
FP2562GG/6	1" web Y-lanyard with one locking snap hook and two scaffolding hooks; 6'	Non-Stock
FP26322/4	1-3/4" web lanyard with two locking snap hooks; 4'	Non-Stock
FP26322/6	1-3/4" web lanyard with two locking snap hooks; 6'	Non-Stock
FP2632G/4	1-3/4" web lanyard with one locking snap hook and one scaffolding hook; 4'	Non-Stock
FP2632G/6	1-3/4" web lanyard with one locking snap hook and one scaffolding hook; 6'	Non-Stock
FP266222/6	1-3/4" web Y-lanyard with three locking snap hooks; 6'	Non-Stock
FP2662GG/4	1-3/4" web Y-lanyard with one locking snap hook and two scaffolding hook; 4'	Non-Stock
FP2662GG/6	1-3/4" web Y-lanyard with one locking snap hook and two scaffolding hook; 6'	Non-Stock
FP27322/6	1/4" steel cable lanyard with two locking snap hooks; 6'	Non-Stock
FP2AE2GG/6	1-3/4" Heavy Duty Y-lanyard with one locking snap hook and two scaffolding hooks; 6'	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 1.0

\*Non-Stock designates a 15 day lead time



Model Number	CSA Z259.12 Compliant Description	*Stock Status
<b>Positioning and Restraint</b>		
<b>Web Lanyards</b>		
FP22122/4	1" web lanyard with two locking snap hooks; 4'	Non-Stock
FP22122/5	1" web lanyard with two locking snap hooks; 5'	Non-Stock
FP22122/6	1" web lanyard with two locking snap hooks; 6'	Non-Stock
FP22222/6	1" adjustable web lanyard with two locking snap hooks; 6'	Non-Stock
FP2552GG/4	1" web Y-lanyard with one locking snap hook and two scaffolding hooks; 4'	Non-Stock
FP2552GG/6	1" web Y-lanyard with one locking snap hook and two scaffolding hooks; 6'	Non-Stock
FP255C22/5	1" web Y-lanyard with carabiner and two locking snap hooks; 5'	Non-Stock
<b>Rope Lanyards</b>		
FP0541/4650/6R	16mm (5/8") nylon kernmantle work positioning rope - Adjusts to 1.8m (6') with swivel snap.	Non-Stock
FP21122/10	5/8" nylon rope lanyard with two locking snap hooks; 10'	Non-Stock
FP21122/4	5/8" nylon rope lanyard with two locking snap hooks; 4'	Non-Stock
FP21122/6	5/8" nylon rope lanyard with two locking snap hooks; 6'	Non-Stock
FP21122/8	5/8" nylon rope lanyard with two locking snap hooks; 8'	Non-Stock
<b>Fall Protection Kits</b>		
<b>Harness and Lanyard Kits</b>		
FPDKIT1/4	Aerial Kit which includes: FPD698/1DP harness and FPD29811/4 lanyard in a convenient carrying pouch	Non-Stock
FPDKIT1/6	Aerial Kit which includes: FPD698/1DP harness and FPD29811/6 lanyard in a convenient carrying pouch	Non-Stock
FPDKIT1XL/4	Aerial Kit which includes: FPD698/1DPXL harness and FPD29811/4 lanyard in a convenient carrying pouch	Non-Stock
FPDKIT1XL/6	Aerial Kit which includes: FPD698/1DPXL harness and FPD29811/6 lanyard in a convenient carrying pouch	Non-Stock
FPDKIT2/4	Construction kit which includes: FPD698/1DGP full body harness, FPD29811/4 Decelerator energy absorbing lanyard 4', FP242/4 TNT Spectra sling 4' and convenient carrying bag.	Non-Stock
FPDKIT2/6	Construction kit which includes: FPD698/1DGP full body harness, FPD29811/6 Decelerator energy absorbing lanyard 6', FP242/6 TNT Spectra sling 6' and convenient carrying bag.	Non-Stock
FPDKIT3/4	Scaffolding/forming kit which includes: FPD698/1DGP full body harness, FPD2981G/4 Decelerator energy absorbing lanyard 4' and convenient carrying bag.	Non-Stock
FPDKIT3/6	Scaffolding/forming kit which includes: FPD698/1DGP full body harness, FPD2981G/6 Decelerator energy absorbing lanyard 6' and convenient carrying bag.	Non-Stock
FPDKIT3XL/4	Scaffolding/forming kit which includes: FPD698/1DGPXL full body harness, FPD2981G/4 Decelerator energy absorbing lanyard 4' and convenient carrying bag.	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 1.0

\*Non-Stock designates a 15 day lead time





Model Number	CSA Z259.12 Compliant Description	*Stock Status
FPDKIT3XL/6	Scaffolding/forming kit which includes: FPD698/1DGPXL full body harness, FPD2981G/6 Decelerator energy absorbing lanyard 6' and convenient carrying bag.	Non-Stock
<b>Roofer's Kits</b>		
FP90/25	Roofer's kit with 8m (25') rope - Includes: light weight universal sized harness FP759/1DP, 3-strand copolymer rope (5/8") FP16E/PS25, rope grab with Soft Pak energy absorbing lanyard FP542, carabiners (2), roof brackets (2), nails, small carrying bag Sizes Small to X Large.	Non-Stock
FP90/50	Roofer's kit with 15m (50') rope - Includes: light weight universal sized harness FP759/1DP, 3-strand copolymer rope (5/8") FP16E/PS50, rope grab with Soft Pak energy absorbing lanyard FP542, carabiners (2), roof brackets (2), nails, small carrying bag Sizes Small to X Large.	Non-Stock
FPD90/25	Roofer's kit - Includes: lightweight universal harness with Soft Pak energy absorbing lanyard and rope grab permanently attached FPD698/1DP386, 8m (25') 3-strand copolymer rope 16mm (5/8") FP16E/PS25, 1 roof bracket, nails, in a convenient bucket for easy storage.	Non-Stock
FPD90/25TR	(1) Lightweight Universal harness FPD698/1DP, 4 ft shock absorbing lanyard - FPD29811/4, 8m (25') 3-strand Copolymer rope with rope adjuster attached 5/8" (16mm) diameter - FP16E/PS25/21, (2) roof bracket, Nails, convenient carrying bucket.	Non-Stock
FPD90/50	Roofer's kit - Includes: lightweight universal harness with Soft Pak energy absorbing lanyard and rope grab permanently attached FPD698/1DP386, 15m (50') 3-strand copolymer rope 16mm (5/8") FP16E/PS50, 1 roof bracket, nails, in a convenient bucket for easy storage.	Non-Stock
FPD90/50TR	(1) Lightweight Universal harness FPD698/1DP, 4 ft shock absorbing lanyard - FPD29811/4, 15m (50') 3-strand Copolymer rope with rope adjuster attached 5/8" (16mm) diameter - FP16E/PS50/21, (2) roof bracket, Nails, convenient carrying bucket.	Non-Stock
<b>Confined Space &amp; Rescue</b>		
FP2/415SR	Self-retracting lifeline with rescue winch - Cast aluminum housing - Stainless steel cable 5mm (3/16") - 15m (50') long.	Non-Stock
FP2/515SD	Retractable automatic descent device with stainless steel cable; 50'	Non-Stock
FP2/715SR	Manual retrieval winch with stainless steel cable; 50'	Non-Stock
FP3/733SR	Manual retrieval winch with stainless steel cable; 100'	Non-Stock
FP4017B	Lifting yoke and spreader bar	Non-Stock
FP66/415SR	FP6600/7 - 7' tripod; with FP2/415SR - 15m (50') 3-way SRL; mounting bracket and carrying bag	Non-Stock
FP66/715SR	FP6600/7 - 7' tripod; with FP2/715SR - 15m (100') winch; mounting bracket and carrying bag	Non-Stock
<b>Horizontal Lifeline Systems</b>		
FP1002	Temporary horizontal lifeline Kit, comprising 60' (18m) of 3/8" (10mm) galvanized cable, 2 anchor slings, cable tensioner and cable clips, Soft Pak energy absorber, 2 carabiner connectors	Non-Stock

CSA Z259.12 compliant for connectors which meet the 3,600 lb. gate requirements Rev. 1.0

\*Non-Stock designates a 15 day lead time

