

PROTECTO-SHIELD® PROLOK® HEADGEARS

- Impact and splash protection
- Constructed of tough thermoplastic
- Heat resistant brow guard
- Easy sizing and tension adjustment for individual visor positioning
- Faceshields easily attach with no snaps, posts or levers
- Specially designed with a chemical splash drip edge to prevent fluids from splashing down inside the visor

NORTH

by Honeywell

Order No.	Mfg. No.	Description
HEADGEARS		
SG413	11380048	Ratchet Adjustment
SG414	11380049	Pinlock Adjustment
SG416	11380057	For Safety Cap with <i>Bilsom</i> ® Earmuffs

Order No.	Mfg. No.	Description	Window Dimensions			
			W"	x	D"	x H"
FACESHIELDS - MOLDED						
SG418	11390044	Clear, Propionate	15	x	0.060	x 8 1/2
SG419	11390047	Clear, Polycarbonate	15	x	0.060	x 8 1/2
SG423	11390058	Clear, Polycarbonate	20	x	0.040	x 9
SAK431	11390066	Shade 3.0	15	x	0.060	x 8 1/2
SAK432	11390067	Shade 4.0	15	x	0.060	x 8 1/2
SAK433	11390068	Shade 5.0	15	x	0.060	x 8 1/2
SAK434	11390069	Shade 6.0	15	x	0.060	x 8 1/2

FACESHIELDS - ALUMINUM BOUNDED ACETATE						
SG420	11390054	Clear	15	x	0.040	x 6
SG421	11390055	Clear	15	x	0.040	x 8 1/2
SG422	11390057	Clear	20	x	0.040	x 9

FACESHIELD - ARC RATED						
SAR644	11391000	9.3 cal/cm ²	15	x	0.060	x 8 1/2

SG413



SG414



SG418



SG420



FACESHIELDS (SOLD SEPARATELY)

- Universal hole pattern allows faceshields to be used with other popular manufacturers' headgear
- Easy attachment without snaps, posts or levers
- Reinforced edge to resist cracking from abuse
- Popular industry sizes and thicknesses
- Aluminum-bound acetate faceshields form easily for a contoured, customised fit
- Faceshields offer secondary protection and must be worn with spectacles or goggles
- Compliant with OSHA, ANSI Z87+ and CSA Z94.3 standards



Faceshields sold separately

BIONIC™ FACESHIELDS

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easy-to-set ratcheting headgear locking mechanism assures comfortable, secure fit

UVEEX™
by Honeywell



SAK421

- Highly adjustable headgear tilts faceshield nearer or farther from face depending on preference and application
- Easily replaceable faceshield with dual position choices
- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband
- Comfortably worn with most goggles and respirators
- Compliant with CSA Z94.3 standards

Order No.	Mfg. No.	Description
FACESHIELDS		
SAK421	S8500	Clear Uncoated Faceshield
SAK422	S8510	Clear Anti-fog Hardcoat Faceshield
REPLACEMENT FACESHIELDS		
SAK423	S8550	Clear Uncoated
SAK424	S8555	Clear Anti-Fog Hardcoat
SAK425	S8560	Shade 3.0, Uncoated
SAK426	S8565	Shade 5.0, Uncoated
ACCESSORIES		
SAO774	S8580	Replacement Headband
SAO775	S8570	Hard Hat Adapter
SAO776	S8595	Ratchet Suspension

Face Protection

DEFENDER® FACESHIELD FRAMES FOR SLOTTED CAPS

The Defender® faceshield frame for slotted caps is available in three versions: standard V-Gard® caps, Topgard® caps and for all MSA slotted caps.



The Defender® frame features:

- Front-drip edge-splash protection
- Unlimited number of lift stop positions
- Long-lasting O-ring pivot-joint design
- Snap-in earmuffs option
- Earmuff accessories available for frames
- Easy in, easy out visor replacement
- Cap lockdown clip (For V-Gard® and Topgard® cap styles only)

Faceshields sold separately.



Order No.	Mfg. No.	Description
FACESHIELD FRAME		
SAG013	10021614	Frame For Standard V-Gard® Caps
SAG014	10021615	Frame For Topgard® Caps
SAG015	10021616	Frame For All MSA Slotted Caps, Not Equipped With Lockdown Clip
EARMUFF ACCESSORIES		
SAG016	10026398	Sound Blocker 26 (26 NRR), Includes Clips
SAG018	10026362	Replacement Clips, 2/pkg.

DEFENDER® HEADGEAR FACESHIELD FRAMES

NO HARD HAT REQUIRED

Use where no hard hat is required. Available in pinlock and ratchet suspension with standard sparkguard except for **SAG021**, available in ratchet with extended high-temp sparkguard. The extended high temp Sparkguard is for use in temperatures up to 250°F.

All styles adjust to head sizes 6 1/2 to 8.

Faceshields sold separately



Order No.	Mfg. No.	Description
SAG019	10021610	Pinlock Suspension
SAG020	10021611	Ratchet Suspension
SAG021	10021612	Ratchet Suspension w/Extended High Temp Sparkguard

RATCHET HEADGEARS

- ABS material: Plastic resin forms shell of the headgear
- 5-cam locking system for added impact resistance
- Crown is made of nylon 66
- 4" Sparkguard made of HDPE plastic
- Large ratchet handle is easy to adjust for optimum fit
- Washable cotton sweatband for better fit and durability
- Meets or exceeds ANSI Z87.1+ standards



Headgear and Faceshield sold separately



Order No.	Mfg. No.	Description	Window Dimensions W" x D" x H"
SA388	103	Ratchet Headgear	-
SA301	181540	Clear Polycarbonate Faceshield	15 1/2 x 0.040 x 8



SEE PAGES 157 AND 158 FOR MSA HARD HATS



FACESHIELDS

Choose from a wide variety of faceshields that fit easily on MSA faceshield frames. Nitrometer faceshields and chin-guards incorporate an additional guard to help protect chin and neck and reduce the chance of upsweep of particles and splash. Faceshields should always be worn with primary eye protection such as high impact resistant spectacle or goggles. All MSA faceshields meet or exceed applicable requirements of ANSI Z87.1.



Order No.	Mfg. No.	Description	Window Dimensions				
			W"	x	D"	x	H"
POLYCARBONATE							
SAG031	488131	Clear, Formed	16	x	0.040	x	8
SAG032	488132	Clear, Formed	16	x	0.060	x	8
SAG033	10017934	Clear, Flat	15 1/2	x	0.040	x	8
SAG034	488138	Clear, Formed	19	x	0.060	x	8
SAG035	491908	Clear, Formed	16	x	0.060	x	6
SAG036	802337	Clear, Fog-Free	16	x	0.040	x	8
PROPIONATE							
SAG038	10005882	Shade #5, Green	15 1/2	x	0.060	x	8
WIRE SCREEN							
SAG042	457409	Aluminum Edge, 20 MESH (not for use in areas where splash may occur)	17 1/2	x	-	x	8
ELEVATED TEMPERATURE							
SAG044	10005879	Clear Polycarbonate, Gold Coating	20	x	0.070	x	9 1/2
SAG045	10005880	Medium Green Tint, Polycarbonate, Gold Coating	20	x	0.070	x	9 1/2
NITROMETER FACESHIELDS							
SAG047	488126	Clear Polycarbonate	16	x	0.040	x	6
SAG049	494916	Clear Polycarbonate (fog-free)	19	x	0.060	x	8
SAG051	10005881	Shade #5, Green Propionate	16	x	0.060	x	6
NITROMETER CHIN-GUARDS							
SAG052	10022241	Clear Polycarbonate	-				
SAG053	10022242	Black Polypropylene	-				
SAG054*	10013631	Blue Grey, Polycarbonate	-				

* For use only with faceshield **SAG051**



SAG031
Headgear sold separately



SAG031



SAG041

HEAD & FACE PROTECTION SYSTEMS

Order No. SAM400

Contains:

- 1 **SAF960** V-Gard® hard hat, yellow
- 1 **SAG013** Frame for V-Gard®
- 1 **SAG031** Clear polycarbonate faceshield
- 1 **SAG016** Sound Blocker muffs, 26 NRR

Order No. SAM401

Contains:

- 1 **SAF960** V-Gard® hard hat, yellow
- 1 **SAG013** Frame for V-Gard®
- 1 **SAG031** Clear polycarbonate faceshield



SAM400



SAM401



Face Protection

170-SB HEADGEARS

- Enables attachment of all *Jackson Safety** faceshields to your safety cap
- Large spark deflector
- Universal hole pattern design
- Ratchet suspension
- **Faceshields sold separately**

Order No. 138-1613
Mfg. No. 29077




JACKSON
SAFETY

CAPSHIELDS

- Ideal for attachment of *Jackson Safety** faceshields

137 CAPSHIELDS

- Metal device for non-slotted caps
- Curved aluminum channel and coil spring attachment



138-1550

337 CAPSHIELDS

- Totally dielectric device for non-slotted caps
- Curved plastic channel fits over the bill and secures with adjustable rubber headband that stretches around the exterior cap crown
- Faceshields are secured with integral plastic lugs



138-1725

437 CAPSHIELDS

- All plastic, totally dielectric device for slotted caps
- Curved plastic channel fits over the bill of the cap and includes pivoting blades which snap easily into cap slots
- Faceshields are secured with integral plastic lugs



138-1775

FACESHIELDS

POLYCARBONATE

- Impact performance
- Good performance against heat
- Excellent cold flexibility
- Meets ANSI standard Z87.1
- Compliant with CSA standard Z94.3

ACETATE

- Robust combination of weight and strength
- Excellent cold flexibility
- Meets ANSI standard Z87.1

138-1072



JACKSON
SAFETY

138-1070

Order No.	Mfg. No.	Window Dimensions				Tint
		W"	x	D"	x	H"
POLYCARBONATE, UNBOUND						
138-1070	3002832	15 1/2	x	0.060	x	8
138-1072	3002813	15 1/2	x	0.060	x	8
138-1074	3002810	15 1/2	x	0.060	x	8

ACETATE, ALUMINUM BOUND

138-1950	3002806	12	x	0.040	x	8
138-1035	3002808	15 1/2	x	0.040	x	9

V90 MONOSHIELD* GOGGLES

- *Monogoggle* 211* attaches to shield with PVC gasket
- Can be worn with caps and disposable respirators
- Clear see through material allows for easy wearer identification
- Polycarbonate shield provides face protection
- Can be worn over most prescription eyeglasses
- Meets ANSI standard Z87.1



JACKSON
SAFETY

Order No.	Mfg. No.	Description
SC480	16671	V90 Monoshield* Goggles

382 B CAP ADAPTERS

- Ideal for attachment of *Jackson Safety** faceshields
- Easiest, least costly adapter
- Polyethylene spark deflector
- Totally dielectric for slotted caps
- Faceshield secured with integral plastic lugs
- Includes an integral spark deflector and pivoting blades



JACKSON
SAFETY

Order No.	Mfg. No.	Description
138-1747	14944	382 B Cap Adapters

REGULAR FORESTRY KITS

Contains:

- 1 SH143 hard hat, orange
- 1 SAM365 forestry screen
- 1 SA688 Phantom muff, NRR 21 dB

Order No. SG503

Mfg. No. FK12

NORTH

by Honeywell



ECONOMICAL FORESTRY KITS

Contains:

- 1 QZ045 hard hat, red
- 1 SAM365 forestry screen
- 1 SA690 Mustang muff, NRR 20 dB

Order No. SG504

Mfg. No. FK13

NORTH

by Honeywell



FMX™ FACESHIELDS

- Exclusive overlay designs; heat and scratch resistant
- Oversized 7" heat resistant crown for extra protection
- Cam-locking channel grip design seals against sparks and debris
- Accommodates Fibre-Metal™ window sizes up to 19" x 9 3/4"
- Adjustable non-slip, non-strip ratchet headgear
- Lifetime limited warranty: Headgear/faceshield

Headgear and faceshields sold separately

FIBRE-METAL

by Honeywell



SAR045



SAR044

Order No.	Mfg. No.	Description
HEADGEAR		
SAR044	F500X1	Flame Design
SAR045	F500X3	Wire Burner Design
FACESHIELDS		
SAP369	4199CL	Clear, 19" x 9 3/4"
SAR046	4199IRUV3	IR 3.0, 19" x 9 3/4"

HIGH PERFORMANCE FACESHIELDS

- High performance faceshields are stronger, more durable and more heat-resistant than ordinary faceshields
- Made from Noryl®, the same material used in Fibre-Metal's welding helmets
- Exclusive channel grip system mounts windows and locks them in place to form a perfect seal from dust, dirt and debris
- Deeper 4" crown protector extends protection without increasing weight
- Wide vision 17" x 8" wraparound visors provide 40% more protection area than standard size faceshields
- Visors are 0.060" thick for an extra margin of protection

Headgear and faceshields sold separately



FIBRE-METAL

by Honeywell

Order No.	Mfg. No.	Description
SAM376	F-400	Headgear
SAM377	4178	Clear Faceshield
SAM403	4178IR/UV5	IR/UV5 Shade 5.0 Faceshield

SPARKGARD HEADGEARS

- Accepts a wide range of faceshield/window styles
- Large sparkguard provides excellent protection
- Cross strap adjusts to allow an exceptional fit
- Full floating mount Sparkgard provides comfortable wear even with heavy faceshield and continuous use
- Quick change system for holding faceshield/window
- Ratchet adjustment for quick, easy and perfect fit

Headgear and faceshields sold separately

NORTH

by Honeywell




Order No.	Mfg. No.	Description		
HEADGEAR				
SAH652	KHG4001	Headgear		
FACESHIELDS				
Order No.	Mfg. No.	Description	Window W"	Dim. x H"
SAI077	A8154	Polycarbonate, Formed	15 1/2	8
SAI078	A8150/40	Copolyester, Flat PET-G	15 1/2	8

ARC FLASH SERIES

DUAL CROWN PROTECTIVE MASKS

- Full face and neck protection
- Broader, deeper 4" headgear and chin protector, molded from Noryl®
- Available in dual crown ratchet headgear or dual channel cap peak mounting bracket with chin protector
- High performance injection molded, preformed optically correct propionate faceshield with 25 cal ratings when used as tested
- Both models meet CSA and NFPA 70E, category 1 or 2



FIBRE-METAL

by Honeywell

ARCFlash NFPA 70E

Order No.	Mfg. No.	Description
SAP523	FM400DCAF25	Dual Crown Protective Mask and Faceshield
SAP524	FM70DCAF25E2	Dual Crown Protective Mask, Faceshield and Safety Cap

Head Protection

LIBERTY SAFETY CAPS CSA TYPE 1

- Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Features short peak, trim profile, and functional rain trough
- Accessory slots accommodate a wide variety of eye, face and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Low nape strap helps eliminate unnecessary shifting on the wearer's head
- Comfortable, 4-point impact-absorbing nylon woven suspension
- Easy *Quick-Slide* or *Secure-Fit* ratchet suspension adjustment
- Reverse headband certified
- **Certified to CSA standard Z94.1-05 type 1 class E**



Order No.	Mfg. No.	Colour
EASY QUICK-SLIDE SUSPENSION		
SAX840	14LS79822-YEL	Yellow
SAX841	14LS79826-BLU	Blue
SAX842	14LS79821-WHT	White
SAX844	14LS79823-ORG	Orange
SAX849	14LS79801-DBL	Dark Blue
SAX845	14LS79835-HVO	Hi-Viz Orange

SECURE-FIT RATCHET SUSPENSION		
SAX850	14LR79622-YEL	Yellow
SAX851	14LR79626-BLU	Blue
SAX852	14LR79621-WHT	White
SAX854	14LR79623-ORG	Orange
SAX859	14LR79601-DBL	Dark Blue
SAX855	14LR79635-HVO	Hi-Viz Orange

Other colours available upon request.

REPLACEMENT 4-POINT SUSPENSION

Order No.	Mfg. No.	Description
SAX884	14A79800	<i>Easy Quick-Slide</i> Suspension
SAX885	14A79600	<i>Secure-Fit Ratchet</i> Suspension

BUMP CAPS

- Ideal for protecting head from lacerations, minor bumps and bruises
- Molded from high density polyethylene for maximum comfort and protection
- Perforated sides allow cross ventilation for maximum air circulation
- Cushioned brow pad absorbs moisture and is removable and washable
- 4-point injection-molded suspension
- "Pin-lock" sizing adjustment
- **Not certified**



Order No.	Mfg. No.	Colour
SAX874	14B19112-YEL	Yellow
SAX876	14B19111-WHT	White
SAX877	14B19114-RED	Red
SAX879	14B19161-DBL	Dark Blue

Other colours available upon request.

REPLACEMENT BUMP CAP SUSPENSION

Order No.	Mfg. No.	Description
SAX886	14A19120	Replacement Suspension

BASEBALL BUMP CAPS

- 100% cotton ball cap
- ABS shell cap insert with foam padding
- Hook and loop size adjustment
- Vent holes for breathability
- Protects against lacerations, minor bumps and bruises in areas that do not require certified safety helmets
- Ideal for meat packing, food/beverage processing, warehousing, auto repair, pest control and home inspection
- Caution bump caps are not designed to protect against impact from falling or glancing objects
- **Does not meet CSA or ANSI requirements**

Order No. **SED560**
Mfg. No. 14B19400



OMEGA II SAFETY CAPS CSA TYPE 1

- Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Accessory slots accommodate a wide variety of eye, face, and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Comfortable, 6-point impact-absorbing nylon woven suspension
- *Easy Quick-Slide* or *Secure-Fit* ratchet suspension adjustment
- Reverse headband certified
- **Certified to CSA standard Z94.1-05 type 1 class E**



OMEGA II SAFETY CAPS CSA TYPE 2

- Crown and lateral impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Accessory slots accommodate a wide variety of eye, face, and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Comfortable, 4-point impact-absorbing nylon woven suspension
- *Easy Quick-Slide* or *Secure-Fit* ratchet suspension adjustment
- Reverse headband certified
- **Certified to CSA standard Z94.1-05 type 2 class E**



Order No.	Mfg. No.	Colour
EASY QUICK-SLIDE SUSPENSION		
SAX787	14OS69132-YEL	Yellow
SAX788	14OS69136-BLU	Blue
SAX789	14OS69131-WHT	White
SAX790	14OS69133-ORG	Orange
SAX799	14OS69301-DBL	Dark Blue
SAX793	14OS69129-HVP	Hi-Viz Pink
SAX795	14OS69135-HVO	Hi-Viz Orange

SECURE-FIT RATCHET SUSPENSION		
SAX800	14OR69952-YEL	Yellow
SAX801	14OR69956-BLU	Blue
SAX802	14OR69951-WHT	White
SAX803	14OR69953-ORG	Orange
SAX812	14OR69901-DBL	Dark Blue
SAX806	14OR69989-HVP	Hi-Viz Pink
SAX808	14OR69955-HVO	Hi-Viz Orange

Other colours available upon request.

REPLACEMENT 6-POINT SUSPENSION

Order No.	Mfg. No.	Description
SAX880	14A19141	<i>Easy Quick-Slide</i> Suspension
SAX881	14A19945	<i>Secure-Fit</i> Ratchet Suspension

Order No.	Mfg. No.	Colour
EASY QUICK-SLIDE SUSPENSION		
SAX813	14OSC49132-YEL	Yellow
SAX814	14OSC49136-BLU	Blue
SAX815	14OSC49131-WHT	White
SAX816	14OSC49133-ORG	Orange
SAX825	14OSC49301-DBL	Dark Blue
SAX819	14OSC49129-HVP	Hi-Viz Pink
SAX821	14OSC49135-HVO	Hi-Viz Orange

SECURE-FIT RATCHET SUSPENSION		
SAX826	14ORC49932-YEL	Yellow
SAX827	14ORC49936-BLU	Blue
SAX828	14ORC49931-WHT	White
SAX829	14ORC49933-ORG	Orange
SAX838	14ORC49901-DBL	Dark Blue
SAX832	14ORC49929-HVP	Hi-Viz Pink
SAX834	14ORC49935-HVO	Hi-Viz Orange

Other colours available upon request.

REPLACEMENT 4-POINT SUSPENSION

Order No.	Mfg. No.	Description
SAX882	14A69141	<i>Easy Quick-Slide</i> Suspension
SAX883	14A69945	<i>Secure-Fit</i> Ratchet Suspension

OMEGA II FULL BRIM SAFETY CAPS CSA TYPE 1

- Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Cushioned brow pad absorbs moisture and is removable and washable
- Low nape strap helps eliminate unnecessary shifting on the wearer's head
- Comfortable, 6-point impact-absorbing nylon woven suspension
- *Easy Quick-Slide* or *Secure-Fit* ratchet suspension adjustment
- **Certified to CSA standard Z94.1-05 type 1 class E**



Order No.	Mfg. No.	Colour
EASY QUICK-SLIDE SUSPENSION		
SAX860	14FS69502-YEL	Yellow
SAX861	14FS69506-BLU	Blue
SAX862	14FS69501-WHT	White
SAX865	14FS69503-ORG	Orange
SAX864	14FS69510-HVL	Hi-Viz Lime

SECURE-FIT RATCHET SUSPENSION		
SAX867	14FR69812-YEL	Yellow
SAX868	14FR69816-BLU	Blue
SAX869	14FR69811-WHT	White
SAX872	14FR69813-ORG	Orange
SAX871	14FR69823-HVL	Hi-Viz Lime

Other colours available upon request.

REPLACEMENT 6-POINT SUSPENSION

Order No.	Mfg. No.	Description
SAX880	14A19141	<i>Easy Quick-Slide</i> Suspension
SAX881	14A19945	<i>Secure-Fit</i> Ratchet Suspension

Head Protection

CSA Z94.1-05 STANDARDS FOR INDUSTRIAL PROTECTIVE HEADWEAR

CSA has recently launched a revised version of the "Industrial Protective Headwear" standard Z94.1-05. This new standard classifies protective headwear in to two types. Type 1 provides impact and penetration protection on the crown (top) only. Type 2 offers impact and penetration protection on the top as well as lateral protection (sides). The new standard also requires that a hazard assessment be performed in the work place. This new standard includes a guide on how to perform a workplace hazard assessment. If no hazard assessment is conducted, the worker must default to the highest protection level which is a type 2, class E protective helmet.

The new standard still covers dielectric properties. Class E rating (Electric), is a hard hat that must pass an electrical test that protects up to 20 000 volts. For a class G rating (general purpose) the conductivity test must qualify with a protection limit of 2200 volts. Lastly, a class C rating, is a hard hat manufactured of conductive material or a hard hat that does not meet classes E or G. This would only be suitable in areas where there is no risk of electrical hazards.

THE PEAK A79 CSA TYPE 1

- High density polyethylene shell
- Side slots for attaching accessories
- Rain trough to shed rain out
- Reinforcing ribs for extra shell strength
- Choice of ratchet or pinlock suspension
- Vertical adjustable headband and foam perforated vinyl sweatband
- Weighs less than 12 oz.
- Pinlock and ratchet suspensions also available separately
- **Certified to CSA standard Z94.1-05 type 1 class E**

NORTH

by Honeywell



Order No.	Mfg. No.	Suspension	Colour
SA653	A79010000	Pinlock	White
SA654	A79020000	Pinlock	Yellow
SH138	A79030000	Pinlock	Orange
SH139	A79080000	Pinlock	Navy Blue
SAI085	A79070000	Pinlock	Sky Blue
SH140	A79040000	Pinlock	Green
QZ045	A79150000	Pinlock	Red
SH141	A79R010000	Ratchet	White
SH142	A79R020000	Ratchet	Yellow
SH143	A79R030000	Ratchet	Orange
SH144	A79R080000	Ratchet	Navy Blue
YA067	A79R0070000	Ratchet	Sky Blue
SH145	A79R040000	Ratchet	Green

Other colours available upon request

ACCESSORIES

Order No.	Mfg. No.	Description
SI917	A79S2	4-Point Pinlock Suspension
SI918	A79RS2	4-Point Ratchet Suspension

THE SUMMIT A99R CSA TYPE 2

- High-density polyethylene provides all-around limited impact and penetration protection
- Universal slots will accept all attachments
- Expanded polystyrene inner shell prevents injuries from lateral, side and back impacts
- 6-point ratchet suspension system comes with two adjustment levels for headband
- Rear tab sliding mechanism allows centering of helmet on head
- Crown pad and sweatband for user comfort
- Weighs less than 17.1 oz.
- **Certified to CSA standard Z94.1-05 type 2 class E**



NORTH

by Honeywell

Order No.	Mfg. No.	Suspension	Colour
SA651	A99R010000	Ratchet	White
SA652	A99R020000	Ratchet	Yellow
SH146	A99R030000	Ratchet	Orange
SA650	A99R070000	Ratchet	Sky Blue
SH147	A99R040000	Ratchet	Green

Other colours available upon request

ACCESSORIES

Order No.	Mfg. No.	Description
SJ317	A99C100	4-Point Safety Cap Chin Strap

Ratchet



Pinlock



MATTERHORN CSA TYPE 2

- Foam liner for extra protection from lateral impacts
- Rain trough
- Slotted for attachments
- Ratchet or "Quick Fit" suspension
- "Quick Fit" suspension is ultra-lightweight with locking action, simply squeeze buckle and loosen
- Certified to CSA standard Z94.1-05 type 2 class E

NORTH



by Honeywell



Order No.	Mfg. No.	Suspension	Colour	Wt. oz.
SH342	A89010000	Quick Fit	White	14.7
SH343	A89020000	Quick Fit	Yellow	14.7
SH344	A89030000	Quick Fit	Orange	14.7
SH345	A89080000	Quick Fit	Navy Blue	14.7
SAI080	A89070000	Quick Fit	Sky Blue	14.7
SH346	A89040000	Quick Fit	Green	14.7
SH347	A89R010000	Ratchet	White	15.6
SH348	A89R020000	Ratchet	Yellow	15.6
SH349	A89R030000	Ratchet	Orange	15.6
SH350	A89R080000	Ratchet	Navy Blue	15.6
SAI081	A89R070000	Ratchet	Sky Blue	15.6
SH351	A89R040000	Ratchet	Green	15.6

ACCESSORIES

SAO538	A89S3	4-Point Quick Fit Suspension
SAN022	A89RS3	4-Point Ratchet Suspension

SUSPENSION TYPES:

Pinlock



Ratchet



Quick Fit



THE EVEREST A119R CSA TYPE 2

- Provide protection from top, sides, front and back
- High-density polyethylene outer shell
- Universal slots
- Full all around brim for UV ray and rain protection
- Expanded polystyrene inner shell
- Ergonomically designed 6-point suspension with two adjustment levels
- Sliding mechanism on the rear for centering of the helmet on the head
- Ratchet mechanism fits head sizes 6 to 8
- Crown pad and sweatband for user comfort
- Weighs 17.4 oz.
- Certified to CSA standard Z94.1-05 type 2 class E



NORTH
by Honeywell

Order No.	Mfg. No.	Colour
SE933	A119R010000	White
SE934	A119R020000	Yellow
SE935	A119R030000	Orange
SE936	A119R070000	Sky Blue
SE937	A119R110000	Black
SE938	A119R150000	Red
SAN168	A119R080000	Navy Blue

THE EVEREST A49 CSA TYPE 1

- High-density polyethylene outer shell
- 6-point ratchet web suspension or pinlock suspension
- Full all around brim for UV ray and rain protection
- Side slots for easy attaching/detaching of accessories
- Sliding mechanism on rear tabs allows self-centering of the helmet on the head
- Crown pad and sweatband for user comfort
- Sizing adjustment from 6 1/2 to 8
- Certified to CSA standard Z94.1-05 type 1 class E



NORTH



by Honeywell

Order No.	Mfg. No.	Suspension	Colour	Wt. oz.
SE928	A49R010000	Ratchet	White	15.4
SE929	A49R020000	Ratchet	Yellow	15.4
SE930	A49R070000	Ratchet	Sky Blue	15.4
SE931	A49R110000	Ratchet	Black	15.4
SE932	A49R150000	Ratchet	Red	15.4
SH151	A49010000	Pinlock	White	14.7
SH152	A49020000	Pinlock	Yellow	14.7
SH154	A49110000	Pinlock	Black	14.7
SH155	A49150000	Pinlock	Red	14.7

ACCESSORIES

SJ317	A99C100	4-Point Safety Cap Chin Strap
SI919	A491S	4-Point Pinlock Suspension

Head Protection

BUMP CAPS BC86 & BC89 SERIES

- For low hazard area protection against minor bumps and lacerations
- Cool, lightweight polyethylene construction resists cracking and chipping (not for use in areas requiring hard hat protection)
- One size fits all
- Available in different colours
- BC86 series is ventilated
- Not approved



SD635

Order No.	Mfg. No.	Colour
BC89 SERIES		
SD632	BC89010000	White
SD633	BC89020000	Yellow
SD634	BC89070000	Sky Blue
SD635	BC89080000	Navy Blue
SAJ119	BC89030000	Orange

BC86 SERIES - VENTILATED		
SAI586	BC86010000	White
SAI587	BC86020000	Yellow
SAI588	BC86070000	Sky Blue
SAI589	BC86080000	Navy Blue



SUPEREIGHT™ P2 ROUGHNECK

- Exceptional impact and crack resistance plus durability
- All day comfort under tough working conditions
- Strip proof ratchet headband
- Exclusive *Supereight™* suspension, eight load bearing points balance and stabilize the cap's weight and dissipate force upon impact
- Meets ANSI standard Z89.1, type 1, classes C and G



SAM405



Order No.	Mfg. No.	Colour
SAM404	P2QRW-GREY	Grey
SAM405	P2QRW-GREEN	Green
SAM406	P2QRW-BLUE	Blue

TRAFFIC SAFETY HARD HATS CSA TYPE 1

- Anti-glare protector under peak
- HDPE shell and rain trough
- 4-point nylon suspension and comfort pad
- Four anchor points for chin strap
- SAM549 and SAM550 come with three *North-Brite™* stripes, 1" x 4", on side and back
- SAM551 and SAM552 come with three *North-Lite™* stripes, 1" x 4", on side and back
- Certified to CSA standard Z94.1-05 type 1



SAM550



SAM552

Order No.	Mfg. No.	Suspension	Stripes	Colour
SAM549	A7931/GY	Pinlock	<i>North-Brite™</i>	Orange
SAM550	A79R31/GY	Ratchet	<i>North-Brite™</i>	Orange
SAM551	A7944/GS	Pinlock	<i>North-Lite™</i>	Yellow
SAM552	A79R44/GS	Ratchet	<i>North-Lite™</i>	Yellow

HARLEY-DAVIDSON® HARD HATS

- Smooth ratchet adjustment is quick and easy to set, allowing for proper safety cap alignment
- Cushioned sweatband provides increased comfort for the wearer
- Complies with ANSI Z89.1 impact standard type 1 and electric class G and E



SAS387



SAS386



SAP272



Honeywell

© 2012 H-D. All rights reserved.

Manufactured by *Honeywell* under license from *Harley-Davidson Motor Company*.

WARNING: Not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.

Order No.	Mfg. No.	Description
SAP272	HDHHAT10	Flame Design
SAS386	HDHHAT30	Orange Metallic Flames, Blades and Skull
SAS387	HDHHAT35	Black Matte w/Silver Metallic Flames, Blades and Skull

V-GARD® PROTECTIVE CAPS

Offer comfortable, lightweight protection

V-Gard® protective caps from MSA consist of a polyethylene shell and suspension system working together as a protection system. V-Gard® headwear features slotted sides and advanced styling in standard (6 1/2 - 8) size. Available with Fas-Trac® or 1-Touch™ suspension. Caps meet or exceed the applicable requirements for a **type I** helmet (top impact) as outlined in **ANSI Z89.1 2003**, and **CSA Z94.1-2005**, class E.



MSA

MSA SUSPENSION TYPES:



Fas-Trac®



1-Touch™

TOPGARD® PROTECTIVE CAPS

Uni-Ridge Design Protects Wearer From Falling Objects

Lightweight, durable Topgard® slotted caps are built for use by utilities and other industries, where head protection from falling objects is necessary, along with good dielectric properties (non-conduction of electrical current). Limited resistance to top impact or penetration is retained through a wide range of temperatures.

Available in standard (6 1/2 - 8) size with 1-Touch™ or Fas-Trac® suspension.

Topgard® caps meet or exceed the applicable requirements for a **type I** helmet (top impact) as outlined in **ANSI Z89.1 2003** and **CSA Z94.1-2005**, class E.



MSA

FREEDOM SERIES™ HARD HATS

- Canadian Maple Leaf design
- V-Gard® helmet with distinctive "all Canadian" graphics
- FAS-TRAC® suspension
- Meet requirements of **ANSI Z89.1 2003** for a **type I** helmet, class E and **CSA type 1**, class E



MSA

Order No.	Mfg. No.	Description
SAM667	10050613	Maple Leaf Design

Order No.	Mfg. No.	Colour
1-TOUCH™ SUSPENSION		
SAM569	454728	White
SAM571	454723	Blue
SAM572	454721	Yellow
SAM573	454725	Orange
SAM574	454727	Red
SAM575	454726	Green
SAM576	454722	Grey
FAS-TRAC® SUSPENSION		
SAG002	475385	White
SAG003	475380	Blue
SAG004	475378	Yellow
SAG005	475382	Orange

REPLACEMENT SUSPENSIONS

Order No.	Mfg. No.	Description
SAM577	10061127	1-Touch™ Suspension
SAG010	473333	Fas-Trac® Suspension

Head Protection

ADVANCE® VENTED CAPS

- Vented advance caps provide cooling vents for improved air circulation and comfort
- *Glaregard™* under brim to reduce reflective glare
- Lateral contours above the ears for easy integration of hearing protection
- Lightweight design for added comfort
- 6-point *Fas-Trac®* suspension system
- Caps meet or exceed the applicable requirements for a **type I** helmet (top impact) as outlined in **ANSI Z89.1 2003, class C**



Fas-Trac®
suspension

MSA

Order No.	Mfg. No.	Colour
SAM668	10034027	White
SAM669	10034028	Blue
SAM670	10034029	Yellow
SAM671	10034031	Red
SAM672	10034032	Green
SAM674	10034035	Hi-Viz Orange

REPLACEMENT SUSPENSIONS

Order No.	Mfg No.	Description
SAM682	10034967	<i>Fas-Trac®</i>

CANADIAN SUPER-V™ HELMETS

- Consists of a shell, foam liner and *Fas-Trac®* suspension system
- Provides limited impact and penetration protection in the event of top or lateral blow to head
- Tested for both top and lateral blows
- **Certified to the CAN/CSA Z94.1-2005 standard, class E for type 1 and 2 helmets**
- Meets all applicable requirements of **ANSI Z89.1-2003 for type I helmet, class E**

MSA



Order No.	Mfg. No.	Colour
SAM685	C217091	White
SAM686	C217093	Yellow
SAM687	C217092	Blue
SAM688	C217094	Orange
SAM689	C217095	Red
SAM690	C217096	Green
SAM691	C217097	Navy Grey
SAM692	C217100	Hi-Viz Orange

REPLACEMENT SUSPENSION

Order No.	Mfg. No.	Description
SAM693	818276	<i>Fas-Trac®</i>

BUMP CAPS

- Protects scalp by reducing exposure to abrasions and lacerations caused by minor bumps to the head
- Ideal for meat packing plants, food processing, pest control, meter reading and automotive repair
- High-density polyethylene construction
- Perforated sides for cross-ventilation
- Adjustable, one size fits all
- **Not approved**



MSA

Order No.	Mfg. No.	Colour
SAM701	10033650	Blue
SAM702	10033651	Yellow
SAM703	10033652	White


SWEATBANDS

Sweatbands are a cool and comfortable solution for hot workplace environments. Feature soft, reinforced sponge to absorb perspiration and prevent it from running into eyes or spectacles. Waffled sponge provides added durability with gauze scrim-reinforced design. Durable 14" nylon elastic band "box-stitched" into sponge material helps keep sweatband in place.

Clip-on version has harness that fits onto hard hats, welding helmets, or sandblast hood suspensions. For workers who wear head or face protection all day.

Dimensions: 8 5/8" x 1 3/4".

Sold per package.



Order No.	Mfg. No.	Description	Qty /Pkg
SAI910	22011	Sweatband	25
SAI911	22010	Clip-On Sweatband	25

HARD HAT LANYARDS

- Hi-Viz lime lanyard
- High stretch elastic material
- Comfortably attaches to hard hats and other headwear to prevent the item from falling
- Double lock plastic buckle attaches to fall protection
- Easy release clamp version attaches securely to just about anything
- **Hard hat not included**



Order No.	Mfg. No.	Description
SED573	3150	Buckle Lanyard
SED574	3155	Clamp Lanyard



SED573



SED574

EXPLOSION PROOF HEADLIGHTS

Totally enclosed, chemical-resistant light comes with an adjustable strap that mounts the light on a hard hat. Can also fit comfortably directly on worker's head. Lamp housing swivels 45° for accurate aim. Operates for approximately four hours on four AA batteries (not included).

Wt. w/batteries: 7.6 oz.

Order No. XA036

Mfg. No. HL-X



LIND EQUIPMENT

REPLACEMENT BATTERIES

AA 1.5 V, 24/pkg. Sold per package.

Order No. XB872

Mfg. No. EN91

INDUSTRIAL 6 LED HEADLIGHTS

- Two white spot, two white flood, two red
- Lamp life: Lifetime
- Comes with three AAA batteries

Order No. XC645

Mfg. No. HDL33AINE

REPLACEMENT BATTERIES, AAA

24/pkg. Sold per package.

Order No. XB873

Mfg. No. EN92

Energizer



HARD HAT MOUNTING RACKS

Two models of racks are available to store your hard hat.

Seat Mount Rack hangs over the front or back of a car or truck seat.



SA660

Wall Mount Rack can be permanently mounted in a vehicle or office.



SA664

WATERPROOF HEADLAMPS

- Hard hat or forehead mounted
- 90° vertical adjustment range
- High intensity focused beam with a durable rubber headband
- Headlamp is submersible up to 30'
- Uses an easily replaceable krypton 4.8 V/0.75 A/3.6 W lamp
- Light output of 10 000 candlepower
- Operates on four AA alkaline cell batteries (included)
- Battery burn time is approximately four hours
- Lamp life is approximately 20 hours
- Weighs 200 g

LIND EQUIPMENT

Order No.	Mfg. No.	Description
XA688	HL-ST	Waterproof Headlamp

REPLACEMENT PARTS

XA674	HL-601	10 000 CP Krypton Lamp
XA677	HL-604	Lens



Order No.	Mfg. No.	Description
SA660	STR-1-SM	Seat Mount Rack
SA664	STR-2-WM	Wall Mount Rack