

Expedited Delivery Program for Fall Protection Products

Need it Now? Call MSA! 1-800-672-2222



NEED IT
NOW

*Because every life has a **purpose...***



OUR COMMITMENT
TO YOU...

The MSA Fall Protection Promise

MSA promises to replace any MSA harness and/or textile lanyard FREE of charge if a user falls while properly using our product. If the fall occurs while using an MSA mechanical device, we will re-certify the device FREE of charge.

MSA believes that it is important to provide high quality products and recognize safe work practices.

Products should be returned with a signed copy of the accident report to:

MSA

Attn: Fall Protection Product Line Manager

1100 Cranberry Woods Drive

Cranberry Township, PA 16066-5204









Need it **NOW**? Call MSA!

Need it NOW! is our fall protection delivery program that's designed to get you the products you need, when you need them — **NOW!**

Two tiers of priority shipping are offered under the **Need it NOW!** delivery program:

- Tier I includes MSA's most popular products. Tier I delivery offers same day or next-day shipping.
- Tier II delivery offers shipping within 5 days.

Products included in this program are identified by the following symbols:

- Symbols with a 1 denote Tier I product status  
- Symbols with a 2 denote Tier II product status  
- Black symbols denote that the maximum order quantity for priority shipping is 100 units  
- Red symbols denote that the maximum order quantity for priority shipping is 50 units  

Visit our website at www.MSAafety.com to view complete program terms and conditions.

Full Body Harnesses



Workman Harness
Part No. 10108768



Workman Construction Harness
Part No. 10077571



Workman® Harness

PART NO.	D-Ring Configuration			Size				Leg Buckle Type		Standards
	Back	Back, Chest, Hips	Back, Hips	XSM	STD	XLG	SXL	Tongue Buckle	Qwik-Fit	OSHA/ANSI/CSA
1 10072479	■				■				■	■
1 10072480	■					■			■	■
1 10072481	■						■		■	■
2 10072482			■	■					■	■
1 10072483			■		■				■	■
1 10072484			■			■			■	■
2 10072485			■				■		■	■
2 10072486	■			■				■		■
1 10072487	■				■			■		■
1 10072488	■					■		■		■
1 10072489	■						■	■		■
2 10072490			■	■				■		■
1 10072491			■		■			■		■
1 10072492			■			■		■		■
2 10072493			■				■	■		■
2 10108768		■			■			■		■
2 10108772		■			■				■	■

Workman Construction Harness

PART NO.	Size				Padding		Standards
	XSM	STD	XLG	SXL	None	Shoulder	OSHA/ANSI/CSA
2 10072494	■				■		■
1 10072495		■			■		■
1 10072496			■		■		■
2 10072497				■	■		■
1 10077571		■				■	■
1 10077572			■			■	■
1 10077573				■		■	■

Full Body Harnesses



EVOTECH Full-Body Harness
Part No. 10105942



EVOTECH Construction
Harness
Part No. 10112710



EVOTECH® Harness

	PART NO.	D-Ring Configuration		Size		Leg Strap Type		Chest Strap Type	Padding			Standards
		Back	Back Hips	Std	XLG	Quick-Connect	Tongue Buckle	Quick-Connect	None	Shoulder	Shoulder & Leg	OSHA/ANSI/CSA
1	10105931	■		■			■	■		■		■
2	10105932	■			■		■	■		■		■
1	10105933		■	■			■	■		■		■
2	10105935		■		■		■	■		■		■
1	10105940	■		■		■		■		■		■
2	10105941	■			■	■		■		■		■
1	10105942		■	■		■		■		■		■
2	10105943		■		■	■		■		■		■

EVOTECH Construction Harness

	PART NO.	D-Ring Configuration	Size		Leg Buckle Type		Chest Buckle Type	Padding	Standards
		Back, Hips	Std	XLG	Quick-Connect	Tongue Buckle	Quick-Connect	Shoulder	OSHA/ANSI/CSA
2	10112710	■	■			■	■	■	■
2	10112741	■		■		■	■	■	■
2	10112744	■	■		■		■	■	■
2	10112745	■		■	■		■	■	■

Full Body Harnesses



TechnaCurv Harness
Part No. 10041609



TechnaCurv Tower Harness
Part No. 10048344

TechnaCurv® Harness

PART NO.	Style		D-Ring Configuration			Size		Leg Buckle Type			Chest Buckle Type		Padding			Standards
	Vesttype	Pullover	Back	Back, Chest, Hips	Back, Hips	Std	XLG	Secure-Fit	Tongue Buckle	Qwik-Fit	Secure-Fit	Qwik-Fit	None	Shoulder	Shoulder & Leg	OSHA/ANSI/CSA
2 10041517	■		■			■				■		■	■			■
1 10041591	■		■			■			■			■	■			■
1 10041592	■		■				■		■			■	■			■
1 10041595	■				■	■			■			■	■			■
1 10041599	■		■			■			■			■		■		■
2 10041603	■				■	■			■			■		■		■
1 10041607	■			■		■			■			■	■			■
1 10041609		■		■		■			■				■			■
2 10041611	■			■		■			■			■		■		■
2 10041615	■			■		■		■				■			■	■

TechnaCurv Construction Harness

PART NO.	Size	Leg Buckle Type	Chest Buckle Type	Webbing Color	Standards
	Std	Tongue Buckle	Qwik-Fit	Red	OSHA/ANSI/CSA
2 10054402	■	■	■	■	■

TechnaCurv Tower Harness

PART NO.	Style	Size	Leg Buckle Type	Chest Buckle Type	Padding	Standards
	Vesttype	Std	Secure-Fit	Qwik-Fit	Shoulder & Leg	OSHA/ANSI/CSA
2 10048344	■	■	■	■	■	■

Full Body Harnesses



Gravity Thermatek
Harness
Part No. 10020062



Gravity Welder Harness
Part No. 10103216



Gravity
Crossover
Harness
Part No.
SSH80920000



Rescue Etrier folded (above)
Part No. 10063441



Shoulder Pad
Part No. 10028444



Lanyard Connector
Adapter
Part No. 505318

Gravity™ Harnesses

		D-Ring Configuration		Size		Leg Buckle Type		Webbing Color		Standards		
PART NO.	Back	Back, Hips	STD	XLG	Quick-Fit		Green	Black	OSHA/ANSI/CSA	ANSI/OSHA		
Thermatek Welder Harness												
2	10020062		■	■		■	■		■			
Gravity Welder Harness												
1	10103216	■		■		■		■		■		
1	10103217	■			■	■		■		■		
Gravity Vest-type Full Body Harness												
		D-Ring Configuration	Size		Webbing Material		Webbing Color	Leg Buckle Type		Chest Buckle Type		Standard
PART NO.	Back, Chest, Hips	Std	XLG	Nylon	Polyester	Red/Blue	Tongue Buckle	Qwik-Fit	Standard	Qwik-Fit	OSHA/ANSI/CSA	
1	SSH30420060	■	■		■	■		■		■	■	
Gravity Crossover Full Body Harness												
		D-Ring Configuration	Size		Webbing Material	Webbing Color	Leg Buckle Type		Standards			
PART NO.	Back, Chest, Hips	Std	XLG	Nylon	Red/Blue	Tongue Buckle	Qwik-Fit	OSHA/ANSI/CSA				
1	SSH80920000	■	■		■	■		■	■			

Harness Accessories

LANYARD CONNECTOR ADAPTER	505318	1	Lanyard Connector Adapter, nylon, 1 D-ring, 18" (Back D-Ring Extension)
LANYARD CLIP	SHW26	1	Lanyard Clip (Velcro key ring)
SUSPENSION TRAUMA SAFETY STEP	10063431	1	Suspension Trauma Safety Step with carabiner
	10063441	1	Suspension Trauma Safety Step without carabiner

Energy-Absorbing Lanyards



Part No. 10129118

Part No. 10129119

10129152

Workman Energy-Absorbing Lanyards

PART NO.	Harness Connection	Anchorage Connection	Type			Standards		
			Single-Leg	Twin-Leg	Tie-Back	ANSI 359.13	CSA Z259.11	OSHA
1 10129118	LC	LC	■		■			■
1 10129119	LC	(2) LC		■	■			■
1 10129120	LC	LC	■					■
1 10129151	LC	(2) GL3100		■				■
1 10129152	LC	(2) LC		■				■
1 10129153	LC	GL3100	■					■
1 10113157	36C	36C	■		■	■		■
1 10113158	36C	36C	■			■		■
1 10113159	36C	(2) 36C		■		■		■
1 10113162	36C	(2) 36C		■	■	■		■
1 10113163	36C	(2) 36CL		■		■		■
1 10113164	36C	36CL	■			■		■
1 10072472	36C	36C	■		■		■	■
1 10072473	36C	(2) 36C		■	■		■	■
1 10072474	36C	36C	■				■	■
1 10072475	36C	(2) 36CL		■			■	■
1 10073708	36C	(2) 36C		■			■	■
1 10076124	36C	36CL	■				■	■

Energy-Absorbing Lanyards



FP5K Tie-Back Energy-Absorbing Lanyard

PART NO.	Harness Connection	Anchorage Connection	Adjustable Web	Type		Standards			
				Single-Leg	Twin-Leg	ANSI Z359.13	CSA Z259.11	OSHA	
1 10107207	36C	FP5K	■	■		■		■	
1 10107208	36C	FP5K	■		■	■		■	
1 10047084	36C	FP5K	■	■			■	■	
1 10047085	36C	FP5K	■		■		■	■	



Diamond™ Energy-Absorbing Lanyards and Expanyards

PART NO.	Harness Connection	Anchorage Connection	Material	Type			Length (ft)		Standards		
			Polyester	Single-Leg	Twin-Leg	Expanyard	4	6	ANSI 359.13	CSA Z259.11	OSHA
1 10023932	36C	36C	■	■				■		■	■
1 10023933	36C	36CL	■	■				■		■	■
1 10023970	36CS	(2) 36C	■		■			■		■	■
1 10023971	36CS	(2) 36CL	■		■			■		■	■
1 10045936	36C	36C	■	■		■		■		■	■
1 10045938	36CS	(2) 36CL	■		■	■		■		■	■
2 10088065	36C	36C	■	■				■	■		■
1 10088067	36C	36C	■	■		■		■			■
1 10088072	36C	(2) 36CL	■		■			■			■
2 10088077	36CS	(2) 36CL	■		■		■				■

Energy-Absorbing Lanyards



ArcSafe Energy-Absorbing Lanyard

	PART NO.	Harness Connection	Anchorage Connection	Type		Standards		
				Single-Leg	Twin-Leg	ANSI Z359.13	CSA Z259.11	OSHA
1	10060139	Hitch Loop	36C	■			■	■
1	10060140	Hitch Loop	(2) 36C		■		■	■
1	10107200	Hitch Loop	36C	■		■		■
1	10107201	Hitch Loop	(2) 36C		■	■		■

* E6 version



Thermatek Cable Energy-Absorbing Lanyard

	PART NO.	Harness Connection	Anchorage Connection	Type	Length	Standards	
				Single-Leg	6 ft	ANSI Z359.13	OSHA
1	10023485	36C	36C	■	■		■
2	10088246	36C	36C	■	■	■	■

Energy-Absorbing Lanyards



Sure-Stop **Web** Energy-Absorbing Lanyard Ordering Information

PART NO.	Harness Connection	Anchorage Connection	Type					Standards	
			Fixed	Adjustable	Single-Leg	Twin-Leg	Tie-Back	ANSI Z359.13-2007	OSHA
1 10088213	36C	36C	■		■		■	■	■
1 10088214	36C	(2) 36C				■	■	■	■
1 10088259	36C	36C		■	■			■	■
1 10088260	36C	36CL		■	■			■	■
1 10088266	36C	(2) 36CL		■		■		■	■

Sure-Stop **Rope** Energy-Absorbing Lanyard

PART NO.	Harness Connection	Anchorage Connection	Type		Length	Standards
			Single-Leg	Fixed	6 ft	ANSI Z359.13
2 10088219	36C	36C	■	■	■	■

Rebar Assemblies



PART NO.	Description	Standards
		OSHA
1 10107326	Rebar chain assembly, 36CL snaphook with 2.5" (57mm) gate	■

Restraint Lanyards



Part No. 505204




Part No. SWL3268704LS

Web Restraint Lanyard

PART NO.	Material		Type				Harness Connection	Anchorage Connection	Length			Standards	
	Web	Nylon	Single	Twin	Adj	Fixed			4 ft	5 ft	6 ft	CSA Z259.11-05 E4	OSHA
1 505204	1"	■	■		■		36C	36C			■	■	■
2 10056763	1"	■		■		■	36C	(2) FP5K		■		■	■
2 SWL3268704LS	1"	■	■			■	36C	36C	■			■	■
2 505088	1"	■	■		■		36C	36C			■		■

Sure-Grab™ Positioning Lanyard



Part No. SNYR537DH306

SURE-GRAB POSITIONING LANYARDS	SURE-GRAB POSITIONING LANYARDS	SNYR537DH306	Sure-Grab positioning lanyard, manual, closed body, 5/8" x 6' blue Static Kernmantle, chrome locking swivel snaphook, right-handed version
		2	

Self-Retracting Lanyards



PFL web version
(front)



PFL cable version
(front)



PFL cable version
(back)

Workman **Web** PFL Ordering Information

WORKMAN PFL—WEB VERSION							
	PART NO.	Description	PFL Connection	Lifeline Connection	Standards		
					CSA Z259.2.2	ANSI Z359.14-2012	OSHA
1	10093348	Workman PFL, 12' line length	None	LI Snaphook			■
1	10093349	Workman PFL, 12' line length	None	LC Snaphook			■
1	10093350	Workman PFL, 12' line length	1" Steel Carabiner	LC Snaphook			■
2	10093352	Workman PFL, 12' line length	Back D Connector	LC Snaphook			■
1	10093353	Workman PFL, 12' line length	1" Steel Carabiner	36C Snaphook		■	■
1	10093354	Workman PFL, 12' line length	None	36C Snaphook		■	■
2	10093356	Workman PFL, 10' line length	None	36C Snaphook	■		■
2	10093357	Workman PFL, 10' line length	1" Steel Carabiner	36C Snaphook	■		■

Workman **Cable** PFL Ordering Information

WORKMAN PFL—CABLE VERSION							
	PART NO.	Description	PFL Connection	Lifeline Connection	Standards		
					ANSI Z359.14-2012	OSHA	
2	10104793	Workman PFL, 12' line length	1" Steel Carabiner	36C Snaphook	■		■

Self-Retracting Lanyards



Twin-Leg PFL
(front)



Twin-Leg Tie-Back PFL
(front)



Twin-Leg Tie-Back PFL
(back)

Workman Twin-Leg Personal Fall Limiter (PFL) Ordering Information

PART NO.	Description	Lifeline Connection	Standards		
			CSA Z259.2.2 - Type 1	ANSI Z359.14	OSHA
1 10118937	Workman Twin Leg PFL, 6' line length	36CL snaphook	■	■	■
1 10120050	Workman Twin Leg PFL, 6' line length	AL36CL snaphook	■	■	■
1 10120052	Workman Twin Leg PFL, 6' line length	36C snaphook	■	■	■
1 10125271	Workman Twin Leg Tie-Back PFL, 6' line length	FP5K Snaphook	■	■	■
1 10125272	Workman Twin Leg Tie-Back PFL, 7.5' line length	FP5K Snaphook	■		■

Self-Retracting Lanyards



Workman SRL



Short-Stop SRL
Part No. 10004277



Aptura LT30
Part No.
10053558

Workman Self-Retracting Lanyard (SRL)

WORKMAN SELF-RETRACTING LANYARDS	10119507	1	Workman SRL, 30-ft, galvanized cable, 36CS snaphook
	10120724	1	Workman SRL, 30-ft, stainless steel cable, 36CS snaphook
	10121834	1	Workman SRL, 50-ft, galvanized cable, 36CS snaphook
	10121778	1	Workman SRL, 50-ft, stainless steel cable, 36CS snaphook

Short-Stop® Self-Retracting Lanyard (SRL)

PART NO.	Description	Length	SRL Connection	Lifeline Connection
1 10004277	Short-Stop	10'	None	LI Snaphook

Aptura® LT 30 Self-Retracting Lanyard (SRL)

PART NO.	Description	SRL Connection	Lifeline Connection	Standards	
				CSA Z259.2.2	OSHA
1 10053558	Aptura LT30, 30' line length	None	36C	■	■
1 10053559	Aptura LT30, 30' line length	1" Steel Carabiner	36C	■	■
1 10058886	Aptura LT30, 30' line length	None	36CS	■	■

Self-Retracting Lanyards



Dyna-Lock SRL

	PART NO.	Description	Length	Standards	
				CSA Z259.2.2/OSHA	ANSI Z359.14-2012/OSHA
1	506202	Galvanized Wire Rope	30'		■
1	506204	Galvanized Wire Rope	50'		■
2	506203	Stainless Steel Wire Rope	30'		■
2	506205	Stainless Steel Wire Rope	50'		■
1	506615	Nylon Web	20'		■
1	10017931	Stainless Steel Wire Rope	20'		■
2	10006468	Galvanized Wire Rope	50' (16M)	■	
2	10017933	Stainless Steel Wire Rope	20' (6M)	■	

Anchorage Connectors



Part No. 10042792



Part No. 10042794



Part No. 505282



Part No.
SFP3267504

PointGuard™ Anchorage Connector Strap

POINTGUARD ANCHORAGE CONNECTOR STRAP	10042792	1	PointGuard residential anchorage connector strap, 3' with D-ring
	10042794	1	PointGuard concrete anchorage connector strap, 4' with D-ring

Anchorage Connector Straps

ANCHORAGE CONNECTOR STRAPS	505282	1	Anchorage connector strap, nylon, 5' length
	10023490	1	Anchorage connector strap, double D-ring, 5' length
	SFP2267504	1	Double D-ring anchorage connector strap, 4' length

Anchorage Slings

ANCHORAGE SLINGS	SFP3267504	1	Anchorage cable sling, 4' length
	SFP3267506	1	Anchorage cable sling, 6' length



5K Removable Concrete Anchor
Part No. 10081594



10K Removable Concrete Anchor
Part No. 10081570



Anchorage
Connector
Extension
Part No. 505233

Bolt D-ring with Hole
Part No. 10003213



Workman FP Stryder
Part No. 10144431



D-Plate Anchorage Connector
Part No. 506632



Rail-Slider
Part No. SFP3267504

Removable Concrete Anchors

REMOVABLE CONCRETE ANCHORS	10081594	1	5K removable concrete anchor
	10081570	1	10K removable concrete anchor

Anchorage Connector Components

ANCHORAGE CONNECTOR EXTENSION	505233	1	Anchorage connector extension, 5', 36C, O-ring
ANCHORAGE CONNECTORS	10003213	1	Bolt D-ring with hole only
	506632	1	D-plate anchorage connector, zinc-plated steel


Beam Grips

WORKMAN FP STRYDER	10144431	1	Workman FP Stryder Anchorage Connector, Standard version, fits beam flange widths from 4" to 13.5"
-----------------------	----------	---	--

Rail-Slider™

RAIL-SLIDER	SFP3267504	2	Rail-Slider, steel, galvanized, for 80 - 136 # rail, used on train/crane type rail
-------------	------------	---	--

Carabiners



Workman Tripod and Workman Confined Space Entry Kits




Workman Tripod
Part No. 10102002



Confined Space Entry Kit
with Workman Winch and Lynx Rescuer, 50'
Part No. 10153101

WORKMAN TRIPOD	10102002	2	Workman Tripod
CONFINED SPACE ENTRY KITS	10153101	2	Confined Space Entry Kit with Workman Winch and Lynx Rescuer, 50'


Horizontal Lifelines



Gravity Dyna-Line® Temporary Synthetic Horizontal Lifeline

DYNA-LINE TEMPORARY HORIZONTAL LIFELINE	10150414*	1	Dyna-Line Temporary Horizontal Lifeline for two workers, 60' rope* (18m)
---	-----------	---	--

* Includes anchor straps



Gravity SureLine™ Temporary Synthetic Horizontal Lifeline

SURELINE TEMPORARY HORIZONTAL LIFELINE	10150424	2	SureLine Temporary Horizontal Lifeline, 60' (18m) black rope
--	----------	---	--



Gravity SureLine Temporary Cable Horizontal Lifeline Ordering Information

STEEL CABLE HORIZONTAL LIFELINE SYSTEM	10150416	2	Steel Cable Horizontal Lifeline System with turnbuckle, 40' (12 m)
	10150418	1	Steel Cable Horizontal Lifeline System with turnbuckle, 60' (18 m)

General Accessories




Hands-Off™ Chisel Grip
Part No. 10040018




18" Tool Holder
Part No. 507005

CHISEL GRIP	10040018	1	Hands-Off Chisel Grip
TOOL HOLDER	507005	2	Tool Holder, 18"
	507006	2	Tool Holder, spark resistant, 18"


SuretyMan™ Rescue Utility System




SuretyMan Rescue Utility System Applications



The SuretyMan Rescue Utility System can be used in conjunction with the Sure-Strong Tripod



The SuretyMan Rescue Utility System can be used in conjunction with the Sure-Strong Tripod and Sked Rescue system



The SuretyMan Rescue Utility System can be used for self-rescue and/or victim rescue applications



The SuretyMan Rescue Utility System can be used in conjunction with the Sked Rescue system

SURETYMAN RESCUE UTILITY SYSTEM	SRS15200	2	SuretyMan Rescue Utility System, 200' (61m) length
---------------------------------	----------	---	--

Note: This bulletin contains only a general description of the products shown. While uses and performance capabilities are described, under no circumstances shall the products be used by untrained or unqualified individuals and not until the product instructions including any warnings or cautions provided have been thoroughly read and understood. Only they contain the complete and detailed information concerning proper use and care of these products.



ID 2300-116-MC / Feb 2014

© MSA 2014 Printed in U.S.A.

MSA Corporate Center

1000 Cranberry Woods Drive
Cranberry Township, PA 16066 USA
Phone 724-776-8600

www.MSAsafety.com

U.S. Customer Service Center

Phone 1-800-MSA-2222
Fax 1-800-967-0398

MSA Canada

Phone 1-800-672-2222
Fax 1-800-967-0398

MSA Mexico

Phone 01 800 672 7222
Fax 52-44 2227 3943

MSA International

Phone 724-776-8626
Toll Free 1-800-672-7777
FAX 724-741-1559



www.MSAsafety.com