



Industrial Tape Products



Product Index

ProductPage

3M Adhesive Transfer Tape 465.....	1
3M Adhesive Transfer Tape 950.....	2
3M Aluminum Foil Glass Cloth Tape 3.....	31
3M Damping Aluminum Foam Sheets 401 ..	53
3M Damping Foil 2552	53
3M Double Coated Film Tape 415.....	36
3M Double Coated Film Tape 9589.....	36
3M Double Coated Urethane Foam Tape.....	23
3M Double Coated Urethane Foam Tape.....	23
3M Double Coated Urethane Foam Tape.....	24
3M Double Coated Urethane Foam Tape.....	24
3M Double Coated Urethane Foam Tape.....	25
3M Double Coated Urethane Foam Tape.....	25
3M Double Coated Vinyl Foam Tape 44.....	25
3M Double Coated Vinyl Foam Tape 44.....	26
3M Dual Lock Reclosable Fastener SJ.....	41
3M Dual Lock Reclosable Fastener	41
3M Duct Tape 3900	2
3M Duct Tape 3939	3
3M Duct Tape 6969	3
3M Edging and Reinforcing Tape 8411.....	49
3M Electroplating Tape 470.....	37
3M General Purpose Polyester Tape 8.....	52
3M General Purpose Polyester/Silico.....	53
3M Glass Cloth Tape - Skip Slit 398.....	31
3M Glass Cloth Tape 361	30
3M Glass Cloth Tape 398FR	30
3M Glass Cloth Tape 398FRP	31
3M High Performance Adhesive Transf.....	2
3M High Tack Double Coated Polyethy.....	48
3M High Temperature Aluminum Foil T.....	54
3M High Temperature Nylon Film Tape.....	47
3M High Temperature Nylon Film Tape.....	54
3M Impact Stripping Tape 500.....	46
3M Impact Stripping Tape 583.....	46
3M Performance Plus Duct Tape 8979.....	5
3M Performance Plus Nuclear Duct Ta.....	4
3M Performance Plus Nuclear Duct Ta.....	4
3M Photographic Tape 235.....	46
3M Polyester Film Tape 850.....	35
3M Polyester Film Tape 853.....	36
3M Polyester Protective Tape 335.....	10
3M Polyester Protective Tape 336.....	11
3M Polyester Riveter's Tape 685.....	50
3M Polyester Silicone Adhesive Tape.....	49
3M Polyester Tape 8402.....	50
3M Polyester Tape 8901.....	51
3M Polyester Tape 8902.....	51
3M Polyester Tape 8905.....	52
3M Polyethylene Film Tape 483	34
3M Polyurethane Protective Tape 854.....	11
3M Polyurethane Protective Tape 856	12
3M Polyurethane Protective Tape 856	12
3M Polyurethane Protective Tape 856.....	12
3M Polyurethane Protective Tape 864	13
3M Polyurethane Protective Tape 866	13
3M Polyurethane Protective Tape 866	13
3M Polyurethane Protective Tape 867	13
3M Polyurethane Protective Tape 867	14
3M Polyurethane Protective Tape 868	14
3M Preservation Sealing Tape 481.....	14
3M Preservation Tape 4811	15
3M PTFE Film Tape 5490.....	32
3M PTFE Film Tape 5498.....	33
3M PTFE Glass Cloth Tape 5453.....	32
3M Riveter's Tape 695.....	50

ProductPage


3M Safety Stripe Tape 5700	40
3M Safety Stripe Tape 5702	40
3M Scotchmate Reclosable Fastener H.....	42
3M Scotchmate Reclosable Fastener S.....	42
3M ScotchPad Packaging Tape Pad 375.....	21
3M Silicone Acrylic Double-Coated T.....	48
3M Single Coated Foam Tape 4108.....	26
3M Single Coated Foam Tape 4504.....	26
3M Single Coated Foam Tape 4508.....	26
3M Single Coated Foam Tape 4516.....	27
3M Thermosetable Glass Cloth Tape 3.....	32
3M UHMW Film Tape 5423	47
3M UHMW Film Tape 5425	47
3M VHB Tape 4926	27
3M VHB Tape 4941	28
3M VHB Tape 4943F	28
3M VHB Tape 4945	28
3M VHB Tape 4950	29
3M VHB Tape 4952	29
3M VHB Tape 4956	29
3M Vinyl Tape 471	38 - 39
3M Vinyl Tape 472	40
3M Weather Resistant Film Tape 838	15
Scotch® ATG Adhesive Transfer Tape	1
Scotch® ATG Adhesive Transfer Tape	1
Scotch® Bi-Directional Filament Tap.....	20
Scotch® Box Sealing Tape 372.....	17
Scotch® Box Sealing Tape 373.....	17
Scotch® Box Sealing Tape 375.....	17
Scotch® Box Sealing Tape Dispenser	43
Scotch® Box Sealing Tape Dispenser	44
Scotch® Box Sealing Tape Dispenser	44
Scotch® Box Sealing Tape Dispenser	44
Scotch® Box Sealing Tape Manual Def.....	45
Scotch® Britegard Film Tape 823.....	21
Scotch® Colored Film Tape 690.....	22
Scotch® Crepe Masking Tape 202.....	5
Scotch® Definite Length Dispenser M.....	45
Scotch® Filament Tape 893	18
Scotch® Filament Tape 896	19
Scotch® Filament Tape 8981	19
Scotch® Filament Tape Hand Dispense.....	43
Scotch® Filament Tape Hand Dispense.....	43
Scotch® Film Fiber Tape 720	22
Scotch® Fine Line Tape 218	9
Scotch® General Purpose Masking Tap.....	8
Scotch® Heavy Duty Dispenser C25	42
Scotch® High Performance Masking Ta.....	7
Scotch® High Performance Masking Ta.....	6
Scotch® High Strength Filament Tape	20
Scotch® Labelgard Film Tape 821	19
Scotch® Mainline Dispenser P52W	45
Scotch® Package Sealing Tape 255.....	16
Scotch® Performance Masking Tape 23.....	7
Scotch® Performance Masking Tape 23.....	9
Scotch® Polyester Film Tape 356	48
Scotch® Polyethylene Coated Cloth T.....	33
Scotch® Premium Cellophane Tape 610	16
Scotch® Premium High Tack Film Tape.....	16
Scotch® Premium Transparent Film Ta.....	34
Scotch® Prescription Label Tape 800	20
Scotch® Printable Flatback Paper Ta.....	10
Scotch® Reinforced Strapping Tape 8	18
Scotch® Solvent Resistant Masking T.....	6
Scotch® Speciality Filament Tape 88	18
Scotch® Transparent Film Tape 605.....	35

ProductPage

Scotch® Transparent Film Tape 681.....	15
Scotch® Weather Resistant Masking T.....	6

3M™ High Performance Adhesive Transfer Tape 9485PC

5.0 mil 350 adhesive with 4.0 mil 58 lb polycoated kraft paper liner. Excellent chemical resistance. High bond strength at elevated temperatures. Use to laminate high performance plastics and difficult substrates and to splice metal coils.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	UOM
000-21200-63477-2	3M™ High Performance Adhesive Transfer Tape 9485PC 1 in x 60 yd	9485PC	1 in x 60 yd	617-3	36	RL
000-21200-63462-8	3M™ High Performance Adhesive Transfer Tape 9485PC 24 in x 60 yd	9485PC	24 in x 60 yd	617-3	1	RL

3M™ Adhesive Transfer Tape 950

5.0 mil, 300 high strength acrylic adhesive with 3.7 mil, 60 lb densified kraft paper liner.

High and low surface energy plastics textured plastics, foams, fabrics, and coated papers. Medium temperature resistance up to 250 deg F short term.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-04850-0	3M™ Adhesive Transfer Tape 950, 1 in x 60 yd, 36 per case	36/Cs	1" x 60yds	617-3	36	Clear	RL

Duct Tapes

3M™ Duct Tape 3900

General purpose cloth duct tape with tack-free roll edges. Polyethylene coated cloth backing is moisture resistant. A good choice for temporary repairs and color-coding.

Typical physical and performance properties include; adhesion to steel: 56 oz./in. width, tensile strength: 22 lbs/in width, elongation at break: 15%, thickness: 7.7 mils, temperature use range: up to 200°F (93 °C).



Item Number	Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-49833-6	3M™ Duct Tape 3900 Black, 48 mm x 54.8 m, 24 per case	48mmx54.8m	617-3	24	Black	RL
000-21200-49832-9	3M™ Duct Tape 3900 Blue, 48 mm x 54.8 m, 24 per case	48mmx54.8m	617-3	24	Blue	RL
000-21200-49831-2	3M™ Duct Tape 3900 Olive, 48 mm x 54.8 m, 24 per case	48mmx54.8m	617-3	24	Olive	RL
000-21200-49830-5	3M™ Duct Tape 3900 Red, 48 mm x 54.8 m, 24 per case	48mmx54.8m	617-3	24	Red	RL
000-21200-49829-9	3M™ Duct Tape 3900 White, 48 mm x 54.8 m, 24 per case	48mmx54.8m	617-3	24	White	RL
000-21200-49828-2	3M™ Duct Tape 3900 Yellow, 48 mm x 54.8 m, 24 per case	48mmx54.8m	617-3	24	Yellow	RL



Adhesive Transfer Tapes

3M™ Adhesive Transfer Tape 465

2.0 mil high tack acrylic adhesive 400 with 4.0 mil 60lb densified kraft paper liner.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03353-7	3M™ Adhesive Transfer Tape 465, 36 in x 60 yd, 1 per case, 2.0 mil	1/Cs	36" x 60yds	617-3	1	Clear	RL

Scotch® ATG Adhesive Transfer Tape 924

2.0 mil, 400 acrylic adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators.

Bond a wide variety of similar and dissimilar materials such as metals, glass, wood, papers, paints, and many plastics. Some application ideas include: mounting promotional items, posters, etc. Core starting. Mounting picture frame mat boards and dust covers.



Item Number	Description	Extra Description	Size	Special Item Number	Case Qty	UOM
000-21200-38442-4	Scotch® ATG Adhesive Transfer Tape 924, 1/4 in x 60 yd, 72 per case, 2.0 mil	Bulk	¼" x 60yds	617-3	72	RL
000-21200-05865-3	Scotch® ATG Adhesive Transfer Tape 924, 1/2 in x 36 yd, 72 per case, Individually Boxed, 2.0 mil	Boxed	½" x 36yds	617-3	72	RL
000-21200-03331-5	Scotch® ATG Adhesive Transfer Tape 924, 1/2 in x 36 yd, Bulk, 72 per case, Bulk, 2.0 mil	Bulk	½" x 36yds	617-3	72	RL

Scotch® ATG Adhesive Transfer Tape 969

5.0 mil, 300 acrylic adhesive on a densified kraft paper liner. High tack adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators.

Ideal for bonding materials with glossy coatings where an aggressive adhesive with high initial adhesion is desired. Some application ideas are: folders and boxes, attach fabric swatches in sample books, and assemble point-of-purchase displays. Good adhesion to Low Surface Energy applications.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	UOM
000-21200-31493-3	Scotch® ATG Adhesive Transfer Tape 969, 1/2 in x 18 yd, 24 per case, 5.0 mil	24/Cs	½" x 18yds	617-3	24	RL

3M™ Duct Tape 6969

Typical physical and performance characteristics include; thickness: 10.7 mil, adhesion to steel: 62 oz/in, tensile strength: 32 lb/in width, elongation at break: 16%, temperature use range: up to 200°F (93 °C) for up to one hour.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-22773-8	3M™ Duct Tape 6969 Black, 48 mm x 54.8 m, 24 per case	24 per case	48mmx54.8m	617-3	24	Black	RL
000-21200-22780-6	3M™ Duct Tape 6969 Olive, 48 mm x 54.8 m, 24 per case	24 per case	48mmx54.8m	617-3	24	Olive Drab	RL
000-51131-06969-5	3M™ Duct Tape 6969 Silver, 48 mm x 54.8 m, 24 per case	24 per case	48mmx54.8m	617-3	24	Silver	RL
000-21200-85635-8	3M™ Duct Tape 6969 Silver, 72 mm x 54.8 m, 12 per case	12 per case	72mmx54.8m	617-3	12	Silver	RL

3M™ Duct Tape 3939

The all-around holding, splicing, masking, patching, sealing and seaming tape. Polyethylene coated cloth backing with rubber adhesive. High tack, conformability, strength and easy tear.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-85561-0	3M™ Duct Tape 3939 Silver, 24 mm x 54.8 m, 36 per case	36/Cs	24mmx54.8m	617-3	36	Silver	RL
000-51131-06975-6	3M™ Duct Tape 3939, 48 mm x 54.8 m, 24 per case	24/Cs	48mmx54.8m	617-3	24	Silver	RL
000-21200-85562-7	3M™ Duct Tape 3939 Silver, 72 mm x 54.8 m, 12 per case	12/Cs	72mmx54.8m	617-3	12	Silver	RL
000-21200-85563-4	3M™ Duct Tape 3939 Silver, 96 mm x 54.8 m, 12 per case	12/Cs	96mmx54.8m	617-3	12	Silver	RL

3M™ Performance Plus Nuclear Duct Tape 8979N, Slate Blue

8979N provides clean removal with little or no sticky adhesive residue for up to 6 months. Sunlight/UV and Water Resistant. Lasts 1 year without degrading. Tape construction consists of high tensile cloth and aggressive adhesive. Designed for permanent and temporary applications. Certified for low leachable halogens and sulfur.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-74327-6	3M™ Performance Plus Nuclear Duct Tape 8979N 48 mm x 54.8 m	8979N	48 mm x 54.8 m	617-3	24	Slate Blue	RL
000-21200-74328-3	3M™ Performance Plus Nuclear Duct Tape 8979N 72 mm x 54.8 m	8979N	72 mm x 54.8 m	617-3	12	Slate Blue	RL
000-48011-58325-9	3M™ Performance Plus Nuclear Duct Tape 8979N 96 mm x 54.8 m	8979N	96 mm x 54.8 m	617-3	12	Slate Blue	RL
000-48011-58185-9	3M™ Performance Plus Nuclear Duct Tape 8979N 144 mm x 54.8 m	8979N	144 mm x 54.8 m	617-3	6	Slate Blue	RL

3M™ Performance Plus Nuclear Duct Tape 8979N, Red

8979N provides clean removal with little or no sticky adhesive residue for up to 6 months. Sunlight/UV and Water Resistant. Lasts 1 year without degrading. Tape construction consists of high tensile cloth and aggressive adhesive. Designed for permanent and temporary applications. Certified for low leachable halogens and sulfur.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-48011-58130-9	3M™ Performance Plus Nuclear Duct Tape 8979N 24 mm x 54.8 m	8979N	24 mm x 54.8 m	617-3	48	Red	RL
000-48011-53914-0 3M Government Markets	3M™ Performance Plus Nuclear Duct Tape 8979N 48 mm x 54.8 m	8979N 4	48 mm x 54.8 m	617-3	24	Red	RL www.3M.com/gov
000-48011-53915-7	3M™ Performance Plus Nuclear Duct Tape 8979N 72 mm x 54.8 m	8979N	72 mm x 54.8 m	617-3	12	Red	RL

3M™ Performance Plus Duct Tape 8979

This High Performance Duct Tape has a unique construction of high tensile cloth and aggressive adhesive. Designed for permanent and temporary applications, indoors and out. Sunlight/UV and water resistance allows for clean removal from most opaque surfaces with little or no adhesive residue for up to 6 months even in extreme temperatures.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-56468-0	3M™ Performance Plus Duct Tape 8979 Slate Blue, 48 mm x 54.8 m, 24 per case	24/Cs	48mmx54.8 mm	617-3	24	Slate Blue	RL
000-21200-56469-7	3M™ Performance Plus Duct Tape 8979 Slate Blue, 72 mm x 54.8 m, 12 per case	12/Cs	72mmx54.8 mm	617-3	12	Slate Blue	RL
000-21200-56470-3	3M™ Performance Plus Duct Tape 8979 Slate Blue, 96 mm x 54.8 m, 12 per case	12/Cs	96mmx54.8 mm	617-3	12	Slate Blue	RL
000-48011-53851-8	3M™ Performance Plus Duct Tape 8979 Slate Blue, 48 mm x 22.8 m, 12 per case	12/Cs	48 mm x 22.8 m	617-3	12	Slate Blue	RL
000-48011-53916-4	3M™ Performance Plus Duct Tape 8979 Olive, 48 mm x 54.8 m, 1 per inner 24 per case	12/Cs	48 mm x 54.8 m	617-3	24	Olive	RL
000-48011-53918-8	3M™ Performance Plus Duct Tape 8979 Black, 48 mm x 54.8 m, 1 per inner 24 per case	12/Cs	48 mm x 54.8 m	617-3	24	Black	RL
000-48011-53919-5	3M™ Performance Plus Duct Tape 8979 Slate Blue, 22in x 60yd		22in x 60yd	617-3		Slate Blue	RL
000-48011-53920-1	3M™ Performance Plus Duct Tape 8979 Slate Blue, 12in x 60yd		12in x 60yd	617-3		Slate Blue	RL
000-48011-53922-5	3M™ Performance Plus Duct Tape 8979 Slate Blue, 24mm x 58.8m	1/Cs	24mm x 58.8m	617-3		Slate Blue	RL
000-48011-58183-5	3M™ Performance Plus Duct Tape 8979 Slate Blue, 144mm x 54.8m	2/Cs	144mm x 54.8m	617-3	6	Slate Blue	RL

Masking Tapes

48/Cs
6/Cs

Scotch® Crepe Masking Tape 202

A natural colored smooth crepe paper saturated with a solvent and moisture resistant material. Reliable masking with good holding power and clean removal on surfaces for functional coatings or paints; splicing; heavy duty maintenance.



Item Number	Description	Product No.	Description	Units/Case	Speical Item Number
000-21200-02814-4	Scotch® Crepe Masking Tape 202 24mm x 55m, Natural	202	24mm x 55m, Natural	36	617-3

Scotch® Weather Resistant Masking Tape 225

A weather resistant silver colored paper masking tape for outdoor exposure up to one month. The aggressive adhesive has excellent holding power for numerous holding and protective applications.

Used for holding or protecting, particularly when outdoor weathering is encountered for a short period of time. Tabbings covers for light colored vinyl automobile tops during shipment and protecting various items during paint and construction.



Item Number	Description	Product No.	Description	Units/Case	Speical Item Number
000-21200-02829-8	Scotch® Weather Resistant Masking Tape 225	225	24mm x 55m, Silver	36	617-3

Scotch® Solvent Resistant Masking Tape 226

Black, 10.0 mil (0.254 mm) polyethylene film reinforced with a saturated crepe paper tape with rubber adhesive. Tape 226 is resistant to many solvents, water solutions and emulsions, and paint strippers. May be used in outdoor environments.

Item Number	Description	Package Information	Size	Special Item Number	Case Qty	UOM
000-21200-61176-6	Scotch® Solvent Resistant Masking Tape 226, 2 in x 60 yd, 24 per case	24/Cs	2" x 60yds	617-3	24	RL

Scotch® High Performance Masking Tape 232

A high performance paper masking tape to be used in the medium temperature paint bake operation.

Has been laboratory tested on paint panels and found to remove cleanly at bake temperatures of up to 250 degrees F (121 degrees C) for 30 minutes. Has excellent transfer resistance to "difficult to remove from" surfaces, like EDPM rubber moldings. Excellent paint masking tape used throughout industry for holding, bundling, protecting and a vast number of other difficult jobs where a pressure-sensitive tape is needed.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	UOM
000-21200-02850-2	Scotch™ High Performance Masking Tape 232 Natural, 6 mm x 55 m	144/Cs	6mmx55m	617-3	144	RL
000-21200-02851-9	Scotch™ High Performance Masking Tape 232 Natural, 9 mm x 55 m	96/Cs	9mmx55m	617-3	96	RL
000-21200-02852-6	Scotch™ High Performance Masking Tape 232 Natural, 12 mm x 55 m	72/Cs	12mmx55m	617-3	72	RL
000-21200-02853-3	Scotch™ High Performance Masking Tape 232 Natural, 18 mm x 55 m	48/Cs	18mmx55m	617-3	48	RL
000-21200-02854-0	Scotch™ High Performance Masking Tape 232 Natural, 24 mm x 55 m	36/Cs	24mmx55m	617-3	36	RL
000-21200-02855-7	Scotch™ High Performance Masking Tape 232 Natural, 36 mm x 55 m	24/Cs	36mmx55m	617-3	24	RL
000-21200-04240-9	Scotch™ High Performance Masking Tape 232 Natural, 48 mm x 55 m	24/Cs	48mmx55m	617-3	24	RL
000-21200-02858-8	Scotch™ High Performance Masking Tape 232 Natural, 72 mm x 55 m	12/Cs	72mmx55m	617-3	12	RL
000-21200-02859-5	Scotch™ High Performance Masking Tape 232 Natural, 96 mm x 55 m	8/Cs	96mmx55m	617-3	8	RL
000-21200-02860-1	Scotch™ High Performance Masking Tape 232 Natural, 144 mm x 55 m	8/Cs	144mmx55m	617-3	8	RL

Scotch® High Performance Masking Tape 214

A high temperature paper masking tape good for one hour at 350F° (177C°) on most surfaces. The adhesive of Tape 214 is sulfur free which makes it one of the few tapes that can be used on copper, silver and other precious metals. A smooth crepe paper backing treated with a high heat and stain resistant saturate. A firm rubber adhesive designed to give outstanding holding power for a high heat resistant tape.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	UOM
000-21200-04232-4	Scotch® High Performance Masking Tape 214, 2 in x 60 yd, 24 per case	24/Cs	2" x 60yds	617-3	24	RL

Scotch® Performance Masking Tape 233+

Ideal for paint masking applications with temperatures up to 250°F. Offers clean removal from difficult surfaces like EPDM rubber moldings and painted steel even after 30 minutes.

This unique, green colored tape has excellent conformability, transfer resistance, and is resistant to bleed through. 233+ also has better UV resistance than traditional masking tapes. Adhesion to steel: 38oz./in.width. Tensile: 25lbs/in. Tape thickness: 6.7 mils. Temp range: 250°F(121°C) for 30 minutes



Item Number	Description	Package Information	Size	Speical Item Number	Case Qty	UOM
000-51131-26343-7	Scotch® Performance Masking Tape 233+, 3 mm x 55 m, 144 per case	12/Cs	3mmx55m	617-3	144	RL
000-51131-26330-7	Scotch® Performance Masking Tape 233+, 6 mm x 55 m, 96 per case	96/Cs	6mmx55m	617-3	96	RL
000-51131-26332-1	Scotch® Performance Masking Tape 233+, 12 mm x 55 m, 48 per case	48/Cs	12mmx55m	617-3	48	RL
000-51131-26334-5	Scotch® Performance Masking Tape 233+, 18 mm x 55 m, 48 per case	48/Cs	18mmx55m	617-3	48	RL
000-51131-26336-9	Scotch® Performance Masking Tape 233+, 24 mm x 55 m, 24 per case	24/Cs	24mmx55m	617-3	24	RL
000-51131-26338-3	Scotch® Performance Masking Tape 233+, 36 mm x 55 m, 16 per case	16/Cs	36mmx55m	617-3	16	RL
000-51131-26340-6	Scotch® Performance Masking Tape 233+, 48 mm x 55 m, 12 per case	12/Cs	48mmx55m	617-3	12	RL
000-51131-26341-3	Scotch® Performance Masking Tape 233+, 72 mm x 55 m, 8 per case	8/Cs	72mmx55m	617-3	8	RL
000-21200-44608-5	Scotch® Performance Masking Tape 233+, 96 mm x 55 m, 8 per case	8/Cs	96mmx55m	617-3	8	RL

Scotch® General Purpose Masking Tape 234

A medium temperature paint masking tape with excellent control unwind for use in masking and holding applications where temperatures reach 250°F (121°C) up to 1 hour. A general purpose paper masking tape designed to be used in medium temperature paint bake operation.

Used throughout the industry for holding, bundling, sealing, non-critical masking and a vast number of other jobs where a pressure sensitive tape is needed.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	UOM
000-21200-02978-3	Scotch® General Purpose Masking Tape 234, 6 mm x 55 m, 144 per case	144/Cs	6mmx55m	617-3	144	RL
000-21200-02980-6	Scotch® General Purpose Masking Tape 234, 12 mm x 55 m, 72 per case	72/Cs	12mmx55m	617-3	72	RL
000-21200-04243-0	Scotch® General Purpose Masking Tape 234, 30 mm x 55 m, 24 per case	24/Cs	30mmx55m	617-3	24	RL
000-21200-02983-7	Scotch® General Purpose Masking Tape 234, 36 mm x 55 m, 24 per case	24/Cs	36mmx55m	617-3	24	RL
000-21200-04244-7	Scotch® General Purpose Masking Tape 234, 48 mm x 55 m, 24 per case	24/Cs	48mmx55m	617-3	24	RL
000-21200-04245-4	Scotch® General Purpose Masking Tape 234, 60 mm x 55 m, 1 per case	12/Cs	60mmx55m	617-3	12	RL
000-21200-02985-1	Scotch® General Purpose Masking Tape 234, 72 mm x 55 m, 12 per case	12/Cs	72mmx55m	617-3	12	RL
000-21200-02987-5	Scotch® General Purpose Masking Tape 234, 96 mm x 55 m, 8 per case	8/Cs	96mmx55m	617-3	8	RL
000-21200-02988-2	Scotch® General Purpose Masking Tape 234, 144 mm x 55 m, 8 per case	8/Cs	144mmx55m	617-3	8	RL

Scotch® Fine Line Tape 218

Green, 4.7 mil (0.12 mm) polypropylene plastic film tape with rubber adhesive. A high performance film backed tape with low profile and high adhesion to achieve excellent paint line and for other masking and holding applications. Polypropylene film with special processed backing that allows taping over freshly painted acrylic lacquer or enamel surfaces sooner and with less chance of imprint damage. Provides finest color separation line possible in multi-color striping jobs.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-16028-8	Scotch® Fine Line Tape 218, 1/4 in x 60 yd, 144 per case	144/Cs	¼" x 60yds	617-3	144	Green	RL
000-21200-18368-3	Scotch® Fine Line Tape 218, 3/8 in x 60 yd, 96 per case	96/Cs	3/8" x 60yds	617-3	96	Green	RL
000-21200-04698-8	Scotch® Fine Line Tape 218, 1/2 in x 60 yd, 72 per case	72/Cs	½" x 60yds	617-3	72	Green	RL
000-21200-04699-5	Scotch® Fine Line Tape 218, 3/4 in x 60 yd, 48 per case	48/Cs	¾" x 60yds	617-3	48	Green	RL
000-21200-04700-8	Scotch® Fine Line Tape 218, 1 in x 60 yd, 36 per case	36/Cs	1" x 60yds	617-3	36	Green	RL
000-21200-05500-3	Scotch® Fine Line Tape 218, 4 in x 60 yd, 8 per case	8/Cs	4" x 60yds	617-3	8	Green	RL
000-51138-94710-1	Scotch® Fine Line Tape 218, 2 in x 60 yd, 8 per case	24/Cs	2" x 60yds	617-3	24	Green	RL
000-21200-06306-0	Scotch® Fine Line Tape 218, 1/16 in x 60 yd, 144 per case	144/Cs	1/16" x 60yds	617-3	144	Green	RL
000-21200-06300-8	Scotch® Fine Line Tape 218, 1/8 in x 60 yd, 144 per case	144/Cs	1/8" x 60yds	617-3	144	Green	RL
000-21200-06307-7	Scotch® Fine Line Tape 218, 3/16 in x 60 yd, 144 per case	144/Cs	3/16" x 60yds	617-3	144	Green	RL
000-21200-06301-5	Scotch® Fine Line Tape 218, 1/4 in x 60 yd, 144 per case	144/Cs	1/4" x 60yds	617-3	144	Green	RL
000-21200-06302-2	Scotch® Fine Line Tape 218, 3/8 in x 60 yd, 96 per case	96/Cs	3/8" x 60yds	617-3	96	Green	RL

Scotch® Performance Masking Tape 2380

Scotch® Performance Masking Tape 2380. Designed for industrial paint masking applications. Provides excellent holding power and paint flake resistance. Can be removed hot, warm or cold from most surfaces without adhesive transfer.

Features high holding power with clean removal at bake temperatures up to 325°F(163°C) for 30 minutes. Excellent paint flake resistance.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	UOM
000-21200-44586-6	Scotch® Performance Masking Tape 2380, 6 mm x 55 m, 36 per box 4 boxes per case	36/Box, 4 Bxs/Cs	6mmx55m	617-3	144	RL
000-21200-44585-9	Scotch® Performance Masking Tape 2380, 12 mm x 55 m, 18 per box 4 boxes per case	18/Box, 4 Bxs/Cs	12mmx55m	617-3	72	RL
000-21200-44583-5	Scotch® Performance Masking Tape 2380, 24 mm x 55 m, 36 per case	36/Cs	24mmx55m	617-3	36	RL
000-21200-44582-8	Scotch® Performance Masking Tape 2380, 36 mm x 55 m, 24 per case	24/Cs	36mmx55m	617-3	24	RL
000-21200-44581-1	Scotch® Performance Masking Tape 2380, 48 mm x 55 m, 24 per case	24/Cs	48mmx55m	617-3	24	RL
000-21200-44579-8	Scotch® Performance Masking Tape 2380, 100 mm x 55 m, 8 per case	8/Cs	100mmx55m	617-3	8	RL

Masking Tapes, cont'd

Scotch® Printable Flatback Paper Tape 256

A printable flatback paper for many masking, bundling, holding, splicing operations requiring information or color identification. Tape is printable with standard flexographic inks.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-04968-2	Scotch® Printable Flatback Paper Tape 256 Light Green, 1 in x 60 yd, 36 per case	36/Cs	1" x 60yds	617-3	36	Light Green	RL
000-21200-02895-3	Scotch® Printable Flatback Paper Tape 256 White, 1 in x 60 yd, 36 per case	36/Cs	1" x 60yds	617-3	36	White	RL
000-21200-04258-4	Scotch® Printable Flatback Paper Tape 256 White, 2 in x 60 yd, 24 per case	24/Cs	2" x 60yds	617-3	24	White	RL

Protective & Preservation Tapes

3M™ Polyester Protective Tape 335

Pink, 1.6 mil (0.04 mm) polyester film tape with rubber adhesive designed to help protect polished metal and plastic surfaces with minimum adhesion build-up and clean removal. The tape's protective properties can help reduce costs due to rework and improve product quality.



Item Number	Description	Product ID ¹⁰	Size	Special Item Number	Case Qty	Color
000-21200-14454-7	3M™ Polyester Protective Tape 335	335	1 in x 144 yd	617-3	9	Pink



3M™ Polyester Protective Tape 336

A polyester tape with a very low tack adhesive system for use as a protective tape.

Designed to help protect polished metal and plastic surfaces with minimum adhesion build-up and clean removal. The tape's protective properties can help reduce costs due to rework, and improve product quality.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color
000-21200-05572-0	3M™ Polyester Protective Tape, 1 in x 144 yd	336	1 in x 144 yd	617-3	9	Transparent
000-21200-14929-0	3M™ Polyester Protective Tape, 1 1/2 in x 144 yd	336	1 1/2 in x 144 yd	617-3	6	Transparent
000-21200-05573-7	3M™ Polyester Protective Tape, 2 in x 144 yd	336	2 in x 144 yd	617-3	6	Transparent
000-21200-05575-1	3M™ Polyester Protective Tape, 4 in x 144 yd	336	4 in x 144 yd	617-3	2	Transparent
000-21200-14453-0	3M™ Polyester Protective Tape, 6 in x 144 yd	336	6 in x 144 yd	617-3	2	Transparent
000-21200-05576-8	3M™ Polyester Protective Tape, 12 in x 144 yd	336	12 in x 144 yd	617-3	1	Transparent
000-21200-05577-5	3M™ Polyester Protective Tape, 18 in x 144 yd	336	18 in x 144 yd	617-3	1	Transparent
000-21200-05578-2	3M™ Polyester Protective Tape, 24 in x 144 yd	336	24 in x 144 yd	617-3	1	Transparent

3M™ Polyurethane Protective Tape 8544

9.0 mil indoor grade polyurethane tape. Tough thermoplastic polyurethane elastomer designed for indoor industrial applications. Abrasion, erosion, scratch, puncture, and impact resistant.

Conformable to most surfaces. Provides excellent surface protection using a technology that contains no VOC's and is fast and easy to apply.



Item Number	Description	Product ID	Extra Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-24330-1	3M™ Polyurethane Protective Tape 8544 9 mil 1 in x 36 yd	8544	9 mil	1 in x 36 yd	617-3	9	Black	RL
000-21200-83897-2	3M™ Polyurethane Protective Tape 8544 9 mil 2 in x 36 yd	8544	9 mil	2 in x 36 yd	617-3	9	Black	RL

3M™ Polyurethane Protective Tape 8560

14.0 mil, indoor grade polyurethane tape with natural rubber adhesive. Tough thermoplastic polyurethane elastomer designed for indoor industrial applications. Abrasion, erosion, scratch, puncture, and impact resistant. Conformable to most surfaces. Provides excellent surface protection using a technology that contains no VOCs and is fast and easy to apply.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-83898-9	3M™ Polyurethane Protective Tape 8560 1 in x 36 yd	8560	1 in x 36 yd	617-3	9	Glossy Transparent	RL
000-21200-83899-6	3M™ Polyurethane Protective Tape 8560 2 in x 36 yd	8560	2 in x 36 yd	617-3	6	Glossy Transparent	RL
000-21200-83900-9	3M™ Polyurethane Protective Tape 8560 3 in x 36 yd	8560	3 in x 36 yd	617-3	3	Glossy Transparent	RL
000-21200-83901-6	3M™ Polyurethane Protective Tape 8560 4 in x 36 yd	8560	4 in x 36 yd	617-3	2	Glossy Transparent	RL

3M™ Polyurethane Protective Tape 8561

14.0 mil indoor grade polyurethane tape with acrylic adhesive. Tough thermoplastic polyurethane elastomer designed for indoor industrial applications. Abrasion, erosion, scratch, puncture, and impact resistant. Conformable to most surfaces. Provides excellent surface protection using a technology that contains no VOCs and is fast and easy to apply.

Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-83902-3	3M™ Polyurethane Protective Tape 8561 1 in x 36 yd	8561	1 in x 36 yd	617-3	9	Glossy Transparent	RL
000-21200-83903-0	3M™ Polyurethane Protective Tape 8561 2 in x 36 yd	8561	2 in x 36 yd	617-3	6	Glossy Transparent	RL
000-21200-83904-7	3M™ Polyurethane Protective Tape 8561 3 in x 36 yd	8561	3 in x 36 yd	617-3	3	Glossy Transparent	RL
000-21200-83905-4	3M™ Polyurethane Protective Tape 8561 4 in x 36 yd	8561	4 in x 36 yd	617-3	2	Glossy Transparent	RL
000-21200-83906-1	3M™ Polyurethane Protective Tape 8561 6 in x 36 yd	8561	6 in x 36 yd	617-3	2	Glossy Transparent	RL

3M™ Polyurethane Protective Tape 8562

8.0 mil indoor grade polyurethane protective tape with acrylic adhesive. Tough thermoplastic polyurethane elastomer designed for indoor industrial applications. Abrasion, erosion, scratch, puncture, and impact resistant. Conformable to most surfaces. Provides excellent surface protection using a technology that contains no VOCs and is fast and easy to apply.

Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-83907-8 3M Government Markets	3M™ Polyurethane Protective Tape 8562 1 in x 36 yd	8562	1 in x 36 yd	617-3	9	Glossy Transparent	RL
000-21200-83908-5	3M™ Polyurethane Protective Tape 8562 2 in x 36 yd	8562	2 in x 36 yd	617-3	6	Glossy Transparent	RL

3M™ Polyurethane Protective Tape 8641

41.0 mil outdoor grade polyurethane protective tape with acrylic foam adhesive. Perforated for application on pressurized fuselage panels; also available without perforations. Widths greater than 2 inches provided on a skip-slit liner.

Extremely tough thermoplastic polyurethane elastomer designed for outdoor industrial applications. Abrasion, erosion, scratch, puncture, and impact resistant. Conformable to most surfaces. Provides excellent surface protection using a technology that contains no VOCs and is fast and easy to apply. Applications include protection of aircraft belly skins from Foreign Object Damage (FOD).

Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-26859-5	3M™ Polyurethane Protective Tape 8641 12 in x 36 yd	8641	12 in x 36 yd	617-3	1	Gray	RL
000-21200-86198-7	3M™ Polyurethane Protective Tape 8641 24 in x 36 yd	8641	24 in x 36 yd	617-3	1	Gray	RL

3M™ Polyurethane Protective Tape 8663

18.0 mil polyurethane protective tape with acrylic adhesive. Very tough thermoplastic polyurethane elastomer designed for outdoor industrial applications. Widths greater than 2 inches provided on skip-slit liner.

Abrasion, erosion, scratch, puncture, and impact resistant. Conformable to most surfaces. Provides excellent surface protection using a technology that contains no VOCs and is fast and easy to apply. Applications include helicopter rotor protection, fluid/corrosion barrier on aircraft flooring, and aircraft leading edge structure protection.

Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-24335-6	3M™ Polyurethane Protective Tape 8663 1 in x 36 yd	8663	1 in x 36 yd	617-3	9	Clear	RL
000-21200-24337-0	3M™ Polyurethane Protective Tape 8663 4 in x 36 yd	8663	4 in x 36 yd	617-3	2	Clear	RL

3M™ Polyurethane Protective Tape 8663DL

18.0 mil polyurethane protective tape with acrylic adhesive. Very tough thermoplastic polyurethane elastomer designed for outdoor industrial applications. Widths greater than 2 inches provided on skip-liner.

Abrasion, erosion, scratch, puncture and impact resistant. Conformable to most surfaces. Provides excellent surface protection using a technology that contains no VOCs and is fast and easy to apply. Applications include helicopter rotor protection, fluid/corrosion barrier on aircraft flooring and aircraft leading edge structure protection.

Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-24904-4	3M™ Polyurethane Protective Tape 8663DL 4 in x 36 yd	8663DL	4 in x 36 yd	617-3	2	Clear	RL
000-21200-24903-7	3M™ Polyurethane Protective Tape 8663DL 36 in x 36 yd	8663DL	36 in x 36 yd	617-3	1	Clear	RL

3M™ Polyurethane Protective Tape 8671

14.0 mil general purpose outdoor grade polyurethane protective tape with acrylic adhesive. Applications include surface protection applications in aerospace, equipment, automobiles, marine, and general industrial markets.

Very tough thermoplastic polyurethane elastomer designed for outdoor applications. Abrasion, erosion, scratch, puncture, and impact resistant. Conformable to most surfaces. Provides excellent surface protection using a technology that contains no VOCs and is fast and easy to apply.

Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-24342-4	3M™ Polyurethane Protective Tape 8671 1 in x 36 yd	8671	1 in x 36 yd	617-3	9	Transparent	RL
000-21200-24343-1	3M™ Polyurethane Protective Tape 8671 2 in x 36 yd	8671	2 in x 36 yd	617-3	6	Transparent	RL
000-21200-24344-8	3M™ Polyurethane Protective Tape 8671 3 in x 36 yd	8671	3 in x 36 yd	617-3	3	Transparent	RL

3M™ Polyurethane Protective Tape 8672

8.0 mil general purpose outdoor grade polyurethane protective tape with acrylic adhesive. Applications include surface protection applications in aerospace, equipment, automobiles, marine, and general industrial markets.

Tough thermoplastic polyurethane elastomer designed for outdoor applications. Abrasion, erosion, scratch, puncture, and impact resistant. Conformable to most surfaces. Provides excellent surface protection using a technology that contains no VOCs and is fast and easy to apply.

Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-24346-2	3M™ Polyurethane Protective Tape 8672 1 in x 36 yd	8672	1 in x 36 yd	617-3	9	Transparent	RL
000-21200-67670-3	3M™ Polyurethane Protective Tape 8672 6 in x 36 yd	8672	6 in x 36 yd	617-3	2	Transparent	RL
000-21200-67671-0	3M™ Polyurethane Protective Tape 8672 12 in x 36 yd	8672	12 in x 36 yd	617-3	1	Transparent	RL

3M™ Polyurethane Protective Tape 8681HS

Outdoor grade polyurethane protective tape with high shear acrylic adhesive. Total thickness 0.014 inch (0.36mm). Matte surface finish. Applications include aircraft and rotor blade leading edge protection.

Very tough thermoplastic polyurethane elastomer designed for outdoor applications. Abrasion, erosion, scratch, puncture, and impact resistant. Conformable to most surfaces. Provides excellent surface protection using a technology that contains no VOCs and is fast and easy to apply.



Item Number	Description	Product ID	Extra Description	Size	Special Item Number	Case Qty	UOM
000-21200-24348-6	3M™ Polyurethane Protective Tape 8681HS 1 in x 36 yd	8681HS	Non Skip Slit	1 in x 36 yd	617-3	9	RL
000-21200-24989-1	3M™ Polyurethane Protective Tape 8681HS 2 in x 36 yd	8681HS	Non Skip Slit	2 in x 36 yd	617-3	6	RL
000-21200-24988-4	3M™ Polyurethane Protective Tape 8681HS 3 in x 36 yd	8681HS	Skip Slit	3 in x 36 yd	617-3	3	RL
000-21200-24987-7	3M™ Polyurethane Protective Tape 8681HS 4 in x 36 yd	8681HS	Skip Slit	4 in x 36 yd	617-3	2	RL
000-21200-64682-9	3M™ Polyurethane Protective Tape 8681HS 6 in x 36 yd	8681HS	Skip Slit	6 in x 36 yd	617-3	1	RL

3M™ Preservation Sealing Tape 481

The conformability and stain resistant properties of this black polyethylene tape offers excellent performance as an industrial and military preservation tape. Effective for many outdoor applications in hot and cold weather.



Item Number	Description	Product No.	Description	Units/Case	Special Item Number
000-21200-03174-8	3M™ Preservation Sealing Tape 481 - 1 in x 36 yd	481	Preservation Sealing Tape Black 1 in x 36 yd Bulk	36	617-3
000-21200-04319-2	3M™ Preservation Sealing Tape 481 - 2 in x 36 yd	481	Preservation Sealing Tape Black 2 in x 36 yd Bulk	24	617-3
000-21200-03175-5	3M™ Preservation Sealing Tape 481 - 3 in x 36 yd	481	Preservation Sealing Tape Black 3 in x 36 yd Bulk	12	617-3

Protective & Preservation Tapes, cont'd

3M™ Preservation Tape 4811

The conformability and stain resistant properties of this white polyethylene tape offers excellent performance as an industrial and military preservation tape. Effective for many outdoor applications in hot and cold weather.



Item Number	Description	Product No.	Description	Units/Case	Special Item Number
000-21200-42425-0	3M™ Preservation Tape 4811 1 in x 36 yd, White	4811	1 in x 36 yd, White	36	617-3
000-21200-62334-9	3M™ Preservation Tape 4811 2 in x 36 yd, White	4811	2 in x 36 yd, White	24	617-3

3M™ Weather Resistant Film Tape 838

A Tedlar tape with an acrylic adhesive developed for many long term weather resistant and protecting applications. 838 tape can be certified to meet Mil Spec MIL-T-22085 Amendment 3, Type IV



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-04413-7	3M™ Weather Resistant Film Tape 838 2 in x 72 yd, White	838	2 in x 72 yd, White	617-3	24	White	RL

Packaging & Strapping Tapes

Scotch® Transparent Film Tape 681

High-tack rubber resin adhesive on transparent Paklon™ film tape. Excellent for various packaging applications such as temporary holding and combining, light-duty carton sealing, bag sealing, and attaching.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03483-1	Scotch® Transparent Film Tape 681 1 in x 72 yd, Clear	681	1 in x 72 yd	617-3	36	Clear	RL
000-21200-03486-2	Scotch® Transparent Film Tape 681 4 in x 72 yd, Clear	681	4 in x 72 yd	617-3	12	Clear	RL

Scotch® Premium Cellophane Tape 610

High-performance, transparent cellophane film tape featuring a high-tack adhesive system. This tape offers excellent adhesion, dispensing and handling properties. Temperature resistant.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-07017-4	Scotch® Premium Cellophane Tape 610 3/4 in x 72 yd, Clear	610	3/4 in x 72 yd	617-3	48	Clear	RL
000-21200-04819-7	Scotch® Premium Cellophane Tape 610 3 in x 72 yd, Clear	610	3 in x 72 yd	617-3	12	Clear	RL

Scotch® Premium High Tack Film Tape 622

Clear polyester film with high-tack rubber resin adhesive. Moisture and chemical resistance. Specially formulated to adhere well to many hard-to-stick-to surfaces. Provides a tamper-evident closure. Excellent holding properties and outdoor aging.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-18245-7	Scotch® Premium High Tack Film Tape 622 2 in x 60 yd	622	2 in x 60 yd	617-3	24	Clear	RL

Scotch® Package Sealing Tape 255

Kraft paper tape in convenient cutter box for general purpose box sealing, attaching, and holding. High tack pressure-sensitive rubber resin adhesive holds instantly and aggressively to paper and carton surfaces.



Item Number	Description	Product No.	Description	Units/Case	Special Item Number
000-21200-07512-4	Scotch® Package Sealing Tape 255 1 1/2 in x 60 yd	255	1 1/2 in x 60 yd	24	617-3

Scotch® Box Sealing Tape 372

Clear polypropylene tape with rubber resin adhesive to instantly seal single- and double-wall RSCs. More than 6,000 minutes adhesion to fiberboard. Tensile strength of 26 lb/inch in machine direction; 52 lb/inch cross direction.

Biaxially oriented polypropylene backing is easy to handle and dispense. Resists abrasion, moisture, chemicals and scuffing. Conforms around edges and over rough surfaces for a tight seal. High edge tear and split resistance. Complies with environmental considerations of ASTM D1974-92.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-72344-5	Scotch® Box Sealing Tape 372 Clear, 48 mm x 50 m, 36 per case	36/Cs	48mmx50m	617-3	36	Clear	RL

Scotch® Box Sealing Tape 373

Polypropylene tape for single and double wall cartons with high value contents. Rubber resin adhesive instantly seals with more than 8,000 minutes adhesion. Tensile strength of 30 lb/in in machine direction; 60 lb/in cross direction.




Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-72385-8	Scotch® Box Sealing Tape 373 Blue, 48mm x 50m, 36 per case Bulk	36/Cs	48mmx50m	617-3	36	Blue	RL
000-21200-72368-1	Scotch® Box Sealing Tape 373 Clear, 48 mm x 50 m, 36 per case, Bulk	36/Cs	48mmx50m	617-3	36	Clear	RL
000-21200-72359-9	Scotch® Box Sealing Tape 373 Tan, 48 mm x 50 m, 36 per case, Bulk	36/Cs	48mmx50m	617-3	36	Tan	RL
000-21200-69605-3	Scotch® Box Sealing Tape 373 Clear, 72 mm x 50 m, 24 per case	24/Cs	72mmx50m	617-3	24	Clear	RL

Scotch® Box Sealing Tape 375

Superior performance box sealing tape for single- and double-wall cartons and demanding applications. Synthetic rubber resin adhesive instantly seals with more than 12,000 minutes adhesion. Tensile strength: 35 lb/inch. Backing thickness: 2.0 mil.

Best performing box sealing tape in most applications. Adheres to most surfaces, even to cartons with high recycled content. Works well on double and triple wall corrugated, heavy Regular Slotted Containers (RSCs) with high value contents, over-packed and under-packed cartons. Available in tan and clear. See the "learn more" section for technical documentation.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-72406-0	Scotch® Box Sealing Tape 375 Clear, 48 mm x 50 m, 36 per case	36/Cs	48mmx50m	617-3	36	Clear	RL
000-21200-72401-5	Scotch® Box Sealing Tape 375 Tan, 48 mm x 50 m, 36 per case	36/Cs	48mmx50m	617-3	36	Tan	RL

Scotch® Reinforced Strapping Tape 862

General purpose. Polypropylene backing reinforced with continuous polypropylene ribbing. Typical 120 lb/in width tensile strength for light duty strapping/bundling on metallic or fiber-board surfaces.

Polypropylene backing provides excellent resistance to nicks, abrasion, moisture and scuffing. Patented continuous ribbing of polypropylene monofilaments reinforces tape for reliable strength. Specially formulated rubber resin adhesive bonds to metallic or fiberboard surfaces. Applications: Light-duty strapping and bundling, and general purpose reinforced closure.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-72060-4	Scotch® Reinforced Strapping Tape 862 Black, 18mm x 55m, 48 per case Bulk	48/Cs	18mmx55m	617-3	48	Black	RL

Scotch® Speciality Filament Tape 880

High performance. Polypropylene backing reinforced with polyester yarn. Typical 270 lb/inch width tensile strength with high cut- and impact-resistance for bundling heavy or sharp-edged objects. High shear adhesive with excellent aging.

Thick polypropylene backing is easy to handle and dispense and provides excellent resistance to nicks, abrasion, moisture and chemicals. Specially formulated hot melt adhesive bonds with high initial adhesion, high shear strength, and excellent long-term adhesion on fiberboard, metals, and printed or painted surfaces.



Item Number	Description	Package Information	Extra Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-39842-1	Scotch® Speciality Filament Tape 880, Translucent, 12 mm x 55m, 72 per case Bulk	72/Cs	Bulk	12mmx55m	617-3	72	Translucent	RL

Scotch® Filament Tape 893

Polypropylene backing is easy to handle and dispense. Provides excellent resistance to nicks, abrasion and moisture. Good balance of adhesion and high shear strength.

Applications include bundling, reinforcing, palletizing, L-clip closures.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color
000-51131-06938-1	Scotch® Filament Tape 893 18mm x 55m, Clear	893	18mm x 55m	617-3	48	Clear
000-51131-06939-8	Scotch® Filament Tape 893 24mm x 55m, Clear	893	24mm x 55m	617-3	36	Clear
	3M Government Markets	18				www.3M.com/gov
000-21200-39846-9	Scotch® Filament Tape 893 48mm x 55m, Clear	893	48mm x 55m	617-3	24	Clear

Scotch® Filament Tape 896

High performance. White polypropylene backing for printing, reinforced with continuous glass filaments. Nick resistant. 240 lb/in width tensile strength with good initial adhesion and high shear strength. Low stretch for handling ease.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-39857-5	3M™ Scotch® Filament Tape 896 White, 24 mm x 55 m, 36 per case Bulk	36/Cs	24mmx55m	617-3	36	White	RL

Scotch® Filament Tape 8981

High performance. Polypropylene backing reinforced with continuous glass yarn. Typical 380 lb/inch width tensile strength. High shear adhesion for low unit cost, heavy-duty closure of hard-to-adhere or high recycled content fiberboard.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-88191-6	Scotch® Filament Tape 8981, 24 mm x 55 m, 36 per case	36/Cs	24mmx55m	617-3	36	Clear	RL

Scotch® Labelgard™ Film Tape 821

The Scotch® Labelgard™ Film Tape is an acetate film providing a low-glare with a matte finish and write-on surface. The acrylic adhesive allows for easy handling and low static dispensing with lightly tinted pink tape designed for protecting labels and shipping information.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-04133-4	Scotch® Labelgard™ Film Tape 821, 4 in x 72 yd, 8 per case	8/Cs	4" x 72yds	617-3	8	Pink	RL
000-21200-04134-1	Scotch® Labelgard™ Film Tape 821, 5 in x 72 yd, 8 per case	8/Cs	5" x 72yds	617-3	8	Pink	RL

Scotch® Prescription Label Tape 800

This acetate film has an acrylic adhesive and is highly transparent as well as UV-resistant. It is sold in bulk and boxed.



Item Number	Description	Extra Description	Size	Special Item Number	Case Qty	UOM
000-21200-03552-4	Scotch® Prescription Label Tape 800, 1 1/2 in x 72 yd, 24 per case	Bulk	1 1/2" x 72yds	617-3	24	RL

Scotch® High Strength Filament Tape 890

High performance. Transparent polyester backing reinforced with extra continuous glass filament. Typical 600 lb/in width tensile strength for extremely heavy duty bundling. High shear strength and excellent aging.



Item Number	Description	Package Information	Extra Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-39852-0	Scotch® High Strength Filament Tape 890 Clear, 24 mm x 55 m 36 per case, Bulk	36/Cs	Bulk	24mmx55m	617-3	36	Clear	RL
000-21200-39836-0	Scotch® High Strength Filament Tape 890 Clear, 48 mm x 55 m, 24 per case Bulk	24/Cs	Bulk	48mmx55m	617-3	24	Clear	RL

Scotch® Bi-Directional Filament Tape 8959

High performance. Polypropylene backing reinforced with bi-directional continuous glass yarn across length and width. Typical tensile strengths of 150 lb/in longitudinal and 50 lb/in width in cross direction.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-88229-6	Scotch® Bi-Directional Filament Tape 8959 Transparent, 75 mm x 50 m, 12 per case Bulk	12/Cs	75mmx50m	617-3	12	Translucent	RL

3M™ ScotchPad™ Packaging Tape Pad 3750P

25 sheets per pad, 40 pads per carton and 5 cartons per case. Pre-cut padded tape. Ideal for protecting labels, sealing envelopes and small packages, recouperage repair and for misc. packaging applications.

Biaxially oriented polypropylene backing resists edge tearing, splitting, abrasion, moisture, and scuffing for longer life. Tensile strength of 35 lb/inch width in machine direction; 70 lb/inch in cross direction. Each strip features a removable paper tab for handling ease and dispensing. Portable, dispenserless application for convenience. Synthetic rubber-resin adhesive adheres instantly to most surfaces. 55 oz/inch adhesion to steel. Wide variety of custom sizes are available. Consult your local 3M Packaging sales representative.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-51131-06884-1	3M™ ScotchPad™ Packaging Tape Pad 3750P Clear, 2 in x 6 in	200/Cs	2" x 6"	617-3	200	Clear	CA

Scotch® Britegard™ Film Tape 823

Bright color, highly visible. Instant highlight for important information. Polypropylene film, rubber resin adhesive.

Weather and scuff-resistant. Adheres tightly to paperboard, often used to protect labels. Reduces fading of carbonless label print.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-73151-8	Scotch® Britegard™ Film Tape 823	823	96mm x 66m	617-3	18	Yellow	RL

Scotch® Colored Film Tape 690

Decorative colored film tape with durable Paklon™ backing and rubber resin adhesive. Moisture and chemical resistant. Used for various packaging applications such as color coding, bag sealing, combining, and attaching.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-61633-4	Scotch® Colored Film Tape 690 Black, 12 mm x 66 m, 144 per case	144/Cs	12mmx66m	617-3	144	Black	RL
000-21200-61637-2	Scotch® Colored Film Tape 690 Blue, 12 mm x 66 m, 144 per case	144/Cs	12mmx66m	617-3	144	Blue	RL
000-21200-61640-2	Scotch® Colored Film Tape 690 Green, 12 mm x 66 m, 144 per case	144/Cs	12mmx66m	617-3	144	Green	RL
000-21200-61648-8	Scotch® Colored Film Tape 690 Red, 12 mm x 66 m, 144 per case	144/Cs	12mmx66m	617-3	144	Red	RL
000-21200-61655-6	Scotch® Colored Film Tape 690 White, 12 mm x 66 m, 144 per case	144/Cs	12mmx66m	617-3	144	White	RL
000-21200-61635-8	Scotch® Colored Film Tape 690 Black, 24 mm x 66 m, 72 per case	72/Cs	24mmx66m	617-3	72	Black	RL
000-21200-61647-1	Scotch® Colored Film Tape 690 Red, 9 mm x 66 m, 192 per case	192/Cs	9mmx66m	617-3	192	Red	RL
000-21200-61650-1	Scotch® Colored Film Tape 690 Red, 24 mm x 66 m, 72 per case	72/Cs	24mmx66m	617-3	72	Red	RL
000-21200-61652-5	Scotch® Colored Film Tape 690 Red, 48 mm x 66 m, 36 per case	36/Cs	48mmx66m	617-3	36	Red	RL

Scotch® Film Fiber Tape 720

Hand tearable, semi-transparent backing with aggressive, high-tack, rubber resin adhesive. Used for general purpose sealing applications, attaching, and L-clip sealing, especially when treated paper overwraps and other hard-to-stick surfaces are used.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-04342-0	Scotch® Film Fiber Tape 720, 2 in x 72 yd	720	2 in x 72 yd	617-3	24	Semi-transparent	RL

3M™ Double Coated Urethane Foam Tape 4004

¼" thick open cell urethane foam flexible carrier with high shear, 100 high temperature resistant acrylic adhesive and 3.0 mil, 62 lb densified kraft liner.

This tape is used to fill gaps and bond irregular surfaces. Distributes stress uniformly over bonded area.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03394-0	3M™ Double Coated Urethane Foam Tape 4004 Off-White, 1 in x 18 yd, 9 per case	9/Cs	1" x 18yds	617-3	9	Off-White	RL

3M™ Double Coated Urethane Foam Tape 4008

1/8 in. thick open cell urethane foam flexible carrier with high shear, high temperature resistant acrylic adhesive.

This tape is used to fill gaps and bond irregular surfaces. distributes stress uniformly over bonded area. Apply by hand or with dispenser.



Item Number	Description	Product ID	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-06450-0	3M™ Double Coated Urethane Foam Tape 4008 Off-White, 1/2 in x 36 yd, 18 per case	4008	18/Cs	½" x 36yds	617-3	18	Off-White	RL
000-21200-06452-4	3M™ Double Coated Urethane Foam Tape 4008 Off-White, 1 in x 36 yd, 9 per case	4008	9/Cs	1" x 36yds	617-3	9	Off-White	RL

3M™ Double Coated Urethane Foam Tape 4016

Thick Open Cell Urethane Foam Flexible Carrier with High Shear, High Temperature Resistant Acrylic Adhesive. Use to Fill Gaps and Bond Irregular Surfaces. Distributes Stress Uniformly Over Bonded Area. Apply by Hand or with Dispenser.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03371-1	3M™ Double Coated Urethane Foam Tape 4016 Off-White, 1/4 in x 36 yd	36/Cs	¼" x 36 yds	617-3	36	Off-White	RL
000-21200-03372-8	3M™ Double Coated Urethane Foam Tape 4016 Off-White, 3/8 in x 36 yd	24/Cs	3/8" x 36yds	617-3	24	Off-White	RL
000-21200-06453-1	3M™ Double Coated Urethane Foam Tape 4016 Off-White, 1/2 in x 36 yd	18/Cs	½" x 36yds	617-3	18	Off-White	RL
000-21200-06454-8	3M™ Double Coated Urethane Foam Tape 4016 Off-White, 3/4 in x 36 yd	12/Cs	¾" x 36yds	617-3	12	Off-White	RL
000-21200-06455-5	3M™ Double Coated Urethane Foam Tape 4016 Off-White, 1 in x 36yd	9/Cs	1 in x 36yds	617-3	9	Off-White	RL
000-21200-03376-6	3M™ Double Coated Urethane Foam Tape 4016 Off-White, 1-1/2 in x 36 yd	6/Cs	1½" x 36yds	617-3	6	Off-White	RL
000-21200-04865-4	3M™ Double Coated Urethane Foam Tape 4016 Off-White, 2 in x 36 yd	6/Cs	2" x 36yds	617-3	6	Off-White	RL

3M™ Double Coated Urethane Foam Tape 4026

1/16 in. Thick neutral, open cell urethane foam flexible carrier with high shear, high temperature resistant acrylic adhesive.

This tape is used to fill gaps and bond irregular surfaces. Distributes stress uniformly over bonded area. Apply by hand or with dispenser.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-17057-7	3M™ Double Coated Urethane Foam Tape 4026 Off-White, 1 in x 36 yds	9/Cs	1" x 36yds	617-3	9	Off-White	RL

3M™ Double Coated Urethane Foam Tape 4032

1/32 inch thick open cell urethane foam flexible carrier with high shear, 100 high temperature resistant acrylic adhesive and 3.0 mil, 62 lb densified kraft liner.

This tape is used to fill gaps and bond irregular surfaces. Distributes stress uniformly over bonded area.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03357-5	3M™ Double Coated Urethane Foam Tape 4032 Off-White, 1/4 in x 72 yd, 36 per case Bulk	36/Cs	1/4" x 72yds	617-3	36	Off-White	RL
000-21200-03368-1	3M™ Double Coated Urethane Foam Tape 4032 Off-White, 4 in x 72 yd, 2 per case Bulk	2/Cs	4" x 72yds	617-3	2	Off-White	RL

3M™ Double Coated Urethane Foam Tape 4052

1/32" thick, open cell black urethane foam flexible carrier with high shear, high temperature resistant 100 acrylic adhesive. Medium solvent resistance. High relative adhesion to HSE and low adhesion to LSE plastics.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-14557-5	3M™ Double Coated Urethane Foam Tape 4052 Black, 1 in x 72 yd, 9 per case	9/Cs	1" x 72yds	617-3	9	Black	RL

3M™ Double Coated Vinyl Foam Tape 4416

1/16", closed cell vinyl foam carrier with 430 acrylic adhesive and 3.0 mil, 62 lb. densified kraft liner. Medium solvent resistance. High relative adhesion to HSE plastics and low adhesion to LSE plastics.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03275-2	3M™ Double Coated Vinyl Foam Tape 4416 White, 1 in x 36 yd, 9 per case	9/Cs	1" x 36yds	617-3	9	White	RL
000-21200-03276-9	3M™ Double Coated Vinyl Foam Tape 4416 Black, 1 1/2 in x 36 yds, 6 per case Bulk	6/Cs	1 1/2" x 36yds	617-3	6	Black	RL

3M™ Double Coated Vinyl Foam Tape 4432

1/32 in closed cell vinyl foam carrier with 430 acrylic adhesive and 3.0 mil, 62 lb densified kraft liner. Medium solvent resistance. High relative adhesion to HSE plastics and low adhesion to LSE plastics.

Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03301-8	3M™ Double Coated Vinyl Foam Tape 4432 Black, 3/4 in x 72 yd, 12 per case	12/Cs	3/4" x 72yds	617-3	12	Black	RL

3M™ Single Coated Foam Tape 4108

Urethane Foam Tape Series 4100 are firm, rigid, open cell that offers excellent cushioning characteristics while allowing air or gas vapors to pass through the open cells. This product is placed on a 1.5" wide common core when the tape is 3/4" or less in width. Skip slitting is also used for roll stability on these narrow sizes. This tape may turn yellow when exposed to light. Such yellowing affects only the appearance and not the physical performance of the tapes. The acrylic adhesive offers high initial quick stick to many types of surfaces along with excellent shear strength and high temperature performance.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03408-4	3M™ Urethane Foam Tape 4108, 1 in x 36 yd, 9 per case	9/Cs	1" x 36yds	617-3	9	Natural White	RL
000-21200-04873-9	3M™ Urethane Foam Tape 4108, 2 in x 36 yd, 6 per case	6/Cs	2" x 36yds	617-3	6	Natural White	RL

3M™ Single Coated Foam Tape 4504

Vinyl Foam Tape Series 4500 are durable, flexible closed cell vinyls which can help seal out dust, light and moisture when placed under 30% compression. These vinyl tapes offer excellent aging characteristics and will remain flexible when exposed to elevated temperatures and UV light. Application ideas include: dust and moisture seal for applications, computers, copiers, and other electronic and transportation equipment.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03316-2	3M™ Vinyl Foam Tape 4504, 1/4 in x 18 yd, 36 per case	36/Cs	1/4" x 18yds	617-3	36	Black	RL
000-21200-03320-9	3M™ Vinyl Foam Tape 4504, 1 in x 8 yd, 9 per case	9/Cs	1" x 8yds	617-3	9	Black	RL

3M™ Single Coated Foam Tape 4508

Vinyl Foam Tape Series 4500 are durable, flexible closed cell vinyls which can help seal out dust, light and moisture when placed under 30% compression. These vinyl tapes offer excellent aging characteristics and will remain flexible when exposed to elevated temperatures and UV light. Application ideas include: dust and moisture seal for applications, computers, copiers, and other electronic and transportation equipment.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03314-8	3M™ Vinyl Foam Tape 4508, 1 in x 36 yd, 9 per case	9/Cs	1" x 36yds	617-3	9	Black	RL

3M™ Single Coated Foam Tape 4516

Vinyl Foam Tape Series 4500 are durable, flexible closed cell vinyls which can help seal out dust, light and moisture when placed under 30% compression. These vinyl tapes offer excellent aging characteristics and will remain flexible when exposed to elevated temperatures and UV light. Application ideas include: dust and moisture seal for applications, computers, copiers, and other electronic and transportation equipment.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03305-6	3M™ Vinyl Foam Tape 4516, 1/4 in x 36 yd, 36 per case	36/Cs	1/4" x 36yds	617-3	36	Black	RL
000-21200-03306-3	3M™ Vinyl Foam Tape 4516, 3/8 in x 36 yd, 24 per case	24/Cs	3/8" x 36yds	617-3	24	Black	RL
000-21200-03307-0	3M™ Vinyl Foam Tape 4516, 1/2 in x 36 yd, 18 per case	18/Cs	1/2" x 36yds	617-3	18	Black	RL
000-21200-03308-7	3M™ Vinyl Foam Tape 4516, 3/4 in x 36 yd, 12 per case	12/Cs	3/4" x 36yds	617-3	12	Black	RL
000-21200-03309-4	3M™ Vinyl Foam Tape 4516, 1 in x 36 yd, 9 per case	9/Cs	1" x 36yds	617-3	9	Black	RL
000-21200-04858-6	3M™ Vinyl Foam Tape 4516, 2 in x 36 yd, 6 per case	6/Cs	2" x 36yds	617-3	6	Black	RL
000-21200-03761-0	3M™ Vinyl Foam Tape 4516, 5/8 in x 36 yd, 15 per case	15/Cs	5/8" x 36yds	617-3	15	Black	RL

3M™ VHB™ Tape 4926

Double coated conformable acrylic foam, multi-purpose acrylic adhesive, closed cell, gray.



Item Number	Description	Package Information	Extra Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-65746-7	3M™ VHB™ Tape 4926 Gray, 1/2 in x 72 yd, 18 per case	18/Cs	Bulk	1/2" x 72yds	617-3	18	Dark Gray	RL

3M™ VHB™ Tape 4941

3M™ VHB™ Tape 4941, conformable foam, multi-purpose acrylic adhesive, thickness 0.045 in. (1.1 mm), paper liner. UL 746C - File MH17478.



Item Number	Description	Package Information	Extra Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-64630-0	3M™ VHB™ Tape 4941 Gray, 1 in x 36 yd, 2/case, Small Pack	2/Cs	Small pack	1" x 36yds	617-3	2	Gray	RL

3M™ VHB™ Tape 4943F

45 mil gray conformable foam. Can be applied as low as 32 Degrees F (0 Degrees C). Film Liner. Applications ideas include bonding cellular phone antennas and automatic toll tags to vehicle bumpers.



Item Number	Description	Product ID	Extra Description	Size	Special Item Number	Case Qty	UOM
000-21200-30566-5	3M™ VHB Tape 4943F - 45 mil	4943F	Small Pack	3/4 in x 36 yd	617-3	3	RL

3M™ VHB™ Tape 4945

3M™ VHB™ Tape 4945, firm foam, multi-purpose acrylic adhesive, thickness 0.045 in. (1.1 mm), paper liner. UL 746C - File MH17478.



Item Number	Description	Package Information	Extra Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-16954-0	3M™ VHB™ Tape 4945 White, 3/4 in x 36 yd, 12 per case	12/Cs	Bulk	3/4" x 36yds	617-3	12	White	RL
000-21200-64634-8	3M™ VHB™ Tape 4945 Small Pack, 3/4 in x 36 yd, 3 per case	3/Cs		3/4" x 36yds	617-3	3	White	RL



Foam Tapes, cont'd

3M™ VHB™ Tape 4950

3M™ VHB™ Tape 4950, firm foam, general purpose acrylic adhesive, thickness 0.045 in. (1.1 mm), paper liner. UL 746C - File MH 17478

3M™ VHB™ Tape 4950, bonds high surface energy substrates.



Item Number	Description	Package Information	Extra Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-63383-6	3M™ VHB™ Tape 4950 White, 2 in x 36 yd, 6 per case	6/Cs	Bulk	2" x 36yds	617-3	6	White	RL

3M™ VHB™ Tape 4952

45.0 mil thick, closed cell acrylic foam carrier with paper liner and a synthetic adhesive. Good adhesion to polypropylene and many powder paints.



Item Number	Description	Package Information	Extra Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-87587-8	3M™ VHB™ Tape 4952 White, 1 in x 36 yds, 2 per case Bulk, Small	2/Cs	Small pack	1" x 36yds	617-3	2	White	RL

3M™ VHB™ Tape 4956

3M™ VHB™ Tape 4956, conformable foam, multi-purpose acrylic adhesive, thickness 0.062 in. (1.55 mm), paper liner. UL 746C - File MH17478.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-24375-2	3M™ VHB™ Tape 4956 Gray, 1 in x 36 yd, 9 per case	9/Cs	1" x 36yds	617-3	9	Gray	RL

3M™ Glass Cloth Tape 361

7.5 mil (0.14 mm) thick, glass cloth tape with silicone adhesive. Used for many applications requiring high temperature resistance, high adhesion, and a very strong, abrasion resistant backing such as masking protection in thermal spray operations.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-04993-4	3M™ Glass Cloth Tape 361, ½ in x 60 yd, 72 per case	72/Cs	½" x 60yds	617-3	72	White	RL
000-21200-03016-1	3M™ Glass Cloth Tape 361, ¾ in x 60 yd, 48 per case	48/Cs	¾" x 60yds	617-3	48	White	RL
000-21200-03017-8	3M™ Glass Cloth Tape 361, 1 in x 60 yd, 36 per case	36/Cs	1" x 60yds	617-3	36	White	RL
000-21200-05513-3	3M™ Glass Cloth Tape 361, 1½ in x 60 yd, 24 per case	24/Cs	1½" x 60yds	617-3	24	White	RL
000-21200-04275-1	3M™ Glass Cloth Tape 361, 2 in x 60 yd, 24 per case	24/Cs	2" x 60yds	617-3	24	White	RL
000-21200-04994-1	3M™ Glass Cloth Tape 361, 3 in x 60 yd, 12 per case	12/Cs	3" x 60yds	617-3	12	White	RL

3M™ Glass Cloth Tape 398FR

A white, glass cloth film tape with an acrylic adhesive that provides superior product performance and Flame Retardant properties for aircraft maintenance and repair. 3M™ Flame Retardant Sealing Tape 398FR is a glass cloth tape with an acrylic adhesive for many applications requiring high adhesion, an abrasion-resistant backing and flame retardant properties. The tape meets flame retardancy requirements of F.A.R.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-96672-9	3M™ Glass Cloth Tape 398FR 2 in x 36 yd, Bulk	398FR	2 in x 36 yd, Bulk	617-3	24	White	RL
000-21200-96673-6 3M Government Markets	3M™ Glass Cloth Tape 398FR 3 in x 36 yd, Bulk	398FR 30	3 in x 36 yd, Bulk	617-3	48	White	RL
617--3000-21200-966743	3M™ Glass Cloth Tape 398FR 4 in x 36 yd, Bulk	398FR	4 in x 36 yd, Bulk	617-3	8	White	RL

www.3M.com/gov

3M™ Glass Cloth Tape - Skip Slit 398FR

A white, glass cloth film tape with an acrylic adhesive that provides superior product performance and Flame Retardant properties for aircraft maintenance and repair. 3M™ Flame Retardant Sealing Tape 398FR is a glass cloth tape with an acrylic adhesive for many applications requiring high adhesion, an abrasion-resistant backing and flame retardant properties. The tape meets flame retardancy requirements of F.A.R.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-96675-0	3M™ Glass Cloth Tape - Skip Slit 398FR	398FR	3 in x 36 yd, Bulk	617-3	48	White	RL

3M™ Glass Cloth Tape 398FRP

A white, glass cloth film tape with an acrylic adhesive that provides superior product performance and Flame Retardant properties for aircraft maintenance and repair. 3M™ Flame Retardant Sealing Tape 398FR is a glass cloth tape with an acrylic adhesive for many applications requiring high adhesion, an abrasion-resistant backing and flame retardant properties. The tape meets flame retardancy requirements of F.A.R.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-96676-7	3M™ Glass Cloth Tape 398FRP	398FRP	2 in x 36 yd, Bulk	617-3	24	White	RL
000-21200-96677-4	3M™ Glass Cloth Tape 398FRP	398FRP	3 in x 36 yd, Bulk	617-3	12	White	RL

3M™ Aluminum Foil Glass Cloth Tape 363

Shiny Silver, 7.3 mil (.185 mm) aluminum foil/glass cloth tape that can be used as a high temperature, heat reflective, protective wrap for certain cables and other components in aerospace and industrial applications.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-17294-6	3M™ Aluminum Foil Glass Cloth Tape 363	363	1 in x 36 yd	617-3	36	Shiny Silver	RL
000-21200-17295-3	3M™ Aluminum Foil Glass Cloth Tape 363	363	2 in x 36 yd	617-3	24	Shiny Silver	RL

3M™ Thermosettable Glass Cloth Tape 365

White, 8.3 mil (0.20 mm) glass cloth tape with thermosettable rubber-resin adhesive. For many applications requiring high adhesion and a very strong conformable backing. The high tensile strength and temperature resistance of the backing, combined with the high holding power and flow properties of the thermoset adhesive allow this tape to work well for splicing many materials with rough surfaces or low internal strength such as roofing felt and textiles.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03021-5	3M™ Thermosettable Glass Cloth Tape 365 White, 3 in x 60 yd 8.3 mil, 12 per case Bulk	12/Cs	3" x 60yds	617-3	12	White	RL

3M™ PTFE Glass Cloth Tape 5453


8.3 mil (0.21 mm) glass cloth tape impregnated with PTFE and silicone adhesive. 5453 is a heat seal tape. Provides a high temperature release surface for protection and insulation such as the bar underneath where the hot wire seals plastic film.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-16160-5	3M™ PTFE Glass Cloth Tape 5453, 1 in x 36 yd, 9 per case	9/Cs	1" x 36yds	617-3	9	Brown	RL
000-21200-16163-6	3M™ PTFE Glass Cloth Tape 5453, 3 in x 36 yd, 3 per case	3/Cs	3" x 36yds	617-3	3	Brown	RL
000-21200-16162-9	3M™ PTFE Glass Cloth Tape 5453, 2 in x 36 yd, Brown, 6 per case, boxed	6/Cs	2" x 36yds	617-3	6	Brown	RL
000-21200-73505-9	3M™ PTFE Glass Cloth Tape 5453, 4 in x 36 yd, Brown, 3 per case, boxed	3/Cs	4" x 36yds	617-3	3	Brown	RL

3M™ PTFE Film Tape 5490

Gray, 3.5 mil (0.09 mm) PTFE extruded film with silicone adhesive. Smooth and lay flat backing. Provides an exceptionally smooth surface when applied and resists curling during unwind. Chemical resistant surface for sealing and masking.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03432-9	3M™ PTFE Film Tape 5490 4 in x 36 yd, Bulk	5490	4 in x 36 yd, Bulk	617-3	3	Gray	3

3M™ PTFE Film Tape 5498

3M™ Silicone-Free PTFE Film Tape 5498, PTFE extruded film with a rubber adhesive. Used for environments requiring non-silicone, provides an exceptionally slick surface when applied and resists curling during unwind. Chemical resistant surface for sealing and masking.

Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-24842-9	3M™ PTFE Film Tape 5498 1 in x 36 yd, Beige	5498	1 in x 36 yd	617-3	36	Beige	RL
000-21200-24965-5	3M™ PTFE Film Tape 5498 2 in x 36 yd, Beige	5498	2 in x 36 yd	617-3	24	Beige	RL

Scotch® Polyethylene Coated Cloth Tape 390

Polyethylene coated cloth with rubber adhesive for applications requiring good strength and moisture resistance. Possible applications include sealing containers for overseas shipment, duct sealing and holding insulation materials.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-06970-3	Scotch® Polyethylene Coated Cloth Tape 390 Olive, 48 mm x 54.8 m, 24 per case	24/Cs	48mmx54.8m	617-3	24	Olive	RL

3M™ Polyethylene Film Tape 483

5.3 mil (0.13 mm) polyethylene film tape with rubber adhesive. Used for color-coding tools, safety equipment, safety/hazard areas, production equipment, and utility lines and pipes. Minimal downtime of production, easy to apply, conformability, multiple colors. Pigmented backings maintain their vivid colors even when exposed to heavy abrasion.



Item Number	Description	Product No.	Description	Units/Case	Special Item Number
000-21200-05167-8	3M™ Polyethylene Film Tape 483 1 in x 36 yd, Black	483	1 in x 36 yd, Black	36	617-3
000-21200-04321-5	3M™ Polyethylene Film Tape 483 2 in x 36 yd, Black	483	2 in x 36 yd, Black	24	617-3
000-21200-61364-7	3M™ Polyethylene Film Tape 483 3 in x 36 yd, Black	483	3 in x 36 yd, Black	12	617-3
000-21200-05153-1	3M™ Polyethylene Film Tape 483 1 in x 36 yd, Blue	483	1 in x 36 yd, Blue	12	617-3
000-21200-05160-9	3M™ Polyethylene Film Tape 483 1 in x 36 yd, Green	483	1 in x 36 yd, Green	36	617-3
000-21200-03771-9	3M™ Polyethylene Film Tape 483 1 in x 36 yd, Red	483	1 in x 36 yd, Red	36	617-3
000-21200-04320-8	3M™ Polyethylene Film Tape 483 2 in x 36 yd, Red	483	2 in x 36 yd, Red	24	617-3
000-21200-05170-8	3M™ Polyethylene Film Tape 483 1 in x 36 yd, Transparent	483	1 in x 36 yd, Transparent	36	617-3
000-21200-04322-2	3M™ Polyethylene Film Tape 483 2 in x 36 yd, Transparent	483	2 in x 36 yd, Transparent	24	617-3
000-21200-05172-2	3M™ Polyethylene Film Tape 483 3 in x 36 yd, Transparent	483	3 in x 36 yd, Transparent	12	617-3
000-21200-05163-0	3M™ Polyethylene Film Tape 483 1 in x 36 yd, White	483	1 in x 36 yd, White	36	617-3
000-21200-05165-4	3M™ Polyethylene Film Tape 483 2 in x 36 yd, White	483	2 in x 36 yd, White	24	617-3
000-21200-05166-1	3M™ Polyethylene Film Tape 483 3 in x 36 yd, White	483	3 in x 36 yd, White	12	617-3
000-21200-04011-5	3M™ Polyethylene Film Tape 483 1 in x 36 yd, Yellow	483	1 in x 36 yd, Yellow	36	617-3
000-21200-05158-6	3M™ Polyethylene Film Tape 483 2 in x 36 yd, Yellow	483	2 in x 36 yd, Yellow	24	617-3

Scotch® Premium Transparent Film Tape 600

Clear Paklon™ film tape with acrylic adhesive. Highly transparent and long aging without yellowing. Excellent for various inner-pack applications. Removes cleanly from fabric without leaving residue. Good dispensing properties.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-51131-06680-9	3M Government Markets Scotch® Premium Transparent Film Tape 600, 3/4 in x 72 yd, 48 per case	48/Cs	3/4" x 72yds	617-3	48	Clear	RL

Scotch® Transparent Film Tape 605

Clear Scotchpro™ polypropylene backing with an acrylic adhesive. Designed for various light-duty packaging applications, such as attaching, mending, gift wrapping, and holding. Offers good performance over a broad temperature range.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-71361-3	Scotch® Transparent Film Tape 605 Clear, 3/4 in x 72 yds, 48 per case Bulk	48/Cs	3/4" x 72yds	617-3	48	Clear	RL

3M™ Polyester Film Tape 850

General use for splicing and applications where chemical resistance and/or clean removal is necessary. 1.9 mil polyester metalized film tape with an acrylic adhesive (transparent or pigmented).



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03574-6	3M™ Polyester Film Tape 850 Black, 1 in x 72 yd, 72 per case	72/Cs	1" x 72yds	617-3	72	Black	RL
000-21200-03573-9	3M™ Polyester Film Tape 850 Red, 1 in x 72 yd, 36 per case	36/Cs	1" x 72yds	617-3	36	Red	RL
000-21200-03579-1	3M™ Polyester Film Tape 850 Silver, 1 in x 72 yd, 36 per case	36/Cs	1" x 72yds	617-3	36	Silver	RL
000-21200-03569-2	3M™ Polyester Film Tape 850 Transparent, 1 in x 72 yd, 36 per case	36/Cs	1" x 72yds	617-3	36	Transparent	RL
000-21200-03919-5	3M™ Polyester Film Tape 850 White, 1 in x 72 yd, 36 per case	36/Cs	1" x 72yds	617-3	36	White	RL
000-21200-04348-2	3M™ Polyester Film Tape 850 Black, 2 in x 72 yd, 24 per case	24/Cs	2" x 72yds	617-3	24	Black	RL
000-21200-04347-5	3M™ Polyester Film Tape 850 Red, 2 in x 72 yd, 24 per case	24/Cs	2" x 72yds	617-3	24	Red	RL
000-21200-04350-5	3M™ Polyester Film Tape 850 Silver, 2 in x 72 yd, 24 per case	24/Cs	2" x 72yds	617-3	24	Silver	RL
000-21200-04351-2	3M™ Polyester Film Tape 850 Transparent, 2 in x 72 yd, 24 per case	24/Cs	2" x 72yds	617-3	24	Transparent	RL
000-21200-31787-3	3M™ Polyester Film Tape 850 Red, 3 in x 72 yd, 12 per case	12/Cs	3" x 72yds	617-3	12	Red	RL
000-21200-03580-7	3M™ Polyester Film Tape 850 Silver, 3 in x 72 yd, 12 per case Bulk	12/Cs	3" x 72yds	617-3	12	Silver	RL
000-21200-03917-1	3M™ Polyester Film Tape 850 Transparent, 3 in x 72 yds, 12 per case Bulk	12/Cs	3" x 72yds	617-3	12	Transparent	RL
000-21200-31781-1	3M™ Polyester Film Tape 850 White 2 in x 72yds, 1 per case Bulk	1/Cs	2" x 72yds	617-3	1	White	RL

3M™ Polyester Film Tape 853

Transparent, 2.2 mil (0.06 mm) polyester film tape with acrylic adhesive. Solvent resistant adhesive. Used for butt splicing and tabbing applications. This transparent polyester tape is used for high tension butt splicing applications for many paper, plastic and other non-traditional materials. The acrylic adhesive offers high chemical and solvent resistance, which helps protect against failure due to undercutting or adhesive softening.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03587-6	3M™ Polyester Film Tape 853 3/4 in x 72 yd, Transparent	853	3/4 in x 72 yd	617-3	48	Transparent	RL
000-21200-03591-3	3M™ Polyester Film Tape 853 3 in x 72 yd, Transparent	853	3 in x 72 yd	617-3	12	Transparent	RL

3M™ Double Coated Film Tape 415

4.0 mil double coated polyester with acrylic adhesive 400 on a 4.0 mil 60 lb densified kraft paper liner.

Good temperature and solvent resistance. Good adhesion to high surface energy substrates. Used for splicing papers, films and foils.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	UOM
000-21200-03323-0	3M™ Double Coated Tape 415, 1 in x 36 yd, 36 per case, 4.0 mil	36/Cs	1" x 36yds	617-3	36	RL

3M™ Double Coated Film Tape 9589

9.0 mil double coated high density polyethylene with rubber adhesive 760 on a 60 lb densified kraft liner.

Excellent balance of high initial adhesion and good holding power to a wide variety of material. The paper carrier has been specially treated to improve its strength and removability characteristics from high internal strength surfaces.

Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-23207-7 3M Government Markets	3M™ Double Coated Film Tape 9589, White, 2 in x 36 yd, 9.0 mil, 24 per case, Bulk	24/Cs	2" x 36yds	617-3	24	White	RL

3M™ Electroplating Tape 470

7.1 mil, (0.18 mm) conformable and abrasion resistant vinyl tape with a rubber adhesive that has excellent resistance to most chemicals used in typical electroplating processes.



Item Number	Description	Package Information	Extra Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-87675-2	3M™ Electroplating Tape 470 Tan, 1/4 in x 36 yds, 144 per case Bulk	144/Cs	Bulk	¼" x 36yds	617-3	144	Tan	RL
000-21200-85614-3	3M™ Electroplating Tape 470, 1/2 in x 36 yd, 72 per case	72/Cs	Bulk	½" x 36yds	617-3	72	Tan	RL
000-21200-85615-0	3M™ Electroplating Tape 470, 3/4 in x 36 yd, 48 per case	48/Cs	Bulk	¾" x 36yds	617-3	48	Tan	RL
000-21200-85616-7	3M™ Electroplating Tape 470, 1 in x 36 yd, 36 per case	36/Cs	Bulk	1" x 36yds	617-3	36	Tan	RL
000-21200-86147-5	3M™ Electroplating Tape 470, 1 1/2 in x 36 yd, 24 per case	24/Cs	Bulk	1½" x 36yds	617-3	24	Tan	RL
000-21200-85617-4	3M™ Electroplating Tape 470, 2 in x 36 yd, 24 per case	24/Cs	Bulk	2" x 36yds	617-3	24	Tan	RL
000-21200-87676-9	3M™ Electroplating Tape 470, 3 in x 36 yd, 12 per case	12/Cs	Bulk	3" x 36yds	617-3	12	Tan	RL
000-21200-87663-9	3M™ Electroplating Tape 470, 4 in x 36 yd, 8 per case	8/Cs	Bulk	4" x 36yds	617-3	8	Tan	RL
000-21200-87664-6	3M™ Electroplating Tape 470, 6 in x 36 yd, 8 per case	8/Cs	Bulk	6" x 36yds	617-3	8	Tan	RL

3M™ Vinyl Tape 471

Ideal for many color-coding, abrasion protection, decoration, sealing, patching, splicing, wrapping and general purpose applications. Excellent for many lane-marking applications. Uniquely constructed, vinyl backed tape for outstanding paint line definition. The most flexible and conformable, it provides masking protection for complex curved lines, sharp curves, irregularly shaped panels, over rivets and into seams.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-61192-6	3M™ Vinyl Tape 471 Blue, 1/4 in x 36 yd, 144 per case	144/Cs	1/4" x 36yds	617-3	144	Blue	RL
000-21200-05130-2	3M™ Vinyl Tape 471 Green, 1/4 in x 36 yd, 144 per case Bulk	144/Cs	1/4" x 36yds	617-3	144	Green	RL
000-21200-05108-1	3M™ Vinyl Tape 471 Red, 1/4 in x 36 yd, 144 per case Bulk	144/Cs	1/4" x 36yds	617-3	144	Red	RL
000-21200-03133-5	3M™ Vinyl Tape 471 White, 1/4 in x 36 yd, 144 per case	144/Cs	1/4" x 36yds	617-3	144	White	RL
000-21200-05117-3	3M™ Vinyl Tape 471 Yellow, 1/4 in x 36 yd, 144 per case	144/Cs	1/4" x 36yds	617-3	144	Yellow	RL
000-21200-03104-5	3M™ Vinyl Tape 471 Red, 3/8 in x 36 yd, 96 per case Bulk	96/Cs	3/8" x 36yds	617-3	96	Red	RL
000-21200-03994-2	3M™ Vinyl Tape 471 White, 3/8 in x 36 yd, 96 per case	96/Cs	3/8" x 36yds	617-3	96	White	RL
000-21200-03113-7	3M™ Vinyl Tape 471 Black, 1/2 in x 36 yd, 72 per case	72/Cs	1/2" x 36yds	617-3	72	Black	RL
000-21200-03119-9	3M™ Vinyl Tape 471 Blue, 1/2 in x 36 yd, 72 per case	72/Cs	1/2" x 36yds	617-3	72	Blue	RL
000-21200-03143-4	3M™ Vinyl Tape 471 Green, 1/2 in x 36 yd, 72 per case	72/Cs	1/2" x 36yds	617-3	72	Green	RL
000-21200-03996-6	3M™ Vinyl Tape 471 Orange, 1/2 in x 36 yd, 72 per case Bulk	72/Cs	1/2" x 36yds	617-3	72	Orange	RL
000-21200-03976-8	3M™ Vinyl Tape 471 Brown, 1/2 in x 36 yd, 72 per case	72/Cs	1/2" x 36yds	617-3	72	Brown	RL
000-21200-03105-2	3M™ Vinyl Tape 471 Red, 1/2 in x 36 yd, 72 per case	72/Cs	1/2" x 36yds	617-3	72	Red	RL
000-21200-03098-7	3M™ Vinyl Tape 477 Transparent, 1/2 in x 36 yds, 72 per case Bulk	72/Cs	1/2" x 36yds	617-3	72	Transparent	RL
000-21200-03134-2	3M™ Vinyl Tape 471 White, 1/2 in x 36 yd, 72 per case	72/Cs	1/2" x 36yds	617-3	72	White	RL
000-21200-03126-7	3M™ Vinyl Tape 471 Yellow, 1/2 in x 36 yd, 72 per case	72/Cs	1/2" x 36yds	617-3	72	Yellow	RL
000-21200-03114-4	3M™ Vinyl Tape 471 Black, 3/4 in x 36 yd, 48 per case	48/Cs	3/4" x 36yds	617-3	48	Black	RL
000-21200-03120-5	3M™ Vinyl Tape 471 Blue, 3/4 in x 36 yd, 48 per case	48/Cs	3/4" x 36yds	617-3	48	Blue	RL
000-21200-05112-8	3M™ Vinyl Tape 471 Brown, 3/4 in x 36 yd, 48 per case	48/Cs	3/4" x 36yds	617-3	48	Brown	RL
000-21200-03144-1	3M™ Vinyl Tape 471 Green, 3/4 in x 36 yd, 48 per case	48/Cs	3/4" x 36yds	617-3	48	Green	RL
000-21200-03980-5	3M™ Vinyl Tape 471 Orange, 3/4 in x 36 yd, 48 per case	48/Cs	3/4" x 36yds	617-3	48	Orange	RL
000-21200-03106-9	3M™ Vinyl Tape 471 Red, 3/4 in x 36 yd, 48 per case	48/Cs	3/4" x 36yds	617-3	48	Red	RL
000-21200-03099-4	3M™ Vinyl Tape 471 Transparent, 3/4 in x 36 yd, 48 per case	48/Cs	3/4" x 36yds	617-3	48	Transparent	RL
000-21200-03135-9	3M™ Vinyl Tape 471 White, 3/4 in x 36 yd, 48 per case	48/Cs	3/4" x 36yds	617-3	48	White	RL
000-21200-03127-4	3M™ Vinyl Tape 471 Yellow, 3/4 in x 36 yd, 48 per case	48/Cs	3/4" x 36yds	617-3	48	Yellow	RL
000-21200-03115-1	3M™ Vinyl Tape 471 Black, 1 in x 36 yd, 36 per case	36/Cs	1" x 36yds	617-3	36	Black	RL
000-21200-03121-2	3M™ Vinyl Tape 471 Blue, 1 in x 36 yd, 36 per case	36/Cs	1" x 36yds	617-3	36	Blue	RL
000-21200-03145-8	3M™ Vinyl Tape 471, Green, 1 in x 36 yd, 36 per case Bulk	36/Cs	1" x 36yds	617-3	36	Green	RL
000-21200-03140-3	3M™ Vinyl Tape 471 Orange, 1 in x 36 yd, 36 per case	36/Cs	1" x 36yds	617-3	36	Orange	RL

Vinyl & Polyethylene Tapes, cont'd

3M™ Vinyl Tape 471 (cont.)

Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-37741-9	3M™ Vinyl Tape 471 Purple 1 in x 36 yds, 36 per case Bulk	36/Cs	1" x 36yds	617-3	36	Purple	RL
000-21200-03107-6	3M™ Vinyl Tape 471 Red, 1 in x 36 yd, 36 per case	36/Cs	1" x 36yds	617-3	36	Red	RL
000-21200-03100-7	3M™ Vinyl Tape 471 Transparent, 1 in x 36 yd, 36 per case	36/Cs	1" x 36yds	617-3	36	Transparent	RL
000-21200-03136-6	3M™ Vinyl Tape 471 White, 1 in x 36 yd, 36 per case	36/Cs	1" x 36yds	617-3	36	White	RL
000-21200-03128-1	3M™ Vinyl Tape 471 Yellow, 1 in x 36 yd, 36 per case	36/Cs	1" x 36yds	617-3	36	Yellow	RL
000-21200-03124-3	3M™ Vinyl Tape 471 Brown, 1 in x 36 yd, 36 per case	36/Cs	1" x 36yds	617-3	36	Brown	RL
000-21200-03786-3	3M™ Vinyl Tape 471 Blue, 1 1/2 in x 36 yd, 24 per case	24/Cs	1½" x 36yds	617-3	24	Blue	RL
000-21200-03108-3	3M™ Vinyl Tape 471 Red, 1-1/2 in x 36 yd, 24 per case	24/Cs	1½" x 36yds	617-3	24	Red	RL
000-21200-03101-4	3M™ Vinyl Tape 471 Transparent, 1-1/2 in x 36 yd, 24 per case Bulk	24/Cs	1½" x 36yds	617-3	24	Transparent	RL
000-21200-03137-3	3M™ Vinyl Tape 471 White, 1 1/2 in x 36 yd, 24 per case	24/Cs	1½" x 36yds	617-3	24	White	RL
000-21200-03129-8	3M™ Vinyl Tape 471 Yellow, 1 1/2 in x 36 yd, 24 per case	24/Cs	1½" x 36yds	617-3	24	Yellow	RL
000-21200-03116-8	3M™ Vinyl Tape 471 Black, 1 1/2 in x 36 yd, 24 per case	144/Cs	1 1/2 in x 36 yd	617-3	24	Black	RL
000-21200-02658-4	3M™ Vinyl Tape 471 Green, 1 1/2 in x 36 yd, 24 per case	24/Cs	1½" x 36yds	617-3	24	Green	RL
000-21200-04306-2	3M™ Vinyl Tape 471 Black, 2 in x 36 yd, 24 per case	24/Cs	2" x 36yds	617-3	24	Black	RL
000-21200-04308-6	3M™ Vinyl Tape 471 Blue, 2 in x 36 yd, 24 per case	24/Cs	2" x 36yds	617-3	24	Blue	RL
000-21200-04309-3	3M™ Vinyl Tape 471 Brown, 2 in x 36 yd, 24 per case	24/Cs	2" x 36yds	617-3	24	Brown	RL
000-21200-04313-0	3M™ Vinyl Tape 471 Green, 2 in x 36 yd, 24 per case	24/Cs	2" x 36yds	617-3	24	Green	RL
000-21200-04312-3	3M™ Vinyl Tape 471 Orange, 2 in x 36 yd, 24 per case	24/Cs	2" x 36yds	617-3	24	Orange	RL
000-21200-48424-7	3M™ Vinyl Tape 471 Purple, 2 in x 36 yds, 24 per case Bulk	24/Cs	2" x 36yds	617-3	24	Purple	RL
000-21200-04305-5	3M™ Vinyl Tape 471 Red, 2 in x 36 yd, 24 per case	24/Cs	2" x 36yds	617-3	24	Red	RL
000-21200-04314-7	3M™ Vinyl Tape 471 Transparent, 2 in x 36 yd, 24 per case	24/Cs	2" x 36yds	617-3	24	Transparent	RL
000-21200-04311-6	3M™ Vinyl Tape 471 White, 2 in x 36 yd, 24 per case	24/Cs	2" x 36yds	617-3	24	White	RL
000-21200-04310-9	3M™ Vinyl Tape 471 Yellow, 2 in x 36 yd, 24 per case	24/Cs	2" x 36yds	617-3	24	Yellow	RL
000-21200-06467-8	3M™ Vinyl Tape 471 Black, 3 in x 36 yd, 12 per case	12/Cs	3" x 36yds	617-3	12	Black	RL
000-21200-03122-9	3M™ Vinyl Tape 471 Blue, 3 in x 36 yd, 12 per case	12/Cs	3" x 36yds	617-3	12	Blue	RL
000-21200-05113-5	3M™ Vinyl Tape 471 Brown, 3 in x 36 yd, 12 per case Bulk	12/Cs	3" x 36yds	617-3	12	Brown	RL
000-21200-06468-5	3M™ Vinyl Tape 471 Green, 3 in x 36 yd, 12 per case Bulk	12/Cs	3" x 36yds	617-3	12	Green	RL
000-21200-06469-2	3M™ Vinyl Tape 471 Red, 3 in x 36 yd, 12 per case	12/Cs	3" x 36yds	617-3	12	Red	RL
000-21200-03102-1	3M™ Vinyl Tape 471, Transparent, 3 in x 36 yds, 12 per case Bulk	12/Cs	3" x 36yds	617-3	12	Transparent	RL
000-21200-06470-8	3M™ Vinyl Tape 471 Yellow, 3 in x 36 yd, 12 per case	12/Cs	3" x 36yds	617-3	12	Yellow	RL
000-21200-03118-2	3M™ Vinyl Tape 471 Black, 4 in x 36 yd, 8 per case	8/Cs	4" x 36yds	617-3	8	Black	RL
000-21200-06466-1	3M™ Vinyl Tape 471 White, 3 in x 36 yd, 12 per case	12/Cs	3" x 36yds	617-3	12	White	RL
000-21200-40226-5	3M™ Vinyl Tape 471 Blue, 4 in x 36yds, 8 per case Bulk	8/Cs	4" x 36yds	617-3	8	Blue	RL
000-21200-03110-6	3M™ Vinyl Tape 471 Red, 4 in x 36 yd, 8 per case	8/Cs	4" x 36yds	617-3	8	Red	RL
000-21200-03139-7	3M™ Vinyl Tape 471 White, 4 in x 36 yd, 8 per case	8/Cs	4" x 36yds	617-3	8	White	RL
000-21200-03131-1	3M™ Vinyl Tape 471 Yellow, 4 in x 36 yd, 8 per case	8/Cs	4" x 36yds	617-3	8	Yellow	RL

3M™ Vinyl Tape 472

10.4 mil total thickness, vinyl tape with rubber adhesive used in applications requiring abrasion and outdoor weathering protection. Designed for splicing, patching, sealing, electroplating, and sealing barrier films and containers. This tape can also help protect metal from corrosion on (above or below ground).



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-04316-1	3M™ Vinyl Tape 472, 2 in x 36 yd, 24 per case	24/Cs	2" x 36yds	617-3	24	Black	RL

3M™ Safety Stripe Tape 5700

Tape resists most common chemicals and solvents. Used to identify or mark traffic areas and physical hazards. The sharp, contrasting colors readily identify hazardous areas. The clear vinyl over the colored stripes help protect stripes from abrasion. The 5.4 mil total tape thickness resists snagging often associated with thicker products.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-04367-3	3M™ Safety Stripe Tape 5700 Black/White, 2 in x 36 yd, 24 per case	24/Cs	2" x 36yds	617-3	24	Black/White	RL
000-21200-03954-6	3M™ Safety Stripe Tape 5700, Black/White, 3 in x 36 yd, 12 per case	12/Cs	3" x 36yds	617-3	12	Black/White	RL

3M™ Safety Stripe Tape 5702

Tape resists most common chemicals and solvents. Used to identify or mark traffic areas and physical hazards. The sharp, contrasting colors readily identify hazardous areas. The clear vinyl over the colored stripes help protect stripes from abrasion. The 5.4 mil total tape thickness resists snagging often associated with thicker products.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-04585-1	3M™ Safety Stripe Tape 5702, 2 in x 36 yd, 24 per case	24/Cs	2" x 36yds	617-3	24	Black/Yellow	RL
000-21200-03951-5	3M™ Safety Stripe Tape 5702, 3 in x 36 yd, 12 per case	12/Cs	3" x 36yds	617-3	12	Black/Yellow	RL
000-21200-03952-2	3M™ Safety Stripe Tape 5702, 4 in x 36yds, 3M Government Markets case Bulk	8/Cs	4" x 36yds	617-3	8	Black/Yellow	RL www.3M.com/gov
000-21200-42892-0	3M™ Safety Stripe Tape 5702, 1 in x 36yds, 36 per case	36/Cs	1" x 36yds	617-3	36	Black/Yellow	RL

3M™ Dual Lock™ Reclosable Fastener

3M™ Dual Lock™ Reclosable Fasteners have been used extensively in transportation, electronics, business equipment, machinery, medical and sign and display markets. When the mushroom-shaped stems interlock, tensile strength is high enough to replace mechanical fasteners in many applications, yet you can readily open and close Dual Lock reclosable fasteners hundreds of times. High temperature and solvent resistant. Mix and Match program allows a customer to match their adhesive requirements with the reclosable strength required to meet their needs.



Item Number	Description	Product ID	Package Information	Extra Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-86282-3	3M™ Dual Lock™ Reclosable Fastener 250 SJ3560 Clear, 1 in x 50 yd, 2 per case	SJ3560	2/Cs	Type 250	1" x 50yds	617-3	2	Clear	RL
000-21200-86276-2	3M™ Dual Lock™ Reclosable Fastener 400 SJ3541 Black, 1/2 in x 50 yd, 4 per case	SJ3541	4/Cs	Type 400	½" x 50yds	617-3	4	Black	RL
000-21200-86364-6	3M™ Dual Lock™ Reclosable Fastener 400 SJ3541 Black, ¾ in x 50 yd, 2 per case	SJ3541	2/Cs	Type 400	¾" x 50yds	617-3	2	Black	RL

3M™ Dual Lock™ Reclosable Fastener SJ3550 Type 250

Black, polypropylene reclosable fastener with white acrylic adhesive on a clear polyethylene film liner with red 3M logo, 250 stems per square inch, 0.22 in (5.6 mm) engaged thickness. 3M™ Dual Lock™ Reclosable Fasteners have been used extensively in transportation, electronics, business equipment, machinery, medical and sign and display markets. When the mushroom-shaped stems interlock, tensile strength is high enough to replace mechanical fasteners in many applications, yet you can readily open and close Dual Lock reclosable fasteners hundreds of times. High temperature and solvent resistant. Black, polypropylene reclosable fastener with a high strength adhesive.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-74379-5	3M™ Dual Lock™ Reclosable Fastener SJ3550 Type 250	SJ3550	1 in x 50 yd	617-3	2	Black	RL

3M™ Scotchmate™ Reclosable Fastener SJ3526N/SJ3527N

High performance PSA nylon hook with rubber adhesive and white polypropylene film liner. 100 mil to 160 mil engaged thickness, 3 mil printed liner. It's as simple as pressing together and pulling apart. When your product calls for thousands of easy openings and closings, 3M™ Scotchmate™ Reclosable Fasteners pull through for you. Tiny, stiff hooks mesh with pliable loops for quick secure fastening. In addition, 3M Scotchmate™ Reclosable Fasteners are backed with 3M adhesive technology expertise which range from rubber adhesives to high performance, double-coated foam tape which can be adhered to most surfaces to provide a solution as strong as you need. High performance adhesive is designed for great temperature, solid shear and peel performance in a convenient small package.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-86245-8	3M™ Scotchmate™ Reclosable Fastener Hook SJ3526N	SJ3526	2 in x 50 yd	617-3	2	Black	RL
000-21200-86244-1	3M™ Scotchmate™ Reclosable Fastener Hook SJ3526N	SJ3526	1 in x 50 yd	617-3	3	White	RL
000-21200-86255-7	3M™ Scotchmate™ Reclosable Fastener Loop SJ3527N	SJ3527N	2in x 50 yd	617-3	2	Black	RL
000-21200-86253-3	3M™ Scotchmate™ Reclosable Fastener Loop SJ3527N	SJ3527N	1 in x 50 yd	617-3	3	White	RL

3M™ Scotchmate™ Reclosable Fastener SJ3572

It's as simple as pressing together and pulling apart. When your product calls for thousands of easy openings and closings, Scotchmate reclosable fasteners pull through for you. Tiny, stiff hooks mesh with pliable loops for quick secure fastening. In addition, Scotchmate reclosable fasteners are backed with 3M adhesive technology expertise which range from rubber based adhesives to high performance, double-coated foam tape which can be adhered to most surfaces to provide a solution as strong as you need. Premium performance nylon hook with high strength acrylic tape for high temperature resistance and great shear performance.



Item Number	Description	Product ID	Package Information	Extra Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-38678-7	3M™ Scotchmate™ Reclosable Fastener Hook SJ3572 Black, 4 in x 50 yds, 1 per case Bulk	SJ3572	1/Cs	Hook	4" x 50yds	617-3	1	Black	RL

Tape Dispensers

Scotch® Heavy Duty Dispenser C25

The Scotch® Heavy Duty Dispenser C25 is a weighted dispenser that delivers a variety of materials similar to the C23. The C25 features a permanent core that won't get lost or accidentally discarded during reloading. Handles tapes up to 1 inch wide. Heavy-duty plastic construction, designed to set on flat work surfaces. Dispenses film-backed and paper tapes. Built-in tape core.



Item Number	Description	Product No.	Description	Units/Case	Special Item Number
000-21200-06924-6	Scotch® Heavy Duty Dispenser C25	C-25	Beige	3	617-3

Scotch® Filament Tape Hand Dispenser H10

Portable, hand-held unit dispenses 1/2 inch to 1 inch Scotch® Filament Tapes. Designed to cut through the glass yarn reinforcement for efficient application with the special cutting edge.

Made from high-impact, durable plastic. For use with filament tapes up to 1 inch (24 mm) wide.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	UOM
000-21200-06910-9	Scotch® Filament Tape Hand Dispenser H10, 6 per case	6/Cs	1"	617-3	6	EA

Scotch® Filament Tape Hand Dispenser H12

Features a hand brake in the core that allows operator to add tension for tighter box reinforcement and bundling applications. Made from high-impact, durable plastic. Handles filament tapes up to 1" (24 mm) wide.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	UOM
000-21200-06953-6	Scotch® Filament Tape Hand Dispenser H-12	6/Cs	1"	617-3	6	EA

Scotch® Box Sealing Tape Dispenser H122

Lightweight, compact, hand-held dispenser with built-in brake for tighter, more precise seals. Uses Scotch® Box Closure Tapes up to 48 mm (2 inch) wide on 3 inch cores. High-impact plastic construction for durability and long-life performance.

Maximum tape roll diameter: 4 1/2 inch.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	UOM
000-21200-06925-3	Scotch® Box Sealing Tape Dispenser H-122	6/Cs	2"	617-3	6	EA

Scotch® Box Sealing Tape Dispenser H183

Recommended for center seam sealing of RSC boxes. Metal and high-impact plastic construction for durability and long-life performance. Accommodates tapes up to 3 inch (72 mm) wide.

Same features as the H180 dispenser, which handles tapes up to 2 inch (48 mm) wide. Easy to load. Adjustable tape tension on supply drum. Maximum tape roll diameter: 5 inch.



Item Number	Description	Package Information	Size	Large Buy	Case Qty	UOM
000-21200-61850-5	Scotch® Box Sealing Tape Dispenser H-183	5/Cs	3"	617-3	5	EA

Scotch® Box Sealing Tape Dispenser H190

Lightweight, pistol-grip dispenser ergonomically designed for user comfort. Unique pull-apart handle for easy tape loading. Uses Scotch® Box Closure Tapes up to 48 mm (2") wide on 3" cores.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	UOM
000-21200-84768-4	Scotch® Box Sealing Tape Dispenser H-190	12/Cs	2"	617-3	12	EA

Scotch® Box Sealing Tape Dispenser H192

Lightweight, hand-held dispenser combines features of popular roll-on and hand-held dispensers for easy, one-hand application of Scotch® Box Closure Tapes up to 48 mm (2 inch) wide. Built-in adjustable brake for tight, consistent seal.

Made of high-impact plastic construction for durable, long-life performance. Maximum tape roll diameter: 5 inch.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	UOM
000-21200-86512-1	Scotch® Box Sealing Tape Dispenser H-192	6/Cs	2"	617-3	6	EA

Scotch® Box Sealing Tape Manual Definite Length Dispenser M900

Heavy-duty tabletop unit delivers 1 1/2 inch to 16 inch lengths of Scotch® Box Sealing Tape with a single stroke. Uses 36 mm (1 1/2 inch) to 100 mm (4 inch) wide tapes on 3 inch cores. Rugged, heavy-duty metal construction. Multiple strokes deliver greater lengths with some tapes, if needed.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	UOM
000-21200-86607-4	Scotch® Box Sealing Tape Manual Definite Length Dispenser M900 3 in	M900	3 in	617-3	1	EA

Scotch® Definite Length Dispenser M920

The M920 definite-length tape dispenser adjusts to allow consistent, automatic dispensing of tape strips, 1/2 inch to 4 inches (10 cm) in length. Holds one roll of tape up to 1 inch in width.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	UOM
000-21200-11093-1	Scotch® Definite Length Dispensers M920	M920	1 in	617-3	6	EA

Scotch® Mainline Dispenser P52W

The P52 Scotch® Mainline Dispenser has a pull-and-cut dispenser, plus a weighted base for stability. It is a practical and economical dispenser with multiple-roll capacity. Capable of holding tapes or a combination of tape rolls, up to 2 inches wide. The standard of the industry. Plastic construction. Designed to be set on a flat work surface. Dispenses film-backed and paper tapes. Max roll diameter: 6 7/8 inch.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	UOM
000-21200-11027-6	Scotch® Mainline Dispenser P52W	P52W	2 in	617-3	1	EA

Specialty Tapes

3M™ Photographic Tape 235

Hand tearable, paper masking tape provides a black, photographically opaque backing for a variety of camera work applications.



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-02840-3	3M™ Photographic Tape 235, 1 in x 60 yd, 36 per case	36/Cs	1" x 60yds	617-3	36	Black	RL

3M™ Impact Stripping Tape 500

Green, 33.0 mil (0.80 mm) specially compounded rubber backing with acrylic adhesive and a silicone easy release liner.



Item Number	Description	Product No.	Description	Units/Case	Special Item Number
000-21200-60894-0	3M™ Impact Stripping Tape 500, 1 in x 10 yd	500	Green, 1 in x 10 yd	9	617-3
000-21200-60895-7	3M™ Impact Stripping Tape 500, 2 in x 10 yd	500	Green, 2 in x 10 yd	6	617-3
000-21200-24359-2	3M™ Impact Stripping Tape 500, 3 in x 10 yd	500	Green, 3 in x 10 yd	3	617-3

3M™ Impact Stripping Tape 583

85.0 mil (2.2 mm) specially compounded tan rubber backing with acrylic adhesive and a tan easy-release paper liner. Extra thick backing for added protection.



Item Number	Description	Product No.	Description	Units/Case	UOM	Special Item Number
000-21200-45335-9	3M™ Impact Stripping Tape - 80 Mil With Easy Release Liner	583	2 in x 20 yd, Tan	6	RL	617-3
000-21200-45336-6	3M™ Impact Stripping Tape - 80 Mil With Easy Release Liner	583	4 in x 20 yd, Tan	2	RL	617-3
000-21200-48162-8	3M™ Impact Stripping Tape - 80 Mil With Easy Release Liner	583	6 in x 20 yd, Tan	2	RL	617-3



3M™ UHMW Film Tape 5423

Transparent, 11.7 mil (0.28 mm) UHMW polyethylene film with rubber adhesive. Thicker version of 5421. Low coefficient of friction combined with abrasion resistance make this tape an effective solution for many noise and vibration problems.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-14457-8	3M™ UHMW Film Tape 5423 4 in x 18 yd	5423	4 in x 18 yd	617-3	3	Transparent	RL

3M™ UHMW Film Tape 5425

Transparent, 11.7 mil (0.28 mm) UHMW polyethylene film with rubber adhesive. Thicker version of 5421. Low coefficient of friction combined with abrasion resistance make this tape an effective solution for many noise and vibration problems.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-51115-05594-2	3M™ UHMW Film Tape 5425 1 in x 36 yd, Bulk	5425	1 in x 36 yd, Bulk	617-3	9	Transparent	RL

3M™ High Temperature Nylon Film Tape 855

3M™ High Temperature Nylon Film Tape 855 White, 3.2 mil (0.081 mm) nylon film tape with a non-silicone rubber adhesive. Used for advanced composite and metal bond masking, used in many composite bagging operations or to help remove flashing after composite bonding.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-05742-7	3M™ High Temperature Nylon Film Tape 855 1 in x 72 yd, Bulk	855	1 in x 72 yd, Bulk	617-3	36	White	RL
000-21200-04354-3	3M™ High Temperature Nylon Film Tape 855 2 in x 72 yd, Bulk	855	2 in x 72 yd, Bulk	617-3	24	White	RL
000-21200-48784-2	3M™ High Temperature Nylon Film Tape 855 3 in x 72 yd, Bulk	855	3 in x 72 yd, Bulk	617-3	12	White	RL

Specialty Tapes, cont'd

3M™ High Tack Double Coated Polyethylene Tape 9443

6.0 mil double coated high density polyethylene with rubber adhesive 760 on a 60 lb densified kraft liner. Aggressive rubber adhesive with high initial adhesion. Used for general purpose joining, mounting and splicing, quick and easy tacking of carpet edges. Hand tear able

Item Number	Description	Product ID	Size	Special Item Number	Case Qty	UOM
000-48011-58592-5	3M™ High Tack Double Coated Polyethylene Tape 9443 1 in x 60 yd	9443	1 in x 60 yd	617-3	36	RL

3M™ Silicone Acrylic Double-Coated Tape 9731

High performance 5.5 mil carrier with silicone coated inside and acrylic adhesive coated outside. Double liner of 4 mil polyester film and 5 mil polycoated kraft paper. High temperature and medium solvent resistance, high HSE and LSE.

Silicone adhesive features strong holding power to various silicone surfaces and high adhesion of the acrylic adhesive to a variety of surfaces.



Item Number	Description	Product ID	Extra Description	Size	Special Item Number	Case Qty	Color	UOM
000-21200-23259-6	3M™ Silicone Acrylic Double-Coated Tape 9731 1 in x 36 yd	9731	5.5 mil	1 in x 36 yd	617-3	36	Clear	RL

Polyester Tapes

Scotch® Polyester Film Tape 356

Polyester film with acrylic adhesive which is clear and tough for demanding applications. This film tape is for use in outdoor applications or in critical applications demanding extra resistance to abrasion. Use for label protection and guards information from damage from chemicals and water. Holds tight to cartons and containers.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty
000-21200-04274-4	Scotch® Polyester Film Tape 356 2 in x 72 yd, Clear	356	2 in x 72 yd, Clear	617-3	24
000-21200-03034-5	Scotch® Polyester Film Tape 356 4 in x 72 yd, Clear	356	4 in x 72 yd, Clear	617-3	8
000-21200-03035-2	Scotch® Polyester Film Tape 356 6 in x 72 yd, Clear	356	6 in x 72 yd, Clear	617-3	8
	3M Government Markets	48			www.3M.com/gov
000-21200-03033-8	Scotch® Polyester Film Tape 356 3 in x 72 yd, Clear	356	3 in x 72 yd, Clear	617-3	12

Polyester Tapes, cont'd

3M™ Polyester Silicone Adhesive Tape 8403

Green, 2.3 mil (0.06 mm) polyester film tape with silicone adhesive. Adheres well to silicone treated papers. Heavier duty version of 8402. Use for splicing of silicone liners and papers, and splicing of films subject to high temperatures.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-61456-9	3M™ Polyester Silicone Adhesive Tape 8403 1/2 in x 72 yd	8403	1/2 in x 72 yd	617-3	72	Green	RL
000-21200-61457-6	3M™ Polyester Silicone Adhesive Tape 8403 3/4 in x 72 yd	8403	3/4 in x 72 yd	617-3	48	Green	RL
000-21200-61458-3	3M™ Polyester Silicone Adhesive Tape 8403 1 in x 72 yd	8403	1 in x 72 yd	617-3	36	Green	RL
000-21200-61459-0	3M™ Polyester Silicone Adhesive Tape 8403 1 1/2 in x 72 yd	8403	1 1/2 in x 72 yd	617-3	24	Green	RL
000-21200-61460-6	3M™ Polyester Silicone Adhesive Tape 8403 2 in x 72 yd	8403	2 in x 72 yd	617-3	24	Green	RL
000-21200-61461-3	3M™ Polyester Silicone Adhesive Tape 8403 3 in x 72 yd	8403	3 in x 72 yd	617-3	12	Green	RL

3M™ Edging and Reinforcing Tape 8411

3M™ Edging and Reinforcing Tape 8411 Transparent, 1.5 mil (0.04 mm) polyester film tape with acrylic adhesive. 3M™ Edging and Reinforcing Tape 8411, ideal for most permanent edging and reinforcement applications on paper and cardboard.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-04008-5	3M™ Edging and Reinforcing Tape 8411 1 in x 72 yd, Bulk	8411	1 in x 72 yd, Bulk	617-3	36	Transparent	RL
000-21200-61016-5	3M™ Edging and Reinforcing Tape 8411 2 in x 72 yd, Bulk	8411	2 in x 72 yd, Bulk	617-3	24	Transparent	RL

3M™ Polyester Riveter's Tape 685

A zone-coated polyester film tape with a tack free center window for use in holding aircraft rivets in place prior to and during riveting.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-03507-4	3M™ Polyester Riveter's Tape 685 3/4 in x 36 yd, Transparent	685	3/4 in x 36 yd	617-3	48	Transparent	RL
000-21200-03508-1	3M™ Polyester Riveter's Tape 685 1 in x 36 yd, Transparent	685	1 in x 36 yd	617-3	36	Transparent	RL

3M™ Riveter's Tape 695

3M™ Riveters Tape 695 Yellow with White Adhesive, 3.3 mil (0.084 mm) polyethylene film with a rubber-strip coated along edges of tape only and tack-free center in window. Use in holding aircraft rivets in place prior to and during riveting.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-67947-6	3M™ Riveter's Tape 695 1 in x 36 yd, Bulk	695	1 in x 36 yd, Bulk	617-3	36	Yellow & White	RL
000-21200-67948-3	3M™ Riveter's Tape 695 2 in x 36 yd, Bulk	695	2 in x 36 yd, Bulk	617-3	24	Yellow & White	RL

3M™ Polyester Tape 8402

3M™ Polyester Tape 8402 Green, 1.8 mil (0.05 mm) polyester film tape with green pigmented silicone adhesive. Masking for high temperature applications, adheres well to silicone coated surfaces. The green color and silicone adhesive make for easier identification and application when splicing silicone treated paper.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-05687-1	3M™ Polyester Tape 8402, 1 in x 72 yd, Bulk	8402	1 in x 72 yd, Bulk	617-3	36	Green	RL
000-21200-04368-0 3M Government Markets	3M™ Polyester Tape 8402, 2 in x 72 yd, Bulk	8402	2 in x 72 yd, Bulk	617-3	24	Green	RL
000-21200-05689-5	3M™ Polyester Tape 8402, 3 in x 72 yd, Bulk	8402	3 in x 72 yd, Bulk	617-3	12	Green	RL

www.3M.com/gov

3M™ Polyester Tape 8901

Clean removing high temperature silicone adhesive and tough non-slivering polyester backing makes this tape a popular choice for powder coat paint masking. 2.3 mil (0.06 mm) total thickness.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-23277-0	3M™ Polyester Tape 8901 1/4 in x 72 yd, Bulk	8901	1/4 in x 72 yd, Bulk	617-3	144	Blue	RL
000-21200-23800-0	3M™ Polyester Tape 8901 1/2 in x 72 yd, Bulk	8901	1/2 in x 72 yd, Bulk	617-3	72	Blue	RL
000-21200-23801-7	3M™ Polyester Tape 8901 3/4 in x 72 yd, Bulk	8901	3/4 in x 72 yd, Bulk	617-3	48	Blue	RL
000-21200-23802-4	3M™ Polyester Tape 8901 1 1/2 in x 72 yd, Bulk	8901	1 1/2 in x 72 yd, Bulk	617-3	24	Blue	RL
000-21200-85765-2	3M™ Polyester Tape 8901 2 in x 72 yd, Bulk	8901	2 in x 72 yd, Bulk	617-3	24	Blue	RL
000-21200-23771-3	3M™ Polyester Tape 8901 4 in x 72 yd, Bulk	8901	4 in x 72 yd, Bulk	617-3	8	Blue	RL

3M™ Polyester Tape 8902

3M™ Polyester Tape 8902 Blue, 3.4 mil (0.09mm), Clean removing high temperature silicone adhesive and tough non-slivering polyester backing. Used for powder coat paint masking and splicing silicone treated materials.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-64965-3	3M™ Polyester Tape 8902 1/2 in x 72 yd, Bulk	8902	1/2 in x 72 yd, Bulk	617-3	72	Blue	RL
000-21200-23803-1	3M™ Polyester Tape 8902 3/4 in x 72 yd, Bulk	8902	3/4 in x 72 yd, Bulk	617-3	48	Blue	RL
000-21200-85766-9	3M™ Polyester Tape 8902 1 in x 72 yd, Bulk	8902	1 in x 72 yd, Bulk	617-3	48	Blue	RL
000-21200-85767-6	3M™ Polyester Tape 8902 2 in x 72 yd, Bulk	8902	2 in x 72 yd, Bulk	617-3	24	Blue	RL
000-21200-30690-7	3M™ Polyester Tape 8902 3 in x 72 yd, Bulk	8902	3 in x 72 yd, Bulk	617-3	12	Blue	RL
000-21200-31455-1	3M™ Polyester Tape 8902 4 in x 72 yd, Bulk	8902	4 in x 72 yd, Bulk	617-3	8	Blue	RL

3M™ Polyester Tape 8905

A high temperature polyester tape used for flashbreaker tape in composite bonding as well as in composite bagging; general purpose splicing and to splice silicone coated papers and films.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-48507-7	3M™ Polyester Tape 8905 3/4 in x 72 yd, Bulk	8905	3/4 in x 72 yd, Bulk	617-3	48	Blue	RL
000-21200-85769-0	3M™ Polyester Tape 8905 2 in x 72 yd, Bulk	8905	2 in x 72 yd, Bulk	617-3	36	Blue	RL
000-21200-40339-2	3M™ Polyester Tape 8905 3 in x 72 yd, Bulk	8905	3 in x 72 yd, Bulk	617-3	12	Blue	RL

3M™ General Purpose Polyester Tape 8951

3M™ General Purpose Polyester Tape 8951, used in a variety of high temperature masking applications including powder coating and flashbreaker applications. Designed to remove cleanly from most surfaces.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-48713-2	3M™ General Purpose Polyester Tape 8951 1/4 in x 72 yd, Bulk	8951	1/4 in x 72 yd, Bulk	617-3	144	Blue	RL
000-21200-43462-4	3M™ General Purpose Polyester Tape 8951 1/2 in x 72 yd, Bulk	8951	1/2 in x 72 yd, Bulk	617-3	72	Blue	RL
000-21200-48337-0	3M™ General Purpose Polyester Tape 8951 3/4 in x 72 yd, Bulk	8951	3/4 in x 72 yd, Bulk	617-3	48	Blue	RL
000-21200-48225-0	3M™ General Purpose Polyester Tape 8951 1 in x 72 yd, Bulk	8951	1 in x 72 yd, Bulk	617-3	36	Blue	RL
000-21200-48227-4	3M™ General Purpose Polyester Tape 8951 2 in x 72 yd, Bulk	8951	2 in x 72 yd, Bulk	617-3	24	Blue	RL
000-21200-45385-4	3M™ General Purpose Polyester Tape 8951 3 in x 72 yd, Bulk	8951	3 in x 72 yd, Bulk	617-3	16	Blue	RL
000-21200-45386-1	3M™ General Purpose Polyester Tape 8951 4 in x 72 yd, Bulk	8951	4 in x 72 yd, Bulk	617-3	12	Blue	RL

3M Government Markets www.3M.com/gov

Polyester Tapes, cont'd

3M™ General Purpose Polyester/Silicone Tape 8952

A high temperature lined tape with a silicone adhesive for use as a flashbreaker tape in composite bonding, as well as in composite bagging operations.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color
000-21200-48228-1	3M™ General Purpose Polyester/Silicone Tape 8952 1/2 in x 72 yd	8952	1/2 in x 72 yd	617-3	72	Blue
000-21200-48229-8	3M™ General Purpose Polyester/Silicone Tape 8952 3/4 in x 72 yd	8952	3/4 in x 72 yd	617-3	48	Blue
000-21200-48230-4	3M™ General Purpose Polyester/Silicone Tape 8952 1 in x 72 yd	8952	1 in x 72 yd	617-3	36	Blue
000-21200-48231-1	3M™ General Purpose Polyester/Silicone Tape 8952 1 1/2 in x 72 yd	8952	1 1/2 in x 72 yd	617-3	24	Blue
000-21200-45387-8	3M™ General Purpose Polyester/Silicone Tape 8952 3 in x 72 yd	8952	3 in x 72 yd	617-3	16	Blue

Damping Tapes

3M™ Damping Foil 2552

10.0 mil (0.25 mm) aluminum foil constraining layer coated with a 5.0 (0.13 mm) pressure-sensitive viscoelastic polymer on a poly-coated paper easy-release liner. Controls resonant vibrations from 32°F to 140°F (0°C to 60°C).



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-38395-3	3M™ Damping Foil 2552	2552	2 in x 36 yd	617-3	5	Silver	RL

3M™ Damping Aluminum Foam Sheets 4014

250 mil (6.35 mm) aluminum foil constraining layer with a urethane foam coated with an acrylic adhesive on a easy-release liner.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-65676-7	3M™ Damping Aluminum Foam Sheets 4014	4014	18 in x 48 in	617-3	1	Silver	CS

3M™ High Temperature Aluminum Foil Tape 433

3M™ High Temperature Aluminum Foil Tape 433 Silver, 3.6 mil (0.09mm), aluminum foil backing with pressure sensitive silicone adhesive. Used in many high temperature applications, performing up to 600°F (316°C), Good holding, splicing, patching or general protection tape on many applications involving high temperatures. Meets F.A.R. 25.853 (a).



Item Number	Description	Package Information	Size	Special Item Number	Case Qty	Color	UOM
000-21200-05674-1	3M™ High Temperature Aluminum Foil Tape 433, 1 in x 60 yd, 36 per case	36/Cs	1" x 60yds	617-3	36	Silver	RL
000-21200-04800-5	3M™ High Temperature Aluminum Foil Tape 433, 2 in x 60 yd, 24 per case	24/Cs	2" x 60yds	617-3	24	Silver	RL

3M™ High Temperature Nylon Film Tape 8555

White, 6.0 mil (0.15 mm) nylon film backing with rubber adhesive. Dimensionally stable. Holds metal strips in place during autoclave metal bonding operations. Silicone free adhesive will not inhibit subsequent bonding or painting.



Item Number	Description	Product ID	Size	Special Item Number	Case Qty	Color	UOM
000-21200-24331-8 3M Government Markets	3M™ High Temperature Nylon Film Tape 8555 1 in x 72 yd, 54	8555	1 in x 72 yd	617-3	36	White	RL
000-21200-48785-9	3M™ High Temperature Nylon Film Tape 8555 2 in x 72 yd, White	8555	2 in x 72 yd	617-3	24	White	RL

www.3M.com/gov