WHAT'S NEW IN



Hand & Arm



WorkEasy® Gloves

WorkEasy® gloves are designed to be lightweight and offer the highest level of dexterity and tactile sensitivity for the value. Coatings of Polyurethane or Nitrile are thin and lightweight but provide

added abrasion resistance and enhance grip.



The thinnest of the WorkEasy styles, WE50 is made of an 18-gauge nylon liner, and thin coat polyurethane (PU) coating. Choose the WE50 for high dexterity and tactile sensitivity applications like picking up and working with small parts, painting, finishing work, maintenance or machine operation. Available in sizes S–XL

WE220

The WE220 is an excellent work glove for those tough dirty jobs when dexterity is required. WE220 is constructed of a 13-gauge, black polyester with thin coat, black PU a great combination for applications such as light fabrication work, packaging, automotive and landscaping.

Available in sizes XS–XL



WE220





▲ WARNING! Honeywell and North equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury.

CHEMICAL RESISTANT GLOVES

Dexi-Task™ 🕖



Exam and Industrial Grade Nitrile Disposable

- Formulation provides better chemical resistance for incidental exposure and a more comfortable feel
- 100% nitrile does not contain allergy-causing proteins
- Comply with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	Description	Sizes	Grip/Cuff	Length/Gauge
LA049	Blue, lightly powdered, ambidextrous, exam grade	S, M, L, XL	Smooth/rolled	9"/5 mil
LA049PF	Blue, powder-free, ambidextrous, exam grade	S, M, L, XL	Smooth/rolled	9"/5 mil
LA049IND	Blue, lightly powdered, ambidextrous, industrial grade	S, M, L, XL	Smooth/rolled	9"/5 mil
LA049PFIND	Blue, powder-free, ambidextrous, industrial grade	S, M, L, XL	Smooth/rolled	9"/5 mil



LA049



Unsupported Nitrile Gloves

- 100% nitrile content offers superior resistance to cuts, snags, abrasions, and punctures
- Gloves are free of latex proteins which can cause allergic reactions
- Comply with USDA and FDA regulations, 21 CFR, for use in food processing
- Curved shaped hand provides a natural fit

SKU	Description	Whole Sizes	Grip/Cuff	Length/Gauge
LA102G	Green, sanitized interior	7–11	Sandpatch/straight	13"/11 mil
LA142G	Green, sanitized interior	7–11	Sandpatch/straight	13"/15 mil
LA111EB	Blue, sanitized interior	7–11	Sandpatch/straight	13"/11 mil
LA132G	Green, flock interior	7–11	Sandpatch/straight	13"/15 mil
LA172G	Green, flock interior	7–11	Sandpatch/straight	13"/17 mil
LA111EBFL	Blue, flock interior	7–11	Sandpatch/straight	13"/15 mil



LA102G

Nitri-Knit™



- Comply with USDA and FDA regulations, 21 CFR, for use in food processing. Gloves will not swell, sag or weaken from fat absorption
- Nitrile offers superior mechanical strength and outperforms supported natural rubber, neoprene and vinyl gloves when exposed to solvent, caustics and animal fats
- Hand portion is treated with a permanent anti-bacterial and anti-mildew agent
- Insulated versions recommended for temperatures from -10°F to 300°F (-23°C to 149°C)

SKU	Description	Whole Sizes	Grip/Cuff	Length	Inner Pack	Case Pack
NK803	Blue, interlock liner	7–11	Rough/pinked	12"	12 pair	144 pair
NK803ES	Blue, interlock liner	7–11	Rough/elastic	26"	6 pair	72 pair
NK803IN	Blue, insulated liner	7–11	Rough/trimmed	12"	6 pair	72 pair
NK803ESIN	Blue, insulated liner	7–11	Rough/elastic	26"	6 pair	72 pair



NK803





CHEMICAL RESISTANT GLOVES



B131



SSG


North Butyl[™]

Unsupported Butyl Gloves

- Highest permeation resistance to gas and water vapor for greater worker protection, especially when handling toxic substances
- Highly resistant to ketones (MEK, MIBK, acetone) and esters (tricresyl phosphate, amyl acetate, ethyl acetate)
- Flexible and sensitive, even at lower temperatures

SKU	Description	Whole Sizes	Grip/Cuff	Length
B131	Black, sanitized interior inner pack 24 pair / cas		Smooth/rolled bead	11"/13 mil
B131R	Black, sanitized interior inner pack 24 pair / cas		Rough Grip-Saf/rolled bead	11"/13 mil
B174	Black, sanitized interior inner pack 24 pair / cas		Smooth/rolled bead	14"/17 mil

Silver Shield®



- Does not contain latex or chemical accelerators little chance of allergic reactions
- Can be used as a secondary inner glove allows worker maximum protection in heavy duty jobs where the dangers of mechanical damage to gloves are high

SKU	Description	Whole Sizes	Grip/Cuff	Length	Inner Pack	Case Pack
SSG	Silver, unlined	6–8	Smooth/straight	14.5"/2.7 mil	10 pair	50 pair
		9–11	Smooth/straight	16"/2.7 mil	10 pair	50 pair

CONTROLLED ENVIRONMENT GLOVES



AK1815/0

Cleanroom Gloves

- 100% natural rubber latex has excellent dexterity and elasticity
- Powder-free manufacturing process reduces particulate and extractable contamination
- Cleanroom packaged and double bagged with cleanroom compatible packaging and labeling materials
- Testing: IEST-RP-CC005.3 (modified) particulate and extractables;
 ASTM 739 permeation and are suitable for up to class 100 cleanroom

▲ WARNING! This product contains natural rubber latex proteins which may cause allergic reactions in some individuals. These allergies can lead to serious illness or death. If an allergic reaction occurs, stop using this product immediately and consult a medical provider.

SKU	Description	Whole Sizes	Grip/Cuff	Length
AK1815/	O Orange, powder-free	7–11	Diamond/beaded	15"/20 mil
	1 pair per inner bag /	10 outer bags / 10 p	pairs per outer bag (100 pai	rs)





Call Customer Care at 800 430-4110.

GLOVEBOX GLOVES

Butyl Glovebox Gloves


- Butyl provides the highest permeation resistance to vapors and gases, as well as exceptional resistance to a broad range of toxic chemicals
- Highly resistant to ketones (MEK, MIBK, acetone) and esters (tricresyl phosphate, amyl acetate, ethyl acetate)
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	Description	Sizes (Cuff/Port Dia.	Length/Gauge
8B1532A	Butyl, ambidextrous inner pack 1 pair / case	9Q (9¾), 10H (10½) pack 32 pair	8"	32"/15 mil
8B1532	Butyl, hand specific inner pack 1 pair / case	8H (8½), 9Q (9¾), 10H (10 pack 32 pair)½) 8"	32"/15 mil



8B1532A

Neoprene Glovebox Gloves 🕖



- Resistant to a broad range of chemicals, including oils, greases, fuels and acetone
- High tensile strength provides resistance to accidental tears
- Good elongation provides flexibility; ideal for work requiring dexterity and sensitivity

SKU	Description	Sizes	Cuff/Port Dia.	Length/Gauge
8N1532	Neoprene, hand specific inner pack 1 pair / case pack	8H (8½), 9Q (9¾), 10H 16 pair	(10½) 8"	32"/15 mil
8N1532A	Neoprene, ambidextrous inner pack 1 pair / case pack	9Q (9¾), 10H (10½) 16 pair	8"	32"/15 mil



8N1532

CSM Glovebox Gloves

- CSM provides superior resistance to ozone and oxidizing chemicals such as alcohols, alkalis and acids
- Highly resistant to the effects of UV radiation in both artificial light and sunlight
- Very high abrasion resistance provides long glove service life
- White CSM surface will not hide contamination and is easily cleaned (important for "clean" applications, such as in the pharmaceutical industry)

SKU	Description	Sizes	Cuff/Port Dia.	Length/Gauge
8Y1532	CSM hand specific inner pack 1 pair / cas	8H (8½), 9Q (9¾), 10H (10½) se pack 16 pair	8"	32"/15 mil
8Y1532A	CSM ambidextrous inner pack 1 pair / cas	9Q (9¾), 10H (10½) se pack 16 pair	8"	32"/15 mil







CUT-RESISTANT GLOVES



52/6647



52/7457



NFD15







Call Customer Care at 800 430-4110.

Grip N[®] Kevlar[®]

Nitrile Coated Kevlar® Gloves

- Nitrile "N" coating improves grip and extends life due to better abrasion resistance
- Blended design offers economical alternative. Puts Kevlar® on outside for cut/slash protection and cotton/polyester on inside for worker comfort
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	ANSI / EN388 Cut Level	Description	Sizes
52/6647	2/3	Medium-weight, blended Kevlar®, nitrile "N" coated	Men's (M)
		inner pack 12 pair / case pack 144 pair	Women's (S)

Grip N[®] Kevlar[®] Hot Mill

- Provides protection against intermittent heat up to 400° F
- Nitrile palm coating provides excellent grip and longer life
- Outer glove is Kevlar® fiber, inner glove is cotton/poly
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU ANSI	/ EN388 Cut Level	Description	Sizes
52/7457	3/5	Glove in a glove design, Kevlar® and cotton/poly	Men's (M)
		inner pack 12 pair / case pack 72 pair	

NORTHFLEX™ Light Task Plus™ 🕖



- Dyneema® seamless, cut-resistant liner
- Bi-polymer coating is blended to combine the best properties of nitrile and PU (polyurethane) to provide a surface that is mechanically tough, grippy and flexible
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	ANSI / EN388 Cut Level	Description	Sizes
NFD15B	2/3	Gray Dyneema® liner, coated with black bi-polymer coating	6XS-11XXL
NFD15	1/2	White Dyneema® liner, coated with white PU	6XS-11XXL
NFD16G	1/3	Gray Dyneema® shell, coated with gray PU	7S-11XXL
NFD20B	3/5	Dark Blue Dyneema® liner with black bi-polymer coating	7S-11XXL

NorthFlex Nitri Task KL™

Nitrile Coated, Kevlar® and Spandex

- Kevlar® and Lycra® blended seamless knit liner is cut-resistant and form fitting
- Nitrile coating offers good abrasion, tear and heat performance
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	ANSI / EN388 Cut Level	Description	Sizes
NFKL13	1/2	Yellow Kevlar®/Lycra® shell, coated with black textured nitrile inner pack 1 pair / case pack 32 pair	6XS-11XXL

CUT-RESISTANT GLOVES

Pure Fit[™] 🕖



Lightweight Cut Protection

- HPPE fiber, cut-resistant, light weight liners
- PF570 is blended with Stainless Steel for more cut protection
- Full palm and fingertip coatings
- Formed finger design for worker comfort

SKU	ANSI Cut Level	Description	Sizes
PF541	2	Gray HPPE fiber liner with gray PU coating	7S-10XL
PF545	2	Gray HPPE fiber liner with blue nitrile coating	7S-10XL
PF570	4	Gray HPPE fiber/stainless steel liner with HPPE/Spandex plating, gray nitrile coating	7S-11XXL

Workeasy® 🕖



Value, Lightweight Cut Protection

- 13 gauge, lightweight, seamless knit liners
- Soft, thin and flexible Polyurethane coating
- · Economical without sacrificing quality

SKU	ANSI Cut Level	Description	Sizes
WE300	1	Light Gray, HPPE fiber liner, with gray PU coating	7S-11XXL



HPPE Seamless Knit

- HPPE is lightweight, low-linting, and does not easily absorb liquids
- Steel strand adds excellent cut protection
- Color coded sizing on cuffs for easy sizing after laundering

SKU	ANS	Cut level	Description	Sizes
PF13-GY-	·SS	4	13 Gauge HPPE fiber and stainless steel, gray	7S-10XL

Perfect Fit[™] – CRT 🕗



Cut-Resistant Technology

- Proprietary blend of cut resistant fibers
- ANSI Level 4 cut protection, light weight comfort without sacrificing protection
- Seamless knit construction, eliminates irritation caused from seams which can chafe
- High abrasion level allows gloves to wear longer

SKU	ANSI Cut level	Description	Sizes
CRT13	4	13 Gauge seamless knit	Men's (M), Ladies' (L) Jumbo (J), XJumbo (XJ)
CRTD17F	R 4	7 Gauge, standard weight seamless Knit	Men's (M), Ladies' (L) Jumbo (J), XJumbo (XJ)





WE300



PF13-GY-SS



CRT13

Sperian is now Honeywell

Honeywell



CUT-RESISTANT GLOVES



KVD18AR-100



Aramid, Coated and Uncoated Seamless Knits

- Seamless knit construction eliminates uncomfortable seams that can rub or chafe
- Gloves are easily laundered with minimized shrinkage
- Unique coating process is durable, flexible and long lasting

SKU	ANSI Cut Level	Description	Sizes
KVD18AR-10	00 3	7 gauge, double side PVC dot	Men's (M), Ladies' (L) Jumbo (J)
KV13A	2	13 gauge, Kevlar,® yellow	Men's (M), Ladies' (L) Jumbo (J)



KV18A-100-50



KV18-45



Junk Yard Dog[®] Series
100% Kevlar[®] Gloves with Leather Reinforcements

- 100% DuPont Kevlar® seamless knit Liner
- Leather palm is great for grip of oily objects
- Leather reinforced thumb crotch
- Bull Dog (KV18-45) has leather reinforcements between fingers
- GuardDog (KV224D) has durable leather and canvas shell with Kevlar® liner and reinforced Kevlar® stitching

SKU	ANSI Cut Level	Description	Sizes
KV18A-100-50	3	7 gauge, 100% Kevlar® with full premium leather palm	Men's (M), Ladies' (L) Jumbo (J)
KV18-45	4	7 gauge, 100% Kevlar® with split leather palm	Men's (M), Ladies' (L) Jumbo (J)
KV224D	3	Premium, heavy duty work glove with 100% Kevlar® seamless liner	Men's (M), Ladies' (L) Jumbo (J)

Sperian is now Honeywell

KV224D

Honeywell



Call Customer Care at 800 430-5490.

GENERAL PURPOSE GLOVES

Worknit®

Cut and Sewn, Mechanic Style Gloves

- Heavy-weight cotton lining gives workers superior cushioning for tough jobs.
 Absorbs perspiration for greater comfort
- Gunn cut, wing thumb style lasts longer by keeping the seams out of wearer area.
 Offers the wearer greater comfort than other styles
- Excellent dry grip provides excellent non-slip grip for safer handling

SKU	Description	Sizes	Inner Pack	Case Pack
85/3729	Slip on with black stripe back	8M-10XL	12 pairs	72 pairs

Grip N[®] Hot Mill

- Provides protection against intermittent heat up to 400° F
- Nitrile palm coating provides excellent grip and longer life

SKU	Description	Sizes	Inner Pack	Case Pack
51/7147	Natural, nitrile "N" both sides, knitwrist	Men's (M)	12 pair	72 pair

Northflex®

Foam PVC Coated Gloves

- Advanced 15 gauge seamless nylon liners are stretchy and form fitting
- Foamed PVC coatings are flexible and provide tough abrasion resistance
- NF11HD features brushed synthetic liner for insulation from the cold (-15° F (-26°C)), as well as extended coating over the knuckles to provide greater liquid protection

SKU	Description	Sizes	
NF11 Red nylon liner, palm coated with black foamed PVC inner pack 12 pair / case pack 144 pair		6XS-11XXL	
NF11HD	Blue nylon outer liner with black insulated inner and black foamed PVC knuckle coating inner pack 12 pair / case pack 72 pair	8M-11XXL	

Northflex®

Oil Grip Gloves

- Light nitrile coating with advanced MicroFinish® provides abrasion resistance and exceptional oil grip
- The MicroFinish® surface is textured with thousands of microscopic pockets that disperse fluids and allow a high level of surface contact between glove and object
- Two stage coating is impermeable to liquids, so that hands remain dry

SKU	Description	Sizes
NF35	Dark green nylon liner and black nitrile	7S-11XXL
	palm coating with MicroFinish®	
	inner pack 12 pair / case pack 144 pair	



85/3729



51/7147



VF11



NORTH
by Honeywell



GENERAL PURPOSE GLOVES





WE50



395HVZ

Pure Fit[™] **②**



Lightweight Dipped Gloves

- Lightweight nylon is synthetic and low-linting
- Synthetic coatings resist nicks, cuts and abrasions
- Palm dipped design helps reduce hand fatigue and offers extreme dexterity
- Great dexterity and tactile sensitivity

SKU	Description	Sizes
390	White liner with gray foamed nitrile palm coating	7S-10XL
393	Black liner with black breathable foam nitrile palm coating	6XS-11XXL (NEW!)
395	Black liner with gray foamed nitrile palm coating	7S-10XL

Workeasy® 🕖



Value, Lightweight Dipped Gloves

- New WE50 is 18 gauge, ultimate light weight glove
- Other styles are 13 gauge, light weight, seamless knit liners
- Soft, thin and flexible Polyurethane or Nitrile coatings
- Economical without sacrificing quality

SKU	Description	Sizes
WE50	Blue nylon liner, with gray thin-coat polyurethane	7S-10XL (NEW!!)
WE100	White polyester liner, with gray nitrile coating	7S-11XXL
WE110	Black polyester liner, with black nitrile coating	7S-11XXL
WE210	Black polyester liner, with gray polyurethane coating	7S-11XXL
WE220	Black polyester liner, with black polyurethane coating	7S-10XL (NEW!)

Tuff-Glo™



High-Visibility Dipped Gloves

- High-visibility orange helps to keep workers in view
- Durable and highly abrasion resistant nylon liners provide excellent protection in light to mid-duty jobs
- Foam nitrile coating has excellent grip in wet or dry applications; preventing hands from sliding over sharp edges
- Gloves are soft and lightweight to prevent worker hand fatigue

SKU	Description	Sizes
395HVZ	Orange nylon liner, with orange foam nitrile coating	7S-10XL (NEW!)

Sperian is now Honeywell

Honeywell



Call Customer Care at 800 430-5490.

METAL MESH GLOVES AND GARMENTS

Whiting + Davis™ Metal Mesh Gloves 🕖

- Gloves have a 3-step reversible design; can be turned inside out for opposite hand
- Mesh is extremely flexible to allow a full range of mobility
- Stainless steel is bacteria resistant and easy to clean
- · Straps are color coded by size for ease in sorting
- Stainless steel apron provides upper and middle torso and upper thigh protection

SKU	Description	Sizes
A515 D	Full Hand Glove with dome fastener and side slit	S-XXXL
5902MS	Fully Enclosed Glove with stainless steel spring cuff	S–XXL

Whiting + Davis™ Metal Mesh Aprons and Sleeves **②**



SKU	Description	Sizes
A2634	Apron, adjustable shoulder and back straps	26" x 34"
A588 E	Sleeve, full length, adjustable shoulder straps	XS-XXL





A588 E

CUT-RESISTANT SLEEVES

Perfect Fit™ Kevlar® Sleeves 🕖



- 100% DuPont™ Kevlar® brand fiber provides excellent protection from cut, slash and abrasion hazards
- Kevlar sleeves available in several configurations: thumbhole, leather patch and No-Slip

SKU	Description	Sizes (In.)
KVS-2-(length)	Standard Weight, 100% Kevlar, Yellow	14, 18
KVS-2-(length)TH	Standard Weight, 100% Kevlar with Thumb Hole, Yellow	14, 18
KVS-2-(length)TH-90	Standard Weight, 100% Kevlar with Thumb Hole and Leather Reinforcement, Yellow	14, 18
KVS-2-(length)NS	Standard Weight, 100% Kevlar with Thumb Hole and No-Slip Top, Yellow	14,18



Perfect Fit[™] 4x4



- Economical, Kevlar® and cotton blended sleeves provide good cut protection
- ANSI Cut level 2

Item #	Description	Sizes (In.)
KVS44-2-(Length)	Std. weight, 2-ply Kevlar/Cotton blend	14,18
KVS44-2-(Length)TH	Std. weight, 2-ply Kevlar/Cotton blend, with thumbhole	14,18

CTSS-2-14TH

Comfortrel[™]



- · Economical blend of HPPE and stainless steel
- ANSI Cut level 4, 2-ply cut resistant sleeve

SKU	Description	Sizes (In.)
CTSS-2-(length)	Standard Weight, 2-ply Comfortrel Fiber	14, 18
CTSS-2-(length)TH	Standard Weight, 2-ply Comfortrel Fiber with Thumb Hole	14, 18

Sperian is now Honeywell

Honeywell



Call Customer Care at 800 430-5490.