WHAT'S NEW IN

Respiratory

Compact Air 200 Series PAPR

No Worry, No Guess Work

The North Compact Air 200 Series Powered Air Purifying Respirator (PAPR) lets you know when the battery is low or your filters are clogged.

Now you can continue working as long as possible without trying to guess when the battery will need recharging or your filters need to be changed. The North Compact Air 200 Series PAPR includes multiple alarms, giving you the heads up you need to work as long as possible without fear of losing power.

Honeywell






Hear It, See It, Feel It: Triple Alarm System

A system of three different alarms (audible, visual and vibration) will alert the user at 10% remaining battery life, increase to a continuous audible alarm at 5% of remaining battery life, plus alarm when filters are blocked or clogged. The audible alarm is located near the breathing tube so sound will travel to the workers' zone of hearing.

An additional vibratory alarm also goes off, assuring that even those workers who are hearing impaired or are in extremely noisy environments will be alerted to the low battery or clogged filter. The third alarm is a LED light that will let the worker know if the battery is low or if the filter needs changing.

- Triple alarm system creates an audible, vibratory and visual alarm to warn workers of battery life and/or filter clog
- Vibratory alarm that can be felt even through welding jackets; warns workers who are hearing impaired or in high noise environments
- Two visual alarms: one for low battery and a separate one for a clogged filter; workers will know the alarm reason and maintain the PAPR accordingly
- · Lightweight for improved comfort and longer wear
- The same unit can be used for either tight facepieces or loose fitting hoods to accommodate different needs and preferences
- Airflow is automatically adjusted to meet OSHA and CSA CFM requirements

A WARNING! North and Honeywell Respiratory equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury, illness or fatality.



REUSABLE AIR PURIFYING RESPIRATORS



5583P100



770030



BP1002 Shown here with 7700, mask not included







54001

North 5500 and 5500 Convenience Packs

- 5500 Half mask is elastomeric and silicone blend for a soft comfortable fit
- Convenience packs include 5500 Half mask, cartridges and/or filters for convenience
- · Cartridges and filters are replaceable so facepiece can be re-used
- Ideal as an economical respirator for sub-contractors, plant guests and occasional users
- Elastomeric with a silicone blend is economical and softer than other elastomeric masks
- · Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

SKU	Size	Description
5580	Sm/Med/Lrg	5500 w/7580P100 for particulates
5501N95	Sm/Med/Lrg	5500 w/N75001 OV and N7506N95 prefilter for painting and pesticide applications
5583P100	Sm/Med/Lrg	5500 w/7583P100 OV AG for heavy spray applications and industrial use
550030	Sm/Med/Lrg	Economical half mask

North Premium Silicone Half Mask

- 100% Silicone facepiece is flexible, to provide a soft, secure and comfortable fit
- · Dual elasticity headstraps provide a secure and flexible fit
- · Wide contoured sealing area fits a greater variety of facial types
- · Variable thickness in sealing area provides the optimal amount of seal on each area of the face for superior comfort without sacrificing fit
- · Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

SKU	Size	Description
770030S	Small	Premium Silicone Half Mask
770030M	Medium	Premium Silicone Half Mask
770030L	Large	Premium Silicone Half Mask

SKU	Description
Accessory	
BP1002	Backpack for use with North 5500 and 7700 series; cartridges moved to the back for a lower profile to fit under welding helmets and face shields

North 5400 Series Full Facepiece

- Wide sealing area for improved fit and ability to fit more facial types
- Nose cup provides less dead air space and channels exhaled breath
- Latex free, with no natural rubber proteins which may cause an allergic reaction
- Lens offers 200° field of vision and downward view for optimal viewing area in all directions
- · Polycarbonate lens meets ANSI requirements for high impact
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

SKU	Size	Description
54001S	Small	Economy Elastomeric Full Facepiece w/4 Point Headstrap
54001	Medium/Large	Economy Elastomeric Full Facepiece w/4 Point Headstrap

REUSABLE AIR PURIFYING RESPIRATORS

North 7600 Series Full Facepiece

- 100% Sillicone facepiece is flexible, to provide a soft, secure and comfortable fit
- Wide sealing area for improved fit and ability to fit more facial types
- Nose cup provides less dead air space and channels exhaled breath
- Speech diaphragm is standard to amplify workers' conversations
- Lens offers 200° field of vision and downward view for optimal viewing area in all directions
- Polycarbonate lens meets ANSI requirements for high impact
- · Also available with welding adaptor
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

SKU	Size	Description
760008AS	Small	Premium Elastomeric Full Facepiece w/5 Point Headstrap
760008A	Medium/Large	Premium Elastomeric Full Facepiece w/5 Point Headstrap
760008ASW	Small	Premium Elastomeric Full Facepiece w/5 Point Headstrap and welding attachment
760008AW	Medium/Large	Premium Elastomeric Full Facepiece w/5 Point Headstrap and welding attachment

North Airline Breathing Tube

- Breathing tubes thread into North cartridge connectors for flexibility of use, fitting North's popular Full and Half face masks
- Unique Y breathing tube has a 360° swivel connection to allow full movement
- Breathing tube is in the back as to not interfere with the task at hand
- Low profile connectors for wear under welding helmet or faceshields

SKU	Description	Packaging
Breathing	Tube For Tight Fitting Facepieces	
CF2007	Airline breathing tube and belt assembly for use with North tight fitting facepieces	Each



760008A



CF2007

Breathing tube shown on 7600 face mask, face mask not included



N-SERIES CARTRIDGES AND FILTERS

NORTH	and the second se	SKU	Description	Packaging
loneywell	E	75SC	Defender [™] Multi-Purpose	Pair
	75SC		Approved for use against Organic Vapors, a Formaldehyde and Acid Gases (Chlorine, H Sulfur Dioxide, Hydrogen Sulfide (escape), Hydrogen Fluoride)	Hydrogen Chloride,
		N75001	Organic Vapor	Pair
001			Approved for use against Organic Vapors	
		N75002	Acid Gas Cartridge	Pair
	N75002		Approved for use against Acid Gases (Chlo Chloride, Sulfur Dioxide, Hydrogen Fluoride and Formaldehyde	
Const della	1175002	N75003	Organic Vapor and Acid Gases	Pair
٦.			Approved for use against Organic Vapors a (Chlorine, Hydrogen Chloride, Sulfur Dioxid Fluoride and Chloride Dioxide)	
1	ter anti- atta essentit	N75004	Ammonia and Methylamine	Pair
0	and the second s		Approved for use against Ammonia and Me	ethylamine
	N75004	with P10 	Description Defender [™] Multi-Purpose	Packaging
ł		with P10	0 Particulate Filters	Packaging Pair
		with P10 	O Particulate Filters Description Defender [™] Multi-Purpose Approved for use against Organic Vapors, A Formaldehyde and Acid Gases (Chlorine, H Dioxide, Hydrogen Sulfide (escape), Chlorid	Packaging Pair Ammonia, Methylamine, Hydrogen Chloride, Sulfur de Dioxide, Hydrogen
	Reality	with P10 	O Particulate Filters Description Defender [™] Multi-Purpose Approved for use against Organic Vapors, A Formaldehyde and Acid Gases (Chlorine, H	Packaging Pair Ammonia, Methylamine, Hydrogen Chloride, Sulfur de Dioxide, Hydrogen
	75SCP100	with P10 <u></u> sкu 75SCP100	O Particulate Filters Description Defender [™] Multi-Purpose Approved for use against Organic Vapors, A Formaldehyde and Acid Gases (Chlorine, H Dioxide, Hydrogen Sulfide (escape), Chloride Fluoride); and 99.97% filter efficiency for all	Packaging Pair Ammonia, Methylamine, Hydrogen Chloride, Sulfur de Dioxide, Hydrogen I particulates Pair
	Reality	with P10 <u></u> sкu 75SCP100	O Particulate Filters Description Defender [™] Multi-Purpose Approved for use against Organic Vapors, A Formaldehyde and Acid Gases (Chlorine, H Dioxide, Hydrogen Sulfide (escape), Chlorid Fluoride); and 99.97% filter efficiency for all Organic Vapor with P100 Approved for use against Organic Vapors a	Packaging Pair Ammonia, Methylamine, Hydrogen Chloride, Sulfur de Dioxide, Hydrogen I particulates Pair
	Reality	with P10 <u>sku</u> 75SCP100 7581P100	O Particulate Filters Description Defender [™] Multi-Purpose Approved for use against Organic Vapors, A Formaldehyde and Acid Gases (Chlorine, H Dioxide, Hydrogen Sulfide (escape), Chlorid Fluoride); and 99.97% filter efficiency for all Organic Vapor with P100 Approved for use against Organic Vapors a for all particulates	Packaging Pair Ammonia, Methylamine, Hydrogen Chloride, Sulfur de Dioxide, Hydrogen I particulates Pair and 99.97% filter efficiency Pair orine, Hydrogen Chloride, Chloride Dioxide, Hydrogen
a second	Reality	with P10 <u>sku</u> 75SCP100 7581P100	O Particulate Filters Description Defender [™] Multi-Purpose Approved for use against Organic Vapors, A Formaldehyde and Acid Gases (Chlorine, H Dioxide, Hydrogen Sulfide (escape), Chlorid Fluoride); and 99.97% filter efficiency for all Organic Vapor with P100 Approved for use against Organic Vapors a for all particulates Acid Gas with P100 Approved for use against Acid Gases (Chlo Sulfur Dioxide, Hydrogen Sulfide (escape),	Packaging Pair Ammonia, Methylamine, Hydrogen Chloride, Sulfur de Dioxide, Hydrogen I particulates Pair and 99.97% filter efficiency Pair orine, Hydrogen Chloride, Chloride Dioxide, Hydrogen
el	Reality	with P10 sku 75SCP100 7581P100 7582P100 7583P100	O Particulate Filters Description Defender [™] Multi-Purpose Approved for use against Organic Vapors, A Formaldehyde and Acid Gases (Chlorine, H Dioxide, Hydrogen Sulfide (escape), Chlorid Fluoride); and 99.97% filter efficiency for all Organic Vapor with P100 Approved for use against Organic Vapors a for all particulates Acid Gas with P100 Approved for use against Acid Gases (Chlor Sulfur Dioxide, Hydrogen Sulfide (escape), Fluoride); and 99.97% filter efficiency for all	Packaging Pair Ammonia, Methylamine, Hydrogen Chloride, Sulfur de Dioxide, Hydrogen I particulates Pair and 99.97% filter efficiency Pair orine, Hydrogen Chloride, Chloride Dioxide, Hydrogen I particulates Pair and Acid Gases (Chlorine, en Sulfide (escape),
0	TSSCP100	with P10 sĸu 75SCP100 7581P100 7582P100	Description Defender [™] Multi-Purpose Approved for use against Organic Vapors, A Formaldehyde and Acid Gases (Chlorine, H Dioxide, Hydrogen Sulfide (escape), Chloride Fluoride); and 99.97% filter efficiency for all Organic Vapor with P100 Approved for use against Organic Vapors a for all particulates Acid Gas with P100 Approved for use against Acid Gases (Chlo Sulfur Dioxide, Hydrogen Sulfide (escape), Fluoride); and 99.97% filter efficiency for all Organic Vapor and Acid Gas with P100 Approved for use against Acid Gases (Chlo Sulfur Dioxide, Hydrogen Sulfide (escape), Fluoride); and 99.97% filter efficiency for all Organic Vapor and Acid Gas with P100 Approved for use against Organic Vapors a Hydrogen Chloride, Sulfur Dioxide, Hydroger Chloride Dioxide, Hydrogen Fluoride); and 9 for all particulates Ammonia and Methylamine	Packaging Pair Ammonia, Methylamine, Hydrogen Chloride, Sulfur de Dioxide, Hydrogen I particulates Pair and 99.97% filter efficiency Pair orine, Hydrogen Chloride, Chloride Dioxide, Hydrogen I particulates Pair and Acid Gases (Chlorine, en Sulfide (escape), 99.97% filter efficiency
P100	TSSCP100	with P10 sku 75SCP100 7581P100 7582P100 7583P100	Description Defender [™] Multi-Purpose Approved for use against Organic Vapors, A Formaldehyde and Acid Gases (Chlorine, H Dioxide, Hydrogen Sulfide (escape), Chlorid Fluoride); and 99.97% filter efficiency for all Organic Vapor with P100 Approved for use against Organic Vapors a for all particulates Acid Gas with P100 Approved for use against Acid Gases (Chlo Sulfur Dioxide, Hydrogen Sulfide (escape), Fluoride); and 99.97% filter efficiency for all Organic Vapor and Acid Gas with P100 Approved for use against Acid Gases (Chlo Sulfur Dioxide, Hydrogen Sulfide (escape), Fluoride); and 99.97% filter efficiency for all Organic Vapor and Acid Gas with P100 Approved for use against Organic Vapors a Hydrogen Chloride, Sulfur Dioxide, Hydroger Chloride Dioxide, Hydrogen Fluoride); and 9 for all particulates	Packaging Pair Ammonia, Methylamine, Hydrogen Chloride, Sulfur de Dioxide, Hydrogen I particulates Pair and 99.97% filter efficiency Pair orine, Hydrogen Chloride, Chloride Dioxide, Hydrogen I particulates Pair and Acid Gases (Chlorine, en Sulfide (escape), 99.97% filter efficiency

N-SERIES CARTRIDGES AND FILTERS

Particulate Filters

SKU	Description	Packaging
7580P100	P100	Pair
	99.97% efficiency for all particulates	
75FFP100	Pancake, Low Profile P100 Filter	Pair
	For use under welding helmets; 99.97% efficiency for	all particulates
75FFP100NL	Pancake with Odor Relief Low Profile P100 Filter	Pair
	For use under welding helmets; 99.97% efficiency for plus relief from odors caused by nuisance levels of or gases and ozone	
7506N95	N95 Prefilter	Pair
	95% filter efficiency for non-oil based aerosol particula	ates

Accessories

SKU	Description	Packaging
N750027	Seal Check / Filter Cover	Each
	Snaps on top of prefilters to hold them in place on Nort N750015 filter holder	h cartridges or on
N750029	Shower Cap	Each
	For use with 7580P100 – deflects moisture during "Dee sparks and slag during welding and grinding	con" shower, and



75FFP100NL



N750029

7506N95

NORTH

REUSABLE AIR PURIFYING RESPIRATORS

Sperian Survivair Blue 1[™]

- Dual flange silicone provides a more comfortable and secure fit
- Features a speaking diaphragm for improved communication
- Compatible with S-Series filters and cartridges
- · Packaged in a resealable bag to protect the respirator from contamination when not in use

SKU	Size	Description
B210010	Small	S-Series, Silicone Half Mask
B220010	Medium	S-Series, Silicone Half Mask
B230010	Large	S-Series, Silicone Half Mask

Sperian Survivair 2000[™]

- Head harness designed to reduce facepiece slippage
- Silicone facepiece construction is lightweight and durable
- Rear split strap for easy donning and better support
- Easily converts to belt-mounted PAPR or SAR-CF
- Compatible with S-Series filters and cartridges

SKU	Size	Description
B250000	Small	S-Series, Basic Silicone Half Mask
B260000	Medium	S-Series, Basic Silicone Half Mask
B270000	Large	S-Series, Basic Silicone Half Mask





REUSABLE AIR PURIFYING RESPIRATORS

Sperian is now Honeywell

Sperian is now Honeywell



322500

Sperian Survivair PREMIER® Plus

- Triple flange design provides added sealing security
- Silicone facepiece construction is lightweight and durable
- Wide, wraparound, pleated silicone facepiece fits a large variety of facial types
- Strategic lateral placement of inhalation valves and cartridge ports enhances field of vision
- Yoke strap is contoured to match the skirt shape for even pressure point placement
- Cradle and straps are wider to assist in weight distribution for enhanced comfort
- Rear split strap for better support with retainer clips to hold excess straps in place
- Compatible with S-Series filters and cartridges

SKU	Size	Description
321500	Small	Silicone Facepiece, Fits Petite Face Profiles
322500	Medium/Large	Basic Silicone Facepiece, Fits Wider Face Profiles

Sperian Survivair Opti-Fit[™] APR

- · Choose from a 5-point strap or industrial mesh headnet to fit your comfort and needs
- Silicone skirt offers exceptional durability and comfort
- All straps are attached to the rim of the facepiece, rather than the silicone skirt, to reduce pressure points and distortion of the sealing surface when tightened
- Replaceable, high impact resistant polycarbonate lens treated with anti-scratch coating
- Mask designed with a wide viewing area offering distortion free visibility and optical clarity
- Molded-in speaking diaphragm provides improved audio transmission for communication
- Compatible with S-Series filters and cartridges
- Available in 3 sizes for wide range of fit

SKU	Size	Description
Compatible with S-Series filters and cartridges		
752000	Small	S-Series, 5-Strap Suspension
762000	Medium	S-Series, 5-Strap Suspension
772000	Large	S-Series, 5-Strap Suspension

Sperian Survivair Opti-Fit Convertible Mask Mounted PAPR

SKU	Size	Description
520500	Small	Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR
520600	Medium	Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR
520700	Large	Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR
Accessori	es	
108000 PAPR Filter, High Efficiency (HE) (Box of 4		PAPR Filter, High Efficiency (HE) (Box of 4 filters)



520500

S-SERIES CARTRIDGES AND FILTERS

Sperian Gas and Vapor Cartridges

SKU	Description	Packaging	
B100100	Organic Vapors	6 per box	
	Approved for use against Organic Vapors		
B100200	Acid Gases	6 per box	B1001
	Approved for use against Chlorine, Hydrogen Ch and Formaldehydes	loride, Sulfur Dioxide	
B100300	Organic Vapors / Acid Gases	6 per box	
	Approved for use against Organic Vapors, Chlori Sulfur Dioxide, Formaldehyde and Hydrogen Sul		
100800	Multi-Contaminant	Pair	
	Approved for use against Organic Vapors, Ammo Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chl Hydrogen Fluoride, Formaldehyde and Hydroger and Nitrogen Dioxide	orine Dioxide,	B1003
	N95 Filter		
	95% efficient against particulate aerosols free of	oil	
B140074	Filter Base	2/Pkg	
106010	Filter	24/Box	
140170	Retainer	2/Pkg	\square
105005	P100 Filters	10/box	
	99.97% efficient against particulate aerosols free	of oil	
105110	OV/P100 Filter Cartridge	4/Box	B1400
105210	AG/P100 Filter Cartridge	4/Box	
105310	OV/AG/P100 Filter Cartridge	4/Box	
105410	AM/MA/P100 Filter Cartridge	4/Box	
105810	MA/P100 Filter Cartridge	4/Box	



Sperian is now Honeywell

B100200
















ESCAPE MOUTHPIECE RESPIRATOR



POWERED AIR-PURIFYING SYSTEMS (PAPR)



CA201



4001

North Compact Air Series 200 PAPR

- Triple alarm system creates an audible, vibratory and visual alarm to warn workers of battery life and/or filter clog
- Vibratory alarm that can be felt even through welding jackets; warns workers who are hearing impaired or in high noise environments
- Two visual alarms: one for low battery and a separate one for a clogged filter; workers will know the alarm reason and maintain the PAPR accordingly
- · Lightweight for improved comfort and longer wear
- The same unit can be used for either tight facepieces or loose fitting hoods to accommodate different needs and preferences
- Airflow is automatically adjusted to meet OSHA and CSA CFM requirements

SKU	Description	Packaging			
Select your	Select your 200 Series Blower and Battery				
CA201	Compact Air 200 PAPR blower and battery assembly with backpad and nylon belt	Each			
CA201D	Compact Air 200 PAPR blower and battery assembly with decon and PVC belt	Each			
Select your	Breathing Tube				
CA127	34" (86.4 cm) straight tube for use with Primair Ser	ies loose fitting headcovers			
CA127L	40" (101.6 cm) straight tube for use with Primair Series loose fitting headcovers				
CA229	34" (86.4 cm) "Y" breathing tube, for use with North tight fitting facepieces				
Select your	Cartridge Filter				
SKU	Environment	Cartridge and HEPA Filter			
4001	Organic Vapor	4001HE			
4003	Organic Vapor/Acid Gas	4003HE			
4004	Ammonia/Methylamine	4004HE			
40HE	HEPA				

LOOSE FITTING HEAD COVERS

Primair 100 Series

- Ideal for pharmaceutical and other light duty industries, NIOSH approved with an APF of 25
- Manifold directs air flow to the front lens, not in worker's eyes
- Multiple size adjustments for a comfortable and personal fit
- Hoods are durable and lightweight, made from spun bond polypropylene
- PA101 is less bulky than full hoods; sealing under the chin, without covering the ears

SKU	Size	Description	Packaging
PA101S	Small	Primair 100 headgear with Primair loose fitting head cover	Each
PA101M	Medium	Primair 100 headgear with Primair loose fitting head cover	Each



PA101

Primair Plus Hoods

- Adjustable bib length or cotton neck seal; workers can customize to their liking or need
- Manifold directs air flow to the front lens, not in worker's eyes
- Multiple size adjustments for a comfortable and personal fit
- North Primair Plus is a full, spun bond polypropylene hood available coated and uncoated: coated hoods provide incidental protection from occasional splash
- Peel-away window is available (item # PA105) to protect the lens from splatter, extending the life of the lens

SKU	Description	Packaging
PA111	Primair 100 headgear with Primair Plus hood	Each
PA131	Hood with cotton neck assembly for Primair 100 headgear	Each
PA231E01	Hood with cotton neck assembly for Primair 200 headgear, includes Fibre-Metal E2 hard hat and carbtex cover for protection during welding and grinding	Each

Breathing Tubes for Compact Air PAPR for North Hoods and Facepieces

SKU	Description	Packaging
CA127	34" (86.4 cm) Straight Tube for North Primair Series	Each
CA127L	40" (101.6 cm) Straight Tube for North Primair Series	Each
CA229	34" (86.4 cm) Y Tube for North Half Masks and Full Facepieces	Each



PA111





CONTINUOUS FLOW SUPPLIED AIR RESPIRATORS (CF-SAR)

Honeywell





86630



86620



RPFP100C

Ambient Air Pump 3/4 HP

- For two workers with a tight fitting facepiece or one worker with loose fitting hood
- Lightweight unit featuring carry handle (55 lbs / 24.9 kilo)
- Supplies up to 10 cfm (283.2 l/min)
- Ideal for a variety of work environments including painting and refinishing booths
- 2 facepieces maximum, 1 hood maximum

SKU	Description	Packaging
86610	3/4 HP ambient air breathing pump	Each

Ambient Air Pump 1/2 HP

- · For three workers with a tight fitting facepiece or two workers with a loose fitting hood
- Built in cooling fan
- Supplies up to 20 cfm (566.3 l/min)
- Ideal for heavy duty applications
- 3 facepieces maximum, 2 hoods maximum

SKU	Description	Packaging
86630	1 ½ HP ambient air breathing pump	Each

Compressor for Pressure Demand Airline

- For use in confined space or in other IDLH environments
- Portable and lightweight to be easily transported
- · Connect two workers using pressure demand respirators
- Warning alarm sounds at 84dB from 100 feet away
- · Compressed air system supplies up to 100 PSI (6.89 bar)

SKU	Description	Packaging
86620	Compressor	Each

Portable Air Filtration Panels

- · Sealed safety case protects from dust and liquid penetration
- Clear window allows for an unobstructed view of the gauge inside the case
- · Case is lockable to prevent an unauthorized person from changing the air flow
- CO monitor features a visual alarm and up to 90dB audible sound
- Pressure regulator with adjustable knob and locking ring allows the pressure to be set according to Respirator's manufacturer's recommendations

SKU	Description	Dimensions/Weight (Ibs/Kgs)
RPFP60C	60 CFM max flow and 150 psig max inlet, capable for up to 4 workers	21" x 14.5" x 6.75" / 22 53.3 cm x 36.8 cm x 17.1 cm / 9.97
RPFP100C	100 CFM max flow and 150 psig max inlet, capable for up to 8 workers	23" x 16.5" x 7.5" / 24 58.4 cm x 41.9 cm x 19.1 cm / 10.88

ESCAPE SOLUTIONS

North Escape Breathing Apparatus (EEBA)

- Transparent polyurethane hood is less claustrophobic and allows for 360° sight
- Full flow of air at a quarter turn provides air flow as quickly as possible
- Air deflector directs air to front of hood and away from workers' eyes
- Pictogram instructions on carrying bag can be understood in any language
- 42 l/min (1.483 cfm) of breathing air is higher than many units so worker is less likely to over breathe
- High visibility carrying bag (EB)

SKU	Description	Packaging
845	5 minute breathing time EEBA; bright yellow carrying bag	Each
850	10 minute breathing time EEBA; bright orange carrying bag	Each



845 and 850

Sperian Survivair Escape Breathing Apparatus (EBA)

- The EBA 5 min /10 min are composed of a refillable cylinder
- Features a valve and pressure gauge assembly, breathing tube, protective air hood and regulator assembled in a carry pouch for added convenience
- Hood fits easily over eye glasses, beards and hard hats
- Flexible hood has a large opening with draw string offers a proper fit to wearers
- Clear tuftane film hood with a permanent anti-fog coating

SKU	Description
975080	Survivair 5-Minute Escape Breathing Apparatus (EBA-5)
975090	Survivair 10-Minute Escape Breathing Apparatus (EBA-10)



PRESSURE DEMAND SUPPLIED AIR RESPIRATORS (PD-SAR)

Tight-Fitting Pressure Demand SAR

- Respirators and Hip-Pacs provide the highest level of interchangeability, protection, and ease of operation
- Full Facepiece PD SARs offer the simplicity and reliability of Survivair Panther[®] mask-mounted regulators
- Hip-Pacs enhance protection in environments immediately dangerous to life or health (IDLH), with 5-, 10-, or 15-minute escape cylinders
- Survivair Panther PD SARs and Hip-Pacs provide significant cost savings and convenience as part of fully interchangeable respirator systems

Survivair Panther Hip-Pac, Mask-Mounted Regulator, with 5-Minute Emergency Escape P968457 2216 psig (153.8 bar), Aluminum, with Quick Disconnect.

68457 2216 psig (153.8 bar), Aluminum, with Quick Disconnect, No Coupling, TC-13F-300

Survivair Panther Hip-Pac, Mask-Mounted Regulator, with 10-Minute Emergency Escape

P968477 3000 (207.8 bar), Aluminum, without Quick Disconnect, No Coupling, TC-13F-301



P968457

Call Customer Care at 888-212-7233.





Sperian is now Honeywell

INDUSTRIAL SELF-CONTAINED BREATHING APPARATUS (SCBA)

An Affordable SCBA with the finest respiratory protection

The Survivair Cougar[™] meets the demands of industrial users who want the finest respiratory protection against environments that are Immediately Dangerous to Life or Health (IDLH). The Survivair Cougar is designed to be a basic industrial unit, yet provides superior safety and comfort for industrial needs.

Sperian Survivair Cougar[™] SCBA

- Silicone rubber facepiece provides unsurpassed comfort and durability, even in extreme heat or cold. Won't oxidize or react with ozone. Also provides better sealing ability for improved comfort and fit. Five-strap head harness and skirt are available in 3 sizes (TwentyTwenty[®] Plus facepiece). Available in small and standard sizes in black (Classic[™] facepiece)
- Optional headnet mesh-style head harness
- First stage regulator has minimal moving parts, dramatically enhancing reliability while reducing maintenance costs. Choice of three low air alarms bell, plain whistle, or warbling whistle
- Second stage regulator has compact, low profile; Survivair Air Klic[™] fastening system; first-breath-on; better downward vision for less chance of damage; allows attachment in any orientation; regulator holder on waist strap allows regulator to be kept in stand-by mode
- Survivair Mighty-Light[®] backpack is one of the lightest, easiest to use, and most comfortable backpacks in the industry; no tools required – no bolts or screws on harness for quick, easy disassembly and assembly

SKU	Description
888888	Survivair Cougar
2216 psig (guration includes: Survivair Cougar, 2216 (153.8 bar) bell alarm (22NB). 153.8 bar), 30-minute aluminum cylinder, without locking collar (915141). enty Plus facepiece, medium, black, medium nose cup, silicone headstrap
555555	Survivair Cougar
(22NB). 45	guration includes: Survivair Cougar, 4500 psig (311.3 bar), bell alarm 00 psig (311.3 bar), 60-minute carbon cylinder, without locking collar ⁻ wentyTwenty Plus facepiece, medium, black, medium nose cup, silicone (252022)

483121 Survivair Cougar

Configuration includes: Survivair Cougar, 2216 psig (153.8 bar), bell alarm (22NB). 2216 psig (153.8 bar), 30-minute carbon cylinder, without locking collar (915141). TwentyTwenty Plus facepiece, medium, black, medium nose cup, silicone headstrap (252022), SAR attachment with Hansen couplings, carry case

486121 Survivair Cougar

Configuration includes: Survivair Cougar, 4500 psig (311.3 bar), bell alarm (22NB). 4500 psig (311.3 bar), 30-minute carbon cylinder, without locking collar (915141). TwentyTwenty Plus facepiece, medium, black, medium nose cup, silicone headstrap (252022), SAR attachment with Hansen couplings, carrying case



888888

INDUSTRIAL SELF-CONTAINED BREATHING APPARATUS (SCBA)

Survivair Puma[™] is the first NIOSH-certified, OSHA-compliant, hooded pressure demand SCBA designed for users with street glasses or facial configurations that are hard to fit with a conventional facepiece.

Sperian Survivair PUMA[™] SCBA

- The Survivair Puma is a Survivair Cougar[™] with a tight-fitting hood with a neoprene neck seal and is rated for entry into IDLH environments
- No need for spectacles kits the user can wear normal street glasses (although sports straps on the temples are useful to keep the glasses in place while donning)
- Hood is made from Challenge[®] NXT barrier fabric (fluoropolymer films laminated to aramid substrates) for excellent permeation resistance; lens is made from 10 mil FEP Teflon
- Flexible neoprene neck seal provides excellent protection against contaminants in IDLH atmospheres
- Factory-installed silicone nose cup; available in 3 sizes; reduces fogging and CO₂ buildup in hood

SKU Description

777777 Survivair Puma

Stock configuration includes: Survivair Cougar/Puma, 2216 psig (153.8 bar), plain whistle alarm (22PW). 2216 psig (153.8 bar), 30-minute aluminum cylinder, without locking collar (915141). Survivair Puma hood with medium nose cup (968006)

Sperian Survivair PANTHER[™] SCBA

- High heat and flashover industrial unit provides protection from unforeseen circumstances in the industrial market
- · Mighty-Light backpack and lumbar pad is comfortable and easy to use
- TwentyTwenty Plus available with silicone strap, Kevlar[®] mesh headnet or classic silicone
- Choice of 3 low air alarms: bell, plain whistle and warbling whistle for choice of preference
- Supplied Air Attachment option allows air to be supplied from a remote source. Long duration escape cylinder
- Communications options clear and audible communication for noisy environments. Includes voice amp and hard wired radio systems.

SKU	Description
493121	Survivair Panther

Configuration includes: Survivair 1997-style Panther 2216 psig (153.8 bar), TwentyTwenty Plus medium facepiece, bell alarm, 2216 psig (153.8 bar) 30-minute carbon cylinder without locking collar, SAR attachment with Hansen couplings, carrying case

496324 Survivair Panther

Configuration includes: Survivair 1997-style Panther 4500 psig (311.3 bar), TwentyTwenty Plus medium facepiece, bell alarm, 4500 psig (311.3 bar) 30-minute carbon cylinder without locking collar, SAR/ buddy breather dual port attachment with Hansen couplings, carrying case

An SCBA designed for hard to fit users





493121

