Drum truck features:

- Industrial strength heavy duty 1" structural pipe frames.
- All joints double welded.
- High quality cast iron center moldon rubber wheel with 1" (ID) roller bearings.
- Polyolefin wheel is cost competitive and resistant to most environments that may damage rubber wheels.
- All trucks can be stored standing upright.
- Engineered to handle 55 gallon steel drums.
- Capacity: 1,000 lbs.



5BT & 5BTW economy series

- Features:
- Sturdy dual pipe frame.
- Economical angular steel base design.
- Kickstand
- Vinyl handle grips.24" wide at
- handle. 16.25" at nose. With wheels resting on floor, 24" to center of lowered chime hook.

10BT & 10BTW standard series

- **Features**:
- Machined steel load wheels behind nose prongs help ease the lifting of the drum.
- Classic single bar frame design.
- Kickstand.
- Vinyl handle grips.
 24" wide at handle.
- ■16.25" at nose.
- With wheels resting on floor, 24" to center of lowered chime hook.



15BT and 15BTW deluxe series

Features:

- Four wheel design enables user to quickly and easily load and unload drums from pallet.
- Rear 6" wheels stabilize load for effortless transport.

Cast iron center moldon rubber front and rear wheels on 15BT.
Polyolefin front and rear wheels on 15BTW.

- Replaceable hard faced doublebeveled nose prongs.
- Self-storing chime hook.
- Kickstand.
- 16.25" at nose.
 With wheels resting on floor, 20.5" to center of lowered chime hook.


15BTC ergonomic drum truck

- Features:
- Ergonomic swivel caster design reduces operator muscle strain and fatigue.
- Swivel casters allow for smooth and tight turns in narrow work areas, such as truck beds and loading docks.
- Not recommended for loading and unloading pallets (Use 15BT above for this purpose).
- ■16.25" at nose.■Kickstand.
- Replaceable hard faced doublebeveled nose prongs.
- With wheels resting on floor, 20.5" to center of lowered chime hook.






Wesco' 5



6

Wesco® patented poly drum trucks





· Wesco