# **AIR MOVERS**



### Sahara Pro X3 TurboDryer®

The all new Dri-Eaz Sahara Pro X3 TurboDryer is the ultimate airmover for restoration pros. This new lower amp, three-speed airmover offers everything restorers need for performance and versatility, plus legendary Dri-Eaz durability and reliability.

- Tested velocity of
- 2071 ft/min
- <sup>1</sup>/<sub>3</sub> hp motor
- Weighs 27 lbs
- 4.0 Amps

Item No	Description	Unit
F351	Sahara Pro X3	Each

WolfPack System Contents				
Qty	Description			
3	TurboVents			
4	Ducting: 2 <sup>1</sup> / <sub>2</sub> ' x 4"			
1	Ducting w/ AirWolf Boot: 4' x 4"			
1	T-Joint: 4" x 4" x 4"			
1	Coupling: 4" x 4"			
6	L-Channel Diverters			
1	Dehumidifier Inlet Adapter			
2	Metal Duct Clamps			

- 2 Metal Duct Clamps
- 1 Poly Foam Gasket: 10
- 1 Wheeled Duffel Bag

# 

### Sahara HD TurboDryer®

This new air mover has the CFM and static pressure needed to power through drying challenges. This durable and reliable performer works especially well for applications that require stronger static pressure, like drying in walls, under cabinets and in crawl spaces.

- Underside drying vent
- Microban<sup>®</sup> antimicrobial protection
- Quick disassembly for cleaning
- Easy-grip handle
- Stackable for storage
- Tested velocity of 3206 ft/min
- 1 hp motor
- Weighs 36 lbs
- 10 Amps

Item No	Description	Unit
F352	Sahara HD	Each

### DRIEAZ



### AirWolf and WolfPack Hardwood Floor Drying System

The **AirWolf** uses an unbeatable combination of CFM and static pressure to literally force water out of damaged hardwood floors. The **WolfPack System** directs the high-velocity airflow of the AirWolf into the flutes between the flooring and the subfloor. This way the floor actually dries from the bottom out. Connect the WolfPack attachment to your AirWolf air mover to complete the ultimate hardwood floor drying system. The AirWolf/WolfPack can dry out a hardwood floor in as little as three days. By drying fast from beneath, the AirWolf/WolfPack system can help reduce or eliminate cupping and associated refinishing costs. The need for sanding is also eliminated.

- Up to 800 cfm and 7<sup>3</sup>/<sub>4</sub>" of static pressure
- Powerful 1.0 hp motor
- Stack the AirWolf for storage
- Carrying case included for WolfPack attachments

	2				
Item No	Description	Unit	Item No	Description	Unit
F228	AirWolf	Each	F243	WolfPack System	Each



### Sahara E TurboDryer®

The Sahara E Turbodryer offers a low-cost option. Get the durability and reliability of the Sahara at an economical price.

- Underside drying vent
- MICROBAN® antimicrobial protection
- Quick disassembly for cleaning
- Easy-grip handle
- Stackable for storage
- Tested velocity fo 2042 ft/min
- <sup>1</sup>/<sub>4</sub> hp motor
- Weighs 24 lbs
- 7.2 Amps

Item No	Description	Unit
F350	Sahara E	Each



AirWolf Specifications					
Model	F228				
Height	17" / 43cm				
Width	21" / 53cm				
Depth	16" / 41cm				
Weight	35 lb / 16kg				
Motor	1.0 hp				
Motor Speeds	1-speed				
Max. CFM (Free Air)	800				
Max. CFM (Full Load)	450				
Static Pressure (Free Air)	7 <sup>3</sup> /4" / 19.7cm				
Static Pressure (Full Load)	5" / 13cm				
Power (Free Air)	11.6 Amps				
Power (Full Load)	8.5 Amps				
Stackable	Yes				
UL Listed	Yes				

# **AIR MOVERS**

4027508

4027550

### Axial Air Mover with Focus™ Technology

Produces air velocities at least 40% greater than competitive product offerings. This highly focused air flow is directed towards restoration industries problematic drying areas namely, carpet and pad, sub-floor, and walls.

- Tested to approximately 3000 cfm
- <sup>1</sup>/<sub>4</sub> hp motor
- Weighs 29<sup>1</sup>/<sub>2</sub> lbs
- 2.5 Amps



PHOENIX<sup>®</sup>

ltem No	Description	Unit
4025200	Axial Air Mover with Focus Technology	Each
4025460	Axial Air Mover Stand	Each

### Ace TurboDryer®

In the ISDT Age, you need the airmover that can do everything. The two-speed Ace TurboDryer is the newest in a long line of airmover innovations from Dri-Eaz. It takes all of the lessons learned over the last 30 years of restoration and combines them into the ultimate airmover design.

- Tested to 1811 cfm
- $^{1}/_{4}$  hp motor
- Weighs 33 lbs
- 1.5 Amps

ltem No	Description	Unit
F259	Ace Fan	Each

DRIEAZ

### Jet CXV TurboDryer®

Aerodynamically designed and streamlined for high velocity airflow. Built-in angles maximize laminar airflow along the floor, and focused vanes channel extra velocity. The three-speed unit is excellent for wall and floor drying.

- Microban<sup>®</sup> antimicrobial protection
- Stackable for storage
- Maximum velocity of 3200 CFM
- 1/4 hp motor
- Weighs 35 lbs
- 1.5, 2 and 3 Amp speeds

Item No	Description	Unit
F367	Jet CXV TurboDryer	Each

RESTORATION EQUIPMENT	
Phoenix CAM an	d 🚺
CAM Pro	
Some of the most efficient air	

movers to be introduced to the restoration industry. The two-speed CAM and CAM Pro have lightweight but durable polyethylene housings.

- CAM Pro features an onboard GFCI outlet and circuit breaker (CAM does not)
- Ergonomic handle design
- Stackable for storage
- Maximum velocity of
- 2700 ft/min
- •<sup>1</sup>/<sub>3</sub> hp motor
- Weighs 26 lbs

Ĩ	С	н	ιμ	S	

Item No	Description	Unit
4027508	CAM Air Mover	Each
4027550	CAM Pro Air Mover	Each

### **Vortex Axial Fan**

This Dri-Eaz airmover will ventilate confined spaces through up to 125' of Sto & Go ducting. The single-speed Vortex uses a 12" axial fan blade to pull musty air out or propel fresh air in inaccessible areas. It's also an ideal choice for drying large open areas like gyms, concrete pads, hallways, etc.


• 1 hp motor

• Weighs 35 lbs • 7.4 Amps



Item No	Description	Unit
F174-BLU	Vortex Fan	Each

### Studebaker AirPath™





DRIEAZ

# **AIR MOVER ACCESSORIES**



F349

Item No

F209

### DRIEAZ

### **MAXGrip Carpet Clamp**

The MAXGrip Carpet Clamp provides an innovative and easy-to-use design to attach to the Sahara Pro X3 and Sahara HD that will securely hold but not damage wet carpets during drying.

- Innovative design
- Rugged construction
- Easy to use

Carpet Clamp 10/Case



Description

Sto & Go Ducting

### DRIEAZ

### Sto & Go Vortex Ducting

Unit

Unit

Each

Get 25' of collapsible 12" ducting in its own convenient tote bag. Connect one or more sections of Sto & Go ducting to the Vortex Axial Fan for ventilating confined spaces.

|--|

### **Turbo Duct®**

### DRIEAZ

Ventilate or dry confined spaces like closets, crawlspaces or attics with the TurboDuct. Attach the TurboDuct to the snout of a Sahara Pro-HP for 15' of 10"-diameter ducting.

Item No	Description	Unit
F134	Turbo Duct	Each

### Injectidry

### Adaptidry

Specifically designed to work with several pieces of drying equipment. The MAX Force and Phoenix Guardian HEPA filter make a perfect companion to the Adaptidry.



Item No	Description	Unit
ADP5	Adaptidry	Each



### **PHOENIX** Phoenix Window Adapter

An easy-to-use tool that allows the restoration professional to properly duct drying equipment outside the structure being worked on. It adapts to most double hung and sliding windows. Adjustable size openings and quick release cords allow ducting to quickly be secured to the window, eliminating the need for messy tape. Accommodates up to 12" wire-form flex and 14" lay-flat ducting. Water-resistant construction helps keep moisture out of the drying space, even if it is raining outside.

Item No	Description	Unit
4027342	Phoenix Window Adapter	Each



### Direct It Injectidry's Airmover Adapters

Injectidry's universal airmover adapters are specifically developed to target areas which need high air exchange rates. They are suited for areas where you can drill a larger hole. The adapters make airmover inventory much more versatile. A must have for serious contractors. "Universal" means just that. The air collection adapter attaches to almost all standard airmovers.

Item No	Description	Unit
UAA2	Direct It	Each
UAA1	Direct It In	Each



# **AIR MOVER ACCESSORIES**

### DRIEAZ

### TurboVent 48™

Attach the TurboVent 48 directly to the HP's snout to deliver a 48" wide column of air. Ideal for drying wet wall and ceiling cavities. Complete system includes a 48" TurboVent, and a 24" Shock Cord w/hook ends.



Item No	Description	Unit
F108	TurboVent 48	Each



### Turbo Vent™

### DRIEAZ

Attach the TurboVent to your Sahara Pro-HP TurboDryer and force air into difficult-to-dry areas like cabinets, cupboards and walls. Includes:

• 1 Snout Adapter Assembly

- 1 50' Length of 4" Vinyl Ducting
- 3 Mini TurboVents
- 5 Vinyl Duct Caps
- 9 Metal Duct Clamps
- 1 Wheeled Duffel Bag

Item No	Description	Unit
F200	Turbo Vent	Each



### **Rescue Mat System**

Dry out water-damaged hardwoods from above. The **Rescue Mat System** uses the power of a high-pressure blower like the DriForce to vacuum water vapor right through the surface of the floor. Two different sizes make it easy to custom fit your Rescue Mat System to any floor layout. Setup is fast and simple with just one hose connection per mat. Also available, is the



PRAGON

**Rescue Mat Bag**. The new and improved design of this bag offers reinforced corners along the seams and handles, offering a sturdy solution for carrying and transporting your Rescue Mats. DriForce Air Mover sold separately.

- Two separate sizes for mix-and-match versatility.
- No taping necessary. Gasket-edge provides a powerful seal.
- An ideal complement to the AirWolf/WolfPack.

Item No	Description	Unit
F286	Rescue Mat System, Large	Each
F287	Rescue Mat System, Small	Each
F361	Rescue Mat Bag, (10/Case)	10/Case



### TurboChannel

DRIEAZ

Areas like sill plates, bay windows, and cabinet kickplates are

usually the last to dry. Now you can increase the air velocity of your Dri-Eaz TurboDryers with an exciting accessory called the TurboChannel. This product concentrates airflow to hard-to-dry areas by increasing air velocity 40-50% up to 10-25' from the TurboDryer.

ltem No	Description	Unit
F327	TurboChannel	Each

### Dragon<sup>®</sup> K-85 Mobile Furnace

### DRIEAZ

When you need to introduce heat to your drying equation, call in the Dragon Mobile Furnace. It generates 85,000 BTUs of heat without adding any moisture or fumes to your drying environment. No fumes, no added moisture. Up to 81°F increase in temperature. Thermostat-controlled. 30' of parallel ducting included.

• No fumes, no added moisture

- Up to 81°F increase in temperature
- Thermostat controlled
- 30' of parallel ducting included
- Electrogalvanized housing resists rust

Item No	Description	Unit
F260	Dragon Furnace	Each

# **AIR MOVER ACCESSORIES**



DriForce SystemContents	
Qty	Description
1	DriForce Airmover
13	7-foot ADS Hoses w/ Cuffs
8	Manifolds
1	400-foot PVC Tubing
100	<sup>1</sup> / <sub>4</sub> " Injector Nozzles
4	Manifold End Caps
5	Coupler Fittings
2	T-Fittings
25	Tube Extender Connectors
1	Muffler
2	Wheeled Duffel Bags



Water Separator		
Description		Unit
Water Separator		Each
	Description	Description

### DRIEAZ DriForce<sup>®</sup> InterAir Drying System<sup>™</sup>

For drying walls without damage. The DriForce forces high-pressure air into wet walls for wall drying with minimal disruption. You only need to make tiny <sup>1</sup>/<sub>4</sub>" holes at baseboard level to introduce 60" of static pressure from the DriForce. It's perfect for hard-to-reach areas like behind cabinets, tubs, under stairwells, etc.

٠	Force	air	in	or	vacuum	air	out	

- Dry up to 90 linear feet of wall
- Up to 60" of static pressure
- Averages just 3 amps
- Fits in two convenient carrying cases

Item No	Description	Unit
F211	DriForce System	Each



## InjectiDry HP60i Moisture Ventilating System with Active Hoseline

- Dries by moving dry air into walls or pulling moist air out
- Dries hardwoods fast when used with our Vac-It Panels
- $\boldsymbol{\cdot}$  Controls contamination when used with our Interceptor HEPA
- Up to 48% more drying power than competition
- A noticeably quieter system ( $^{1}\!/_{3}$  less noise)

Item No	Description	Unit
INJ01	HP60i System	Each



VAC-IT Pa		SYSTEMS, INC.	-
Item No	Description		Unit
VACITPA-VP	VAC-IT Panels, 10/Set		10/Set



Intercept	SYSTEMS, I	
Item No	Description	
INFO1-PD	InjectiDry Interceptor HEPA Filter System	
INFR1	HEPA Filter	

Unit

Each

Each