
WWW.DIAMATICUSA.COM

TOLL FREE: 866.295.5512







Welcome to Diamatic USA, you will find in the catalogue a range of standard tooling available in the market place today as well as a range of specialized tooling to reduce your costs, in some cases and steps. We also offer premium diamond product for long life and productivity improvements. Our specialized diamonds, Trojans, Transitionals, Transformers, and Hybrids are specifically designed for our high production, heavy equipment line. The Diamatic Platforms in the 600, 700, and 800 series produce more horsepower and torque to the concrete then other planetary machines in the market today. Thus Diamatic has matched the tooling to the machine to maximize your efforts on the job.

Diamag Magnetic Plates are available for all tooling options as well as screw on plates for those unwilling to commit to one manufacturer for tooling to allow you flexibility. Diamag is now available for Lavina, HTC, SASE and Innovatex equipment. www.diamag.com

Diamatic USA has the most extensive network of stocking distribution available in North America. With increased availability, and lesson the time involved in managing your consumables. With nearly 2M in diamond inventory in the USA and Canada we are certain we will have what you need, when you need it, and at a competitive price to support your business.

Those companies buying more than \$5000.00 per order of diamonds have special terms, pricing, and freight considerations, call a Diamatic Distributor or the Customer Service Center for details.

With 144 stocking locations and 250 combined years of concrete grinding and polishing experience, Diamatic and our distribution network are the industry leaders.



TOOLING

CHOOSING A DIAMOND





80% of concrete can be ground and polished with medium bond diamonds. With the new technology available in our offering you can safely account for 90% of the surfaces you are working on the first time. There are hundreds, if not thousands, of concrete mix designs, so reducing the guess work and "voodoo" presented by diamond after market companies is our mission. For the slabs or stone work that require special tooling you will find them on our catalogue, whether it be soft, extra soft, medium, hard or extra hard, wet or dry, there is a diamond in the offering for you.

The easiest way to achieve success in diamond tooling is to remember the following:

Metal Bond Steps or the initial cutting and its success sets your job up for success or failure. Picking the right tooling to start is the most important item to get you off the job with the best results.

Hard concrete means soft bond tooling is required. If you have a medium bond diamond not cutting fast enough or glazing over you need to move to soft bond diamond to increase production.

Soft Concrete means Hard bond tooling is required, if you have a diamond wearing away too quickly you will need to move to a hard bond diamond to increase life and production.

Medium Bonds usually will tell you the condition of the concrete and what to look for. Come to a Diamatic School in one of our 17 locations to get educated and reduce the stress of choosing a diamond while saving you money.

Resin tooling is easier to work with so the few items you need to remember are:

The first resin step after grinding with metals in the polishing process needs to remove the larger scratches from the pervious tooling. This can be seen in the first 10 feet, if this is not happening after a 10 foot pass it will not happen and you need to jump down a grit or insert a hybrid diamond.

Hybrid tooling is now available to reduce steps, please see out transitional line.

Go to Ultraflor.com to see step by step processes to produce a floor and Download one of 25 specifications needed to meet your customers needs for polishing concrete and restoration or call 866-295-5512

Finally, tooling costs are a big part of the job, but labor and production are greater. It is not as important to save \$2.00 per tool as it is to have a warranty, production, repeatability, and a place to go for support. Tooling companies, and there are many, produce under different sets of controls, it only takes one misplaced diamond grit to scratch a floor and cause a return to the job, failure, or an unhappy customer. Partner with a company that will support, stock, warranty, and provide the latest cutting edge technology. Don't load up on stock as tooling changes and advancement change constantly. In order for you to have long term success don't lock in with huge inventories and tie up your cash and limit your options, use our stocking partners, visit www.diamaticusa.com today!!!

DULING

At Diamatic we thank you for your consideration and patronage. We are 100% confident you will find our tooling cutting edge, competitive, productive, and available.

- Stephen Klugherz

REFINE RESIN PADS



DIAITS800100
DIAITS800200
DIAITS800400
DIAITS800800
DIAITS8001500
DIAITS8003000

RE	FINEII	RESIN	6 mm
THICK	HEAVY	MACH	<u>I N E S</u>

DIAITS800100 -2	100 GRIT 3" REFINE RESIN
DIAITS800200-2	200 GRIT 3" REFINE RESIN
DIAITS800400-2	400 GRIT 3" REFINE RESIN
DIAITS800800-2	800 GRIT 3" REFINE RESIN
DIAITS8001500-2	1500 GRIT 3" REFINE RESIN
DIAITS8003000-2	3000 GRIT 3" REFINE RESIN



Products manufactured and marketed by Blastrac/Diamatic are protected by patents issued or pending in the United States and other countries. Blastrac/Diamatic reserves the right to
change the specifications referred to in this literature at any time, without prior notice. Blastrac and Diamatic are registered trademarks owned by Blastrac, NA.

FLEXRES RESIN PADS

COPPER AND NON-COPPER



DIA3FLEXCOP50 50 GRIT 3"FLEXRES COPPER HYBRID DIA3FLEXCOP100 100 GRIT 3"FLEXRES COPPER HYBRID DIA3FLEXCOP200 200 GRIT 3"FLEXRES COPPER HYBRID DIA3FLEXCOP400 400 GRIT 3"FLEXRES COPPER HYBRID DIA3FLEXCOP800 800 GRIT 3"FLEXRES COPPER HYBRID DIA3FLEXCOP1500 1500 GRIT 3"FLEXRES COPPER HYBRID DIA3FLEXCOP3000 3000 GRIT 3"FLEXRES COPPER HYBRID

	DIA3HYBRI
	DIA3HYBRI
	DIA3HYBRI
400	DIA3HYBRI
	DIA3HYBRI
	DIA3HYBRI
	DIA3HYBRI

DIA3HYBRID50	50 GRIT 3" FLEXRES HYBRID
DIA3HYBRID100	100 GRIT 3" FLEXRES HYBRID
DIA3HYBRID200	200 GRIT 3" FLEXRES HYBRID
DIA3HYBRID400	400 GRIT 3" FLEXRES HYBRID
DIA3HYBRID800	800 GRIT 3" FLEXRES HYBRID
DIA3HYBRID1500	1500 GRIT 3" FLEXRES HYBRID
DIA3HYBRID3000	3000 GRIT 3" FLEXRES HYBRID

SNITOOT

HAND TOOL RESIN PADS

FOR USE WITH 3", 4", 5" POLISHING TOOLS AND GRINDERS STONEORCONCRETE. WETOR DRY

PP-D3200	3" ECONOMY HAND TOOL RESIN PAD 200 GRIT	
PP-D3300	3" ECONOMY HAND TOOL RESIN PAD 300 GRIT	
PP-D3500	3" ECONOMY HAND TOOL RESIN PAD 500 GRIT	
PP-D31000	3" ECONOMY HAND TOOL RESIN PAD 1000 GRIT	
PP-D32000	3" ECONOMY HAND TOOL RESIN PAD 2000 GRIT	
PP-D33000	3" ECONOMY HAND TOOL RESIN PAD 3000 GRIT	
PP-D4050	4" ECONOMY HAND TOOL RESIN PAD 50 GRIT	
PP-D4080	4" ECONOMY HAND TOOL RESIN PAD 80 GRIT	
PP-D4150	4" ECONOMY HAND TOOL RESIN PAD 150 GRIT	
PP-D4300	4" ECONOMY HAND TOOL RESIN PAD 300 GRIT	
PP-D4500	4" ECONOMY HAND TOOL RESIN PAD 500 GRIT	
PP-D41000	4" ECONOMY HAND TOOL RESIN PAD 1000 GRIT	
PP-D42000	4" ECONOMY HAND TOOL RESIN PAD 2000 GRIT	
PP-D43000	4" ECONOMY HAND TOOL RESIN PAD 3000 GRIT	
PP-D5050	5" ECONOMY HAND TOOL RESIN PAD 50 GRIT	
PP-D5080	5" ECONOMY HAND TOOL RESIN PAD 80 GRIT	
PP-D5100	5" ECONOMY HAND TOOL RESIN PAD 100 GRIT	ĺ
PP-D5150	5" ECONOMY HAND TOOL RESIN PAD 150 GRIT	

1 - Con

PP-D5200	5" ECONOMY HAND TOOL RESIN PAD 200 GRIT
PP-D5300	5" ECONOMY HAND TOOL RESIN PAD 300 GRIT
PP-D5400	5" ECONOMY HAND TOOL RESIN PAD 400 GRIT
PP-D5500	5" ECONOMY HAND TOOL RESIN PAD 500 GRIT
PP-D5800	5" ECONOMY HAND TOOL RESIN PAD 800 GRIT
PP-D1000	5" ECONOMY HAND TOOL RESIN PAD 1000 GRIT
PP-D51500	5" ECONOMY HAND TOOL RESIN PAD 1500 GRIT
PP-D52000	5" ECONOMY HAND TOOL RESIN PAD 2000 GRIT
PP-D53000	5" ECONOMY HAND TOOL RESIN PAD 3000 GRIT

DNITOOT 5

TROJANS & ECO'S

METAL BOND TROJANS

NO SQUARE LEADING EDGE, LESS UNEVEN SCRATCHING ON ROUGH SURFACES

DIA709320S 18/20 GRIT TROJAN DIAMOND WING SOFT DIA709320 18/20 GRIT TROJAN DIAMOND WING MEDIUM DIA709320H 18/20 GRIT TROJAN DIAMOND WING HARD DIA709340S 30/40 GRIT TROJAN DIAMOND WING SOFT DIA709340 30/40 GRIT TROJAN DIAMOND WING MEDIUM DIA709340H 30/40 GRIT TROJAN DIAMOND WING HARD DIA709380S 60/80 GRIT TROJAN DIAMOND WING SOFT DIA709380 60/80 GRIT TROJAN DIAMOND WING MEDIUM DIA709380H 60/80 GRIT TROJAN DIAMOND WING HARD DIA7093140S 120/140 GRIT TROJAN DIAMOND WING SOFT DIA7093140 120/140 GRIT TROJAN DIAMOND WING MEDIUM



ECO METAL DOUBLE SEGMENT



BG707331S	20/25 GRIT DIAMOND WING SOFT
BG707331	20/25 GRIT DIAMOND WING MEDIUM
BG707331H	20/25 GRIT DIAMOND WING HARD
BG707332S	30/40 GRIT DIAMOND WING SOFT
BG707332	30/40 GRIT DIAMOND WING MEDIUM
BG707332H	30/40 GRIT DIAMOND WING HARD
BG707333S	60/80GRIT DIAMOND WIN SOFT
BG707333	60/80 GRIT DIAMOND WING MEDIUM
BG707333H	60/80 GRIT DIAMOND WING HARD
BG707334 1	20/140 GRIT DIAMOND WING MEDIUM

6

TOOLIN



PCD'S AND METAL BOND

FOR USE WITH DIAMATIC MACHINES







BG200999	QUARTER ROUND PCD DIAMOND WING RIGHT
BG200995L	. FULL ROUND PCD WING LEFT
BG200997	18/20 GRIT SPLIT SEGMENT DIAMOND WING PCD
BG200995	FULL ROUND PCD WING RIGHT





DIA710380S DOUBLE ROUND 60/80 GRIT SOFT BOND DIA7103140S DOUBLE ROUND 120/140 GRIT SOFT BOND



DUIDOLING


TRANSITIONALS

CERAMIC HEAT REDUCED DIAMONDS FOR SOFT/MED CONCRETE AND OVERLAYS





PA-103400#4 GRIT 3"TRANSITIONAL DIAMONDPA-103050#0 GRIT 3"TRANSITIONAL DIAMONDPA-103100#1 GRIT 3"TRASITIONAL DIAMOND



•Used to remove scratches

- Transition from metal to resin bonded
- Hybrid ceramic resin
- Reduced heat transfer
- 3 grits available
- High production rates
- Saves steps
- Available in 2" and 3"

PA-10997 #1 GRIT 2"TRANSITIONAL DIAMOND PA-10998 #4 GRIT 2"TRANSITIONAL DIAMOND





05-65900


05-65903

7" ECO SHROUD FULL 7" ECO SHROUD CONVERTIBLE





05-10700C	7" DIA COUGR LITEX WHEEL #16 GRIT
05-10705C	7" DIA COUGR LITEX WHEEL #10 GRIT
05-10710C	7" DIA COUGR LITEX WHEEL #24 GRIT
05-10720C	7" DIA COUGR LITEX WHEEL #36 GRIT



1001 DNI



RIGID PLATE SETUP

FOR HEAVY GRINDING CONCRETE WITH 735 AND 780 MACHINES



BG11880	FORK QUANTITY 3
BE0204/BE0584	BOLT AND SPRING WASHER QUANTITY 9
BG11879	BUFFER DISC QUANTITY 3
BG240190-1	240MM DIAMOND HOLDER QUANTITY 3
BE0608	RETAINING RING QUANTITY 3
BE0030	BOLT QUANTITY 3
BE0314	WASHER QUANTITY 6


DNITOOT



DND **NIJOOL** ht to **12**

7 " PADS-CUPSTONES - PCDWHEELS

EDGER EQUIPMENT BOTH WALKBEHIND AND HAND TOOLS









CG-7PCD6 6 SEGMENT DIAMOND CUP WHEEL CG-7ASEG 6 ARROW SEGMENT DIAMOND CUP WHEEL CG-7TSEG 14 T-SEGMENT DIAMOND CUP WHEEL



 ENT DIAMOND CUP WHEEL
 CG-7BTD1820
 18/20 GRIT DIAMOND CUP WHEEL

 G DIAMOND CUP WHEEL 5/8"-11
 CG-7BTD50 60
 50/60 GRIT DIAMOND CUP WHEEL

 EG DIAMOND CUP WHEEL 5/8'-11
 CG-7BTD120140
 120/140 GRIT DIAMOND CUP WHEEL

5NI1001



CG-712ETB 12 SEGMENT DIAMOND CUP WHEEL CG-724ETB 24 SEGMENT DIAMOND CUP WHEEL CG-712ETB5/8-1 12 SEG DIAMOND CUP WHEEL 5/8"-11 CG-724ETB5/8-11 24 SEG DIAMOND CUP WHEEL 5/8'-11



ECO WINGS - Double Segment

TROJAN II Wings

SASE

RED 25

RED 40

RED 80

RED 150

SASE

BLACK 25 BLACK 40

BLACK 80 BLACK 150

POLISHING RESINS

REFINE II RESINS - 6 MM Thick (HTC & SASE are DOTS)

HTC

MR-6

SR-40

SASE

200 POST

800 POST

MR-5 100 POST

SR-30 400 POST

DIAMATIC

DIAITS800100-2

DIAITS800200-2

DIAITS800400-2

DIAITS800800-2

Medium Bond Diamonds			Medium Bond Diamonds		
DIAMATIC	HTC	SASE	DIAMATIC	HTC	
BG707331 - 20/25 Grit	CA-2	RED 25	DIA709320 - 18/20 Grit	CA-2	F
BG707332 - 30/40 Grit	CA-3	RED 40	DIA709340 - 30/40 Grit	CA-3	F
BG707333 - 60/80 Grit	CA-4	RED 80	DIA709380 - 60/80 Grit	CA-4	F
BG707334 - 120/140 Grit	CA-5	RED 150	DIA7093140 - 120/140 Grit	CA-5	R
Soft Bond Diamonds					
Soft Bond Di	amon	ds	Soft Bond Di	amond	S
Soft Bond Di DIAMATIC	amon HTC	ds SASE	Soft Bond Di DIAMATIC	amond HTC	S
					S
					s BI
DIAMATIC	HTC	SASE	DIAMATIC	HTC	
DIAMATIC BG707331S - 20/25 Grit	HTC C-2	SASE BLACK 25	DIAMATIC DIA709320S - 18/20 Grit	HTC C-2	B
DIAMATIC BG707331S - 20/25 Grit BG707332S - 30/40 Grit	НТС С-2 С-3	SASE BLACK 25 BLACK 40	DIAMATIC DIA709320S - 18/20 Grit DIA709340S - 30/40 Grit	HTC C-2 C-3	BI

SASE

BLUE 25

BLUE 40

BLUE 80

Hard	Bond	Diamonds

DIAMATIC	нтс	SASE
DIA709320H - 18/20 Grit	SF-2	BLUE 25
DIA709340H - 30/40 Grit	SF-3	BLUE 40
DIA709380H - 60/80 Grit	SF-4	BLUE 80
DIA7093140H - 120/140 Grit	SF-5	BLUE 150

DIAITS801500-2 SR-50 1500 POST DIAITS803000-2 SR-60 3000 POST

3" FLEX RESINS (HTC & SASE are DOTS)

DIAMATIC	НТС	SASE
DIA3HYBRID50 - 50 Grit	n/a	50 POST
DIA3HYBRID100 - 100 Grit	MR-5	100 POST
DIA3HYBRID200 - 200 Grit	MR-6	200 POST
DIA3HYBRID400 - 400 Grit	SR-30	400 POST
DIA3HYBRID800 - 800 Grit	SR-40	800 POST
DIA3HYBRID1500 - 1500 Grit	SR-50	1500 POST
DIA3HYBRID3000 - 3000 Grit	SR-60	3000 POST

Single Segment Diamonds are Available

Hard Bond Diamonds

HTC

SF-2

DIAMATIC

BG707331H - 20/25 Grit

BG707332H - 30/40 Grit SF-3

BG707333H - 60/80 Grit SF-4

REMOVAL DIAMONDS

DIAMATIC	HTC	SASE
BG200997 - Split PCD's	n/a	HOL200997
BG200995 - Full Round PCD	EZ T-REX	PCD Quarter
BG200999 - 1/4 Round PCD	EZ T-REX	HOL200993
66200999 - 1/4 Rouliu PCD	DOME	HUL200995



1-866-295-5512 www.diamaticusa.com www.ultraflor.com