



Oil-Only Sock/Net Boom #WB520SN - 5" x 20', 2 booms/package



Take control of outdoor spill response with Oil-Only Booms.

- Use Sock/Net Booms to Absorb and Contain Oil: Strong mesh outer sleeve encases a poly sock skin filled with highly-sorbent poly blend. Booms won't shed or sink, even when saturated with oil.
- Absorbs Oily Liquids — Repels Water: Poly blend filler is hydrophobic — repels water (and floats) while only absorbing oils and other hydrocarbons.
- Tough Construction: A nylon rope and sturdy hardware ensure long-lasting durability and easy retrieval.
- Create Customized Sizes: Durable, easy-to-use connectors provide a simple and efficient way to link Sock/Net Booms together and create a containment system big enough to handle almost any size spill on water. Clip together with metal connector hardware.
- Bright White Color Makes it Easy to See When Boom is Completely Saturated: Oil can't hide on bright White Sock/Net. Makes it easy to see when it's fully saturated — you save money by not throwing it away too soon.



Online:
spilltech.com

Phone:
1-800-228-3877 (N.Am.)
1-770-475-3877 (Other)

Fax:
1-800-872-3764 (N.Am.)
1-770-410-1812 (Other)

Email:
spilltech@spilltech.com

WB520SN Specifications

Dimensions:	ext. dia. 5" x 20' L
Shipping	20" W x 23" L x 20" H
Dimensions:	
Sold as:	2 booms per package
Color:	White Speckled Filler/White Sleeve
Composition:	Poly Blend Filler/Polyester Netting/Metal Hardware
Recycled Content:	100% Post-Industrial Recycled Poly Blend Filler
Absorbency:	Up to 30 gal. per package
Absorbency per:	Up to 15 gal. per boom
# per Pallet:	20
Incinerable:	Yes
Ship Class:	92.5

Metric Equivalent Specifications

Dimensions:	ext. dia. 12.7cm x 6m L
Shipping	50.8cm W x 58.4cm L x 50.8cm H
Dimensions:	
Absorbency:	Up to 113.6 L per package
Absorbency per:	Up to 56.8 L per boom

WB520SN Technical Information

Warnings & Restrictions:

There are no known warnings and restrictions for this product.

Regulations and Compliance:

40 CFR 263.31 - Transporters, "must clean up any hazardous waste discharge that occurs during transportation...so that the hazardous waste discharge no longer presents a hazard to human health or the environment."

40 CFR 122.26 - Facilities must have a detailed plan in place to prevent illegal discharge of pollutants into waterways.

40 CFR 112.7(c)(1) - Facilities must have "appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course."

33 CFR 154.1047(c)(2) - Concerning navigation and navigable waters, a facility which handles, stores or transports Group V petroleum oils must identify response plan resources such as containment booms and other methods.

Technical Documents:

(Available at spilltech.com)

Product Data Sheet (PDS)

Material Safety Data Sheet (MSDS)



Online:
spilltech.com

Phone:
1-800-228-3877 (N.Am.)
1-770-475-3877 (Other)

Fax:
1-800-872-3764 (N.Am.)
1-770-410-1812 (Other)

Email:
spilltech@spilltech.com