

HIGH PERFORMANCE ECO-FRIENDLY PRODUCTS

# LEAD DUST REMOVER ENVIROTOWELS

FORMULA

**290**

FORMULA

**ET-90**

FORMULA

**ET-28**

Dry Disposable  
Cleaning Cloths

**DDCC**

## PRODUCT DESCRIPTION:

SENTINEL ENVIROTOWELS represent the latest technology in cleaning and removing lead dust. Towels are designed for pre-cleaning prior to removal or encasement of lead and for final clean-up following lead abatement. Each towel is ready-to-use and presoaked with a solution of Sentinel 805 Envirowash, a lead specific material that meets HUD Guide-lines, & Maryland Procedures. Envirotowels meet USEPA Title 40, Part 745 definitions and work practice standards for "wet disposable cleaning cloth" and "dry disposable cleaning cloths."

**ET Envirotowels** are packed in sealed dispensing containers keeping each towel clean and ready to use while eliminating cross-contamination of lead dust.

**Envirotowels** are packaged and available in three different towel sizes:

**ET-28** contains 28 - 12" x 18" towels designed for hand wiping or when used in conjunction with Sentinel's All-Surface Floor Kit mop, meet USEPA wet-mopping system definitions.

**ET-90** contains 90 - 8" x 12" towels, ready for hand-wiping.

**ET-290** pails have 290 - 9" x 14" towels ready for use on the big jobs or when multiple crews are working.

**DDCC** - Dry towels are 10"x18" in size and available in cases packs of 250 individual towels, or in a case containing 5 bundles of 50 towels each. Available in full cases only.

## DIRECTIONS: (Always follow product label instructions for best results.)

### For Lead Dust Removal:

Simply tear off towels at perforation and wipe all surfaces (ceilings, walls, floors, windows, doors, baseboards, blinds, fixtures, cabinets, etc) until clean. Rinse or wipe dry if necessary. Contaminated towels should not be reused and should be disposed of according to federal, state and local regulations.

### CAUTION:

May cause irritation. Do not use this product before reading the Material Safety Data Sheet.  
Protect skin from direct contact with wet towels.

For additional information or assistance with this product, please call Sentinel Customer Service at, **800-373-0633**.

REMOVES LEAD DUST  
REMOVES MERCURY DUST  
READY-TO-USE  
MEETS HUD & PHOSPATE RULES



Sentinel  
All-Surface  
Floor Cleaning  
Kit

See reverse side for  
Material Safety Data Sheet (MSDS)

**MATERIAL SAFETY DATA SHEET**Sentinel Products Inc. - 51 N.E. 77<sup>TH</sup> Ave, Minneapolis, MN 55432  
(763)571-1498 - FAX(763)571-1819**SECTION 1** PRODUCT IDENTIFICATION & EMERGENCY INFORMATION

**PRODUCT NAME:** SENTINEL EnviroTOWELS for Lead Dust  
**SYNONYMS:** DISPOSABLE TOWELS PRESOAKED WITH 805 EnviroWash DETERGENT  
*THIS MATERIAL SAFETY DATA SHEET IS PROVIDED FOR THE LIQUID PORTION OF THIS PRODUCT*  
**EMERGENCY MEDICAL AND SPILL NUMBER:** 1-866-359-5661

**SECTION 2** COMPONENT & EXPOSURE DATA

COMPONENT	CAS#	PEL	TLV
TRISODIUM PHOSPHATE*	010101-89-0	Nuisance dust 15mg/m(3)	10mg/m(3)

\*SUBJECT TO THE REPORTING REQUIREMENTS OF SARA 312. TRISODIUM PHOSPHATE @ 100% IN POWDER FORM IS A NUISANCE DUST.

**SECTION 3** EMERGENCY AND FIRST AID PROCEDURES

**EYE CONTACT:** If this product comes in contact with eyes, gently flush with large quantities of water for at least 15 minutes. If irritation persists, seek immediate medical attention.  
**SKIN CONTACT:** Remove contaminated clothing. Cleanse affected area(s) thoroughly by washing with mild soap and water. If irritation or redness develops and persists, seek medical attention.  
**INHALATION:** Irritation to the upper respiratory tract.  
**INGESTION (SWALLOWING):** If this product is swallowed, DO NOT induce vomiting. Seek immediate medical advice and/or attention.

**SECTION 4** HEALTH HAZARDS & ROUTES OF ENTRY

**EYE CONTACT:** This product may cause irritation.  
**SKIN CONTACT:** This product may cause skin irritation. Persons with pre-existing skin disorders may be more susceptible to the effects of this material.  
**INHALATION:** Headache.  
**INGESTION (SWALLOWING):** If this product is swallowed, DO NOT induce vomiting. Seek immediate medical advice and/or attention.  
**COMMENTS:** THIS SUBSTANCE HAS NOT BEEN IDENTIFIED AS A CARCINOGEN OF PROBABLE CARCINOGEN BY NTP, IARC, OR OSHA.

**SECTION 5** SPECIAL PROTECTION INFORMATION

**VENTILATION:** Local.  
**RESPIRATORY INFORMATION:** None.  
**PROTECTIVE GLOVES:** The use of gloves impermeable to this material is advised to prevent skin contact and possible irritation.  
**EYE PROTECTION:** Approved eye protection to safeguard against potential eye contact, irritation or injury is recommended.  
**OTHER PROTECTIVE EQUIPMENT:** It is suggested that a source of clean water be available in the work area for flushing eyes and skin. Impervious clothing should be worn as needed.

**SECTION 6** REACTIVITY DATA

**STABILITY:** Stable **HAZARDOUS POLYMERIZATION:** Will not occur.  
**INCOMPATIBILITY (MATERIALS TO AVOID):** None known.  
**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of Carbon & Phosphorous.

**SECTION 7** SPILL OR LEAK PROCEDURES

**PRECAUTION IN CASE OF LEAK OR SPILL:** Mop up as much as possible, then flush residue with a large volume of water.  
**WASTE DISPOSAL METHOD:** Dispose of product in accordance with applicable local, county, state and federal regulations.

**SECTION 8** STORAGE, SHIPPING, & REGULATORY INFORMATION

**HANDLING & STORAGE:** Keep containers tightly closed. Keep containers cool and dry.  
**DOT PROPER SHIPPING NAME:** Cleaning Compound, NOI  
**DOT HAZARD CLASS:** Not a regulated material.

HAZARD RATINGS	HMIS	NFPA
HEALTH	1	1
FLAMMABILITY	0	0
REACTIVITY	0	0

**SECTION 9** FIRE AND EXPLOSION HAZARD

**FLASH POINT (TEST METHOD):** None to boiling. **AUTO IGNITION TEMPERATURE:** N/A  
**FLAMMABLE LIMITS IN AIR, % BY VOL. LOWER:** N/A **UPPER:** N/A  
**EXTINGUISHING MEDIA:** Use foam CO<sub>2</sub> or dry chemical fire fighting apparatus.  
**FIRE AND EXPLOSION HAZARD:** Not determined.  
**FIRE FIGHTING PROCEDURES:** The use of a self-contained breathing apparatus is recommended for fire fighters. Water may be unsuitable as an extinguishing media, but helpful in keeping adjacent containers cool.  
**UNUSUAL FIRE AND EXPLOSION HAZARD:** N/A

**SECTION 10** PHYSICAL DATA

**BOILING POINT (°F):** 215-290° F. **SPECIFIC GRAVITY (H<sub>2</sub>O=1):** ~1.03  
**VAPOR PRESSURE:** Not known. **MELTING POINT:** N/A  
**SOLUBILITY IN WATER:** Complete. **VAPOR DENSITY:** Not known.  
**APPEARANCE & ODOR:** Green-Slight/Characteristic. **EVAPORATION RATE:** Slower than ether.

**SECTION 11** DOCUMENTARY INFORMATION

**DISCLAIMER OF EXPRESSED OR IMPLIED WARRANTIES** The information in this document is believed to be correct as of the date issued. However, no warranty of merchantability, fitness for any particular purpose, or any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from the use of this information or the product, the safety of this product or the hazards related to its use. This information and product are furnished on the condition that the person receiving them shall make his/her own determination as to the suitability of the product for his/her particular purpose and on the condition the he/she assume the risk of his use thereof.