









ESSENTIAL TOOLS FOR FLOOR Preparation and Installation Professionals





aylor Tools was originally part of the W.F. Taylor Company located in City of Industry, California. The product line consisted of the essential tools for installing carpet and linoleum some of which you can still find in today's catalog.

In 1980, the tool division of the W.F. Taylor Company was acquired by Roofing Equipment, Inc, in Denver, Colorado. Roofing Equipment Inc. manufactured roofing removal and installation products including the 460 series stripper machine. By combining the two company's product lines it gave Roofing Equipment Inc. (now doing business as Taylor Tools) a broad product line in flooring installation tools and surface preparation equipment. Taylor Tools continues to focus on introducing new and innovative products to these markets.

With the support of our loyal customers and distributors, Taylor Tools has steadily grown over the years by bringing cutting edge technology to the flooring industry, introducing such innovative tools as:

- Walk behind floor removal machines (The Stripper)
- Material Handling Equipment (Uni-Lift)
- One Step Carpet Seaming and Sealing (One Step Seam Weld Iron)
- Rubber Covered Linoleum Rollers
- Ride On Floor Strippers with Suspension (Bronco Floor Stripper)
- Lighted Seaming Irons

And there's more to come. Taylor Tools is currently engaged in the development of some very exciting, new products for the flooring industry, which will be introduced throughout the year. If you would like to be on our mailing list to receive the latest news, please contact Keith Papulski at <u>kpapulski@taylortools.com</u>.

Taylor Tools has flourished thanks to the hard work of its employees and the enthusiastic support of our customers and distributors. To maintain that momentum, we have recently relocated to a new and larger manufacturing facility. The added space allows us to integrate more manufacturing operations in-house including state-of-the-art turning centers and injection molding equipment. We believe that if we continue to develop new and unique products competitively priced, they can be **MADE IN THE UNITED STATES OF AMERICA**. Most of the products offered from Taylor Tools are made right at the Denver plant.



A Division of Roofing Equipment Inc.

5045 Paris Street, Denver, Colorado 80239 (303) 371-7667 FAX (303) 371-7669

www.taylortools.com

© Roofing Equipment, Inc. Denver, Colorado USA 2006. All rights reserved

Table of Contents

taylor
Denver, Colorado

Floor Covering Removal	Page
Blades	12
Extreme Machine	5-6
Sand Paper-Extreme Machine	7
EZ Scrape	6
Floor Grinder	9
Pogo Scraper	11
Scraper, Spud Bar	11
Spud Bar, Contractor Grade	11
Stripper, Bronco	1-2
Stripper, Heavy Duty (#460, #461, #462, #463)	4
Stripper, Self-Propelled (#464)	3
Stripper Machine Specifications	4
Vacuums	8,10

Material Handling Equipment

Carpet Cart	14
Carpet Cart, The Mule	14
No-Flat Tire	14
Sta-Tite Belt Tightener	13
Uni-Lift	13

Carpet Installation Tools	Page
Brooms, Floor	35
Brush, Counter	35
Carpet Guards	20
Clamps, Carpet	29
Cotton Head	15
Cutter, Cushion Back	28
Door Hinge Pin Removers	31
Drive Down Bar	33
E-Z Tuck, Deluxe E-Z Tuck	30
Glue Gun and Tips	37
Glue Sticks	37
Heat Gun	35
Kicker Pick/Row Tracker	27
Knee Kicker, Deluxe	17
Knee Kicker, Conventional	18
Knives	32
Laminate Flooring Installation	38
Linoleum Rollers	34
Lockjaws	29
Loop Pile Cutter	28
Moisture Test Kits	26
Moisture Test Kit Gram Scale	26
Molding Lifter	33
Nail Driver, Concrete	31
pH meter	26
Protimeter Moisture Meters	25
Restretcher, Mini	18
Seam Rollers	22
Seam Weld Iron, Tru-Trak	21
Seaming Iron, Conventional	22
Seaming Irons, Taylor	19
Seaming Iron Replacement Parts	23-24

ge	Carpet Installation Tools	Page
5	Sharkteeth	17
5	Shears	36
0	Stair Tool	30
9	Straight Edge, Aluminum	33
5	Stretchers, Power	15
8	Stretcher Adapter Tubes	15
1	Stretcher Hook	18
3	Tackers	16
0	Tool Box	36
7	Tool Kit, Carpet Installation	36
7	Tool Pouch, Leather	33
5	Trimmer, Conventional	28
7	Trimmer, Cushion Back Wall	28
7	Trimmer, Multi-Purpose Wall	27
В	Vinyl Tile Cutter	27

Floor Covering Removal

For the most demanding floor removal jobs - everything from direct glue down carpet and resilient installations to tough floor accumulations -Taylor Tools has the most complete line of floor removal equipment and tools in the industry.

The line includes hand scrapers, the Pogo Scraper, Extreme Machines, classic 460 and 462 strippers, and the Model 464 Self-Propelled Stripper - an incredible, powerful, all-purpose machine with a reasonable price tag. For large commercial removal jobs, you can't beat the #260 Bronco.

For removing:

- Adhesive applied carpeting
- Resilient sheet goods
- Rubber and vinyl tile
- Plastic
- Rubber
- Ice
- Epoxy Resins
- Ceramic-Bronco & Pogo
- Scraper (see pg. 11) only
- Saturated felt
- Parking Lot Coatings

- Sports Track
- Cork
- Adhesives
- Paint
- Mastapave
- Tennis court surfaces
- and other industrial
- accumulations

All Strippers come with tools and an assortment of blades to get you started.



The Clean Machines

The patented (pat. #6273513) Bronco is a major breakthrough in floor removal equipment design.

For the first time, removal rates are not dependent on a machine's sheer size and weight. The Bronco equals or outperforms those large, heavy, expensive, awkward machines but comes in a small, compact size.

And now you have a choice of power systems in your Bronco: the super-clean electric model and the new, low-emission, propane-powered version. With either model, you'll get the same great features including high performance with low maintenance.

The Bronco has only five drive components - a motor, two pumps and two gear motors. That's why we can go the extra mile and extend a limited 1 year warranty.

So, before you invest in a professional grade stripper, you owe it to yourself and the success of your company to check out the revolutionary Bronco.

Removal rates, blade life and equipment maintenance vary depending on the installation materials and techniques originally used to install the floor covering.





Propane-Powered

- Powerful, low-emission 17HP Kawasaki engine
- Strip up to 15,000 sq. ft. per day

Purchase of a Bronco includes on site training at your facility or jobsite.

Call us about the Bronco Leasing Plan.

See the Bronco in action!

Ask for our <u>FREE</u> video or CD or visit our website - **www.taylortools.com**



Small but powerful, the Bronco's small size is easy to transport in a standard garden trailer or pick-up truck rated 3/4 ton or heavier, when loaded and unloaded with a forklift. Only 29" wide, the Bronco fits in passenger elevators and through doorways making it ideal for residential applications.

> Easy-to-operate controls with zero turn radius

Quiet, 7 1/2 HP, 220V, single phase electric motor. No emissions to monitor or ventilate.

> Low-pressure hydraulic system eliminates leak problems. Absence of hydraulic valves reduces heat build-up



Unique, articulating Power Wedge[™] design reaches into tight corners and provides as much power as heavier, more expensive machines.

Electric

Patent #6273513

Exclusive!

Adjustable Power-Glide[™] suspension system keeps blade engaged to floor at all times

Floor Covering Removal



Bronco Accessory Pack

	y
(1) 260-90-06	Owners Manual
	Engine Manual (propane model only)
(1) 260P-90-06	CO2 Detector (propane model only)
(1) 260-90-01	9/16" allen wrench
(1) 260-90-04	by-pass wrench
(1) 260-90-03	1 1/8" combination wrench
(1) 165-07-SD	3x7x.083 Self-Dice Blade
(1) 165-10-00	3x10x.083 Bronco Blade
(3) 166-07-00	4x7x1/8 Heavy Duty Tile Blade
(2) 166-10-00	4x10x1/8 Heavy Duty Tile Blade
(1) 167-04-00	4x4x1/8 Tool Steel Blade
(1) 168-01-00	Ceramic, 1" Straight Blade
(2) 265-12-SD	3x12x.083 Side Cutting Bronco Blade
(1) 266-06-SD	4x6x.083 Side Cutting Bronco Blade
(1) 266-12-00	4x12x.083 Bronco Blade
(1) 266-12-SD	4x12x.083 Side Cutting Blade

The #464, Self-Propelled Stripper, already the best stripper on the market, is now even better!

Built around the trouble-free, quiet Model 462 heavy duty stripper, this incredibly powerful machine can quickly and efficiently tackle the most difficult removal jobs - with little or no



strain on the operator. And now, the #464 includes the **Adjustable Tile Attachment** for even more versatility.

Powerful!

One motor drives the machine with 185 lbs. of thrust while a second motor provides the blade action. The operator steers the machine with little or no elbow grease required. **Fast!**

In field tests, the #464 removed Collins & Aikman Power Bond glue down carpet at the rate of more than 13 lineal feet per minute (10" wide strips).

Versatile!

Removes direct glue down carpet, resilient sheet goods, vinyl tile and other difficult floor accumulations. **Economical!**

The **#464** Self-Propelled Stripper is far less expensive than other self-propelled strippers.

Efficient!

Gets down to and through the adhesive.



460-464 Accessory Pack

	,
(2) 460-15-00	4x6 Tile Blade (concrete)
(1) 460-16-00	5x6 Tile Blade (wood)
(1) 460-16A-00	3x16 Carpet Blade w/Holes
(1) 460-165-00	3x16 Carpet Blade w/Slots
(1) 460-30-00	16" Blade Stiffener
(1) 460-34-00	3x10 Carpet Blade w/Holes
(1) 460-345-00	3x10 Carpet Blade w/Slots
(1) 460-705-00	7" Slotted Blade (V.C.T.)
(1) 460-70S-SC	7" Slotted Side Cutting Blade
(1) 460-32-01	Box Wrench
(1) 460-33-00	Grease Gun

Quiet!

The #464 incorporates the #462 blade action which means a quiet operation.

Durable!

The #462 blade action means little worry about repairs and maintenance.

Reliable!

The #464 Self-Propelled Stripper comes with a one year warranty.



3 removable weights reduce the #464's weight from 240 lbs. to 114 lbs. for easy transportation.

> **1 YEAR** Limited Warranty



The Stripper #460/#461

With the Stripper, one man can easily remove most types of floor covering materials from concrete or wood floors leaving a smooth, clean surface ready for recovering.

The #460 Stripper features time-tested blade cutting action, large semi-pneumatic 10" wheels and heavy gauge steel construction. Compact and maneuverable, the Stripper's efficient, low maintenance performance guarantees a costsaving machine which quickly pays for itself with faster, easier, cleaner operation.



Badd and Forth

#463 Same features as the #462 plus an easy-to-remove belt guard and no side shields

#462

3 YEAR Limited Warranty





#461

Same features as the #460 plus an easy-toremove belt guard and no side shields.



Heavy Duty Strippers #462/#463

Super quiet, incredibly effective and practically maintenance free year after year.

Featuring a 3 YEAR WARRANTY!

The improved, longer lasting and quieter #462 and #463 Strippers incorporate improvements on the industry standard #460 that allow us to extend a 3 year warranty for the entire front-end assembly. We haven't changed the way the machines operate. They still have the performance-proven 2200 strokes a minute belt driven action and heavy gauge steel construction but product improvements reduce wear on the moving parts for lower maintenance costs, fewer replacements, and <u>quieter</u> operation.

Features the new Easy-Clamp Blade Clamping System. Allows blade tightening from the top.



Stripper Specifications

	464	460/461	462/463	Bronco
Length*	36"	36"	36"	48"
Width	17"	17"	17"	29"
Height*	33"	32"	32"	44"
Weight w/o				
Supplemental Weight	114#	95#	95#	640#
Wt. of Supplemental Wt.	Nose wt. 43#	40#	40#	600#
	Hood wt. 44#			
	Base wt. 27#			
Shipping wt.	228#	140#	140#	1240#
Motor Specs.	Drive Motor: 1/4 HP	3/4 HP 115V	(same as	7 1/2 HP 220V
	115V 4.6 amps	10.8 amps	460/461)	Single phase
	Blade Motor:	Also avail. w/50 cycle		3450 rpm
	3/4 HP	220V 1/2 HP		17 HP Propane
	115V 10.8 amps	3.9 amps		20 lb. Propane tank
				8 hr. work time
Blade Action	2200 strokes per min.	2200 strokes per min.	2200 strokes per min.	Fixed Blade
	back & forth	back & forth	back & forth	
Blade Stroke	1/4"	1/4"	1/4"	Fixed Blade
Warranty	1 yr.	1 yr.	3 yrs.	1 yr.

* Length and Height dimensions are with handle bar extended Stripper specifications are approximate

Floor Covering Removal



#485-17 17" Extreme Machine with vac ready base. w/o pad driver.

Extreme Machine Buffers

Ideal for Grinding, Sanding, Mastic Removal, Concrete Profiling and More!

This rugged buffer shrugs off the abuse of grinding, scarifying and sanding concrete. In fact, the use of EZ Scrape or other grinding attachments WILL NOT VOID THE WARRANTY, unlike other popular buffers.

The Extreme Machine features a triple planetary gear unit with a steel coupling. That's why it has a 1 YEAR WARRANTY on parts and labor <u>even when used with</u> <u>the EZ Scrape</u> and grinding attachments.

- Dual safety switch levers
- 1.5 HP, 110V motor. 175 rpm. Weight 102 lbs.
- Totally enclosed external fan prevents concrete dust and grit from entering the motor windings and wearing the motor out.
- Triple planetary gear box with steel coupling
- 50' power cord



#485-20 20" Extreme Machine w/o pad driver. Vac ready base not available on 20".



17" Extreme Machine with vac ready base, Dust Control Conversion Kit (kit includes pad driver, Dust Control Ring, and light). Vacuum not included. #485-17-VAC-L

17" Extreme Machine with vac ready base, Dust Control Conversion Kit (kit includes pad driver, Dust Control Ring, and light). 7 gal. handle mounted vacuum and hose included.



Attachments for the Extreme Machine



Sand Paper Drivers 17" #485-17-10 20" #485-20-10



Multi-Head #485-MH

Comes with 6 1/2" velcro pads (#485-1602)



4" EZ Strip Puck removes mastic and leveling compounds from concrete. #485-1615 Attachment: Bolt on



4" 30 grit diamond plate. For sanding and concrete removal. #485-DIA-30 Attachment:Velcro only



1/4" **Titan Puck** for surface profile and adhesive preparation. Removal of rubber padding. #485-1610 Attachment: Bolt on



4" Grinding Stone, silicon carbide stone for grinding concrete to remove surplus material and brush marks, abrading surfaces for adhesive preparation. #485-1612 Attachment: Bolt on



1/8" Titan Puck for paint and adhesive removal. #485-1608 Attachment: Bolt on



Carbo Brush. Scrubbing and cleaning floors. #485-1636-80 #485-1636-180 Attachment: Bolt on



4" Scarifier wheels for abrading, removal of glue, paint and concrete sealers and coatings. #485-1642 Mounting Plate #485-1659



1/2" Velcro Pad #485-1602



"Red Devil" 4" 30 grit diamond plate. For grinding and concrete removal. #485-1618 Attachment: Bolt on



Mounting Plate 5/8" Male #485-1659



clutch plate included

EZ Scrape

Removes cutback, multi-purpose adhesives and other hard-to-remove floor residue quickly and easily. The EZ Scrape consists of six carbide blades (3 more than previously) spring mounted on an aluminum casting which fits 175 RPM rotary disk floor machines. There are three different models to accommodate different diameter machines.

#472 - 13" disk for 15" machines #471 - 15" disk for 17" machines #470 - 17" disk for 19" & 20" machines #470-15 Replacement blades-6 per pack **Features:**

- No messy chemicals or disposal problems. The EZ Scrape is a dry removal system. The rotating steel blades reduce floor accumulations (even painted lines) to dry, sweepable dust. There is no chemical waste to dispose of.
- No "downtime" waiting for the floor to dry. After sweeping away the residue, you're ready to start installing the new floor.
- Incredibly fast.
- Eight-sided blades assure long life.
- One year warranty on parts and labor.
- Weighs less than 10 lbs. Comes with an extra clutch plate.

Floor Covering Removal

Sand Paper



<u>Part No.</u> 16" X 2" DISK 1	<u>Grit</u> I Sided, Dia		<u>(g. Qty.</u>	<u>Part No.</u> 19" X 2" DI
Zirconium	blaca, bla	Buch		485-253-02
485-120-024Z	24 Grit	DBZ - CLOTH	10	485-253-03
485-120-030Z	30 Grit	DBZ - CLOTH	10	485-253-03
485-120-036Z	36 Grit	DBZ - CLOTH	10	485-253-04
485-120-040Z	40 Grit	DBZ - CLOTH	10	485-253-05
485-120-050Z	50 Grit	DBZ - CLOTH	10	485-253-06
485-120-060Z	60 Grit	DBZ - CLOTH	10	485-253-08
485-120-080Z	80 Grit	DBZ - CLOTH	10	485-253-10
485-120-100Z	100 Grit	DBZ - CLOTH	10	485-253-12
485-120-120Z	120 Grit	DBZ - CLOTH	10	485-253-15
16" X 2" DISK 2	2 Sided, Sil	icone Carbide		19" X 2" DI
485-121-012	12 Grit	SIC - PAPER	10	Zirconium
485-121-016	16 Grit	SIC - PAPER	10	485-271-02
485-121-020	20 Grit	SIC - PAPER	10	485-271-03
485-121-024	24 Grit	SIC - PAPER	10	485-271-04
485-121-030	30 Grit	SIC - PAPER	10	485-271-05
485-121-036	36Grit	SIC - PAPER	10	485-271-06
485-121-040	40 Grit	SIC - PAPER	10	485-271-08
485-121-050	50 Grit	SIC - PAPER	10	485-271-10
485-121-060	60 Grit	SIC - PAPER	10	485-271-12
485-121-080	80 Grit	SIC - PAPER	10	16" SCREE
485-121-100	100 Grit	SIC - PAPER	10	485-125-06
485-121-120	120 Grit	SIC - PAPER	10	485-125-08
485-121-150	150 Grit	SIC - PAPER	10	485-125-10
19" X 2" DISK 1	l Sided, Si	licone Carbide		485-125-12
485-129-012	12 Grit	SIC - PAPER	10	485-125-15
485-129-016	16 Grit	SIC - PAPER	10	485-125-18
485-129-020	20 Grit	SIC - PAPER	10	485-125-22
485-129-024	24 Grit	SIC - PAPER	10	19" SCREE
485-129-030	30 Grit	SIC - PAPER	10	485-132-06
485-129-036	36 Grit	SIC - PAPER	10	485-132-08
485-129-040	40 Grit	SIC - PAPER	10	485-132-10
485-129-050	50 Grit	SIC - PAPER	10	485-132-12
485-129-060	60 Grit	SIC - PAPER	10	485-132-15
485-129-080	80 Grit	SIC - PAPER	10	485-132-18
485-129-100	100 Grit	SIC - PAPER	10	485132-22
485-129-120	120 Grit	SIC - PAPER	10	
19" X 2" DISK 2	-			1/4" Thick or AOS PAF
485-253-012	12 Grit	SIC - PAPER	10	
485-253-016	16 Grit	SIC - PAPER	10	485-130-01
485-253-020	20 Grit	SIC - PAPER	10	485-130-01

Part No.	<u>Grit</u>	Backing Pk	<u>g. Qty.</u>		
19" X 2" DISK 2 Sided, Silicone Carbide					
485-253-024	24 Grit	SIC - PAPER	10		
485-253-030	30 Grit	SIC - PAPER	10		
485-253-036	36 Grit	SIC - PAPER	10		
485-253-040	40 Grit	SIC - PAPER	10		
485-253-050	50 Grit	SIC - PAPER	10		
485-253-060	60 Grit	SIC - PAPER	10		
485-253-080	80 Grit	SIC - PAPER	10		
485-253-100	100 Grit	SIC - PAPER	10		
485-253-120	120 Grit	SIC - PAPER	10		
485-253-150	150 Grit	SIC - PAPER	10		
19" X 2" DISK,	1 Sided, Di	amond Back			
Zirconium					
485-271-024Z	24 Grit	DBZ - CLOTH	10		
485-271-036Z	36 Grit	DBZ - CLOTH	10		
485-271-040Z	40 Grit	DBZ - CLOTH	10		
485-271-050Z	50 Grit	DBZ - CLOTH	10		
485-271-060Z	60 Grit	DBZ - CLOTH	10		
485-271-080Z	80 Grit	DBZ - CLOTH	10		
485-271-100Z	100 Grit	DBZ - CLOTH	10		
485-271-120Z	120 Grit	DBZ - CLOTH	10		
16" SCREENS					
485-125-060	60 Grit	Screen	10		
485-125-080	80 Grit	Screen	10		
485-125-100	100 Grit	Screen	10		
485-125-120	120 Grit	Screen	10		
485-125-150	150 Grit	Screen	10		
485-125-180	180 Grit	Screen	10		
485-125-220	220 Grit	Screen	10		
19" SCREENS					
485-132-060	60 Grit	Screen	10		
485-132-080	80 Grit	Screen	10		
485-132-100	100 Grit	Screen	10		
485-132-120	120 Grit	Screen	10		
485-132-150	150 Grit	Screen	10		
485-132-180	180 Grit	Screen	10		
485132-220	220 Grit	Screen	10		
1/4" Thick FINISHRITE PADS Use W/ Screens or AOS PAPER					

s PER

485-130-016	16"	FINISHRITE PAD	5
485-130-019	19"	FINISHRITE PAD	5



Part No.	Grit	Backing P	kg. Qty.		
4 1/2" Scalloped Quick Stick					
485-255-220	240 Grit	SIC - CLOTH	100		
485-255-400	400 Grit	SIC - CLOTH	100		
485-255-600	600 Grit	SIC - CLOTH	100		
485-255-024A	24 Grit	AOP CLOTH	100		
485-255-100A	100 Grit	AOP CLOTH	100		
485-255-150A	150 Grit	AOP CLOTH	100		
485-255-180A	180 Grit	AOP CLOTH	100		
485-255-036Z	36 Grit	DBZ - CLOTH	I 100		
485-255-040Z	40 Grit	DBZ - CLOTH	I 100		
485-255-060Z	60 Grit	DBZ - CLOTH	I 100		
485-255-080Z	80 Grit	DBZ - CLOTH	I 100		
485-255-120Z	120 Grit	DBZ - CLOTH	I 100		
4 1/2" Quick Sti	ck SCREEN	IS			
485-256-060	60 Grit	SCREENS	100		
485-256-080	80 Grit	SCREENS	100		
485-256-100	100 Grit	SCREENS	100		
485-256-120	120 Grit	SCREENS	100		
485-256-150	150 Grit	SCREENS	100		
485-256-180	180 Grit	SCREENS	100		
485-256-220	220 Grit	SCREENS	100		
SIC = Silicone Carbide - stays sharp					
AOP = Aluminum Oxide - lasts long but not as					
sharp as silicone carbide					
DBZ = Diamond Back Zirconium - stays sharp,					
long lasting, most aggressive.					





Dust Collector

(dry vacuum only) **#VAC-100**

Thanks to a uniquely designed, oversized, extended duty filter system, this powerful vacuum can handle concrete dust and other fine dusts from grinding and sanding. Does not use expensive vacuum bags or disposable prefilters.

Powerful (200 cfm) system is virtually maintenance free and the most durable in the industry.

Specifications:

Motor rating: (2) 1200 watt motors, 3.2 HP Voltage: 110 Volt Amps: 19 Amps Noise Level: 76 dba (69 dba w/silencer) Primary Filtration Efficiency: 99.9% @0.5 microns 2" diameter inlet Weight: 115 lbs.



Motors are easily removed for service



Quick foot release 9 gal. dust pan



Metal frame supports filter element



Hepa Filter #VAC-100-HEPA

- 99.7% @ .3 microns
- 40 sq. ft. filter area
- Weight: 135 lbs.
- Comes with 20' hose



- A. 20' hose standard: VAC-100-100A
- B. Optional wand: VAC-100-5003
- C. Optional floor tool: VAC-100-5060
- D. Hose connector: VAC-100-100B



Floor sweep attachment: VAC-100-50

Floor Covering Removal



000

Diamond Inserts

General Purpose #490-50-10 **Abrasive Concrete** (Florida area)

Abrasive Concrete (Florida area #490-50-20



Carbide Inserts #490-25-10

Dual Head Floor Grinder w/o Kits #492

Grind rough surfaces smooth, eliminate uneven floors, remove paint, coatings, sealers, mastics and thin set. Clean industrial floors and grind expansion joints. Dust free operation available. 1.5 HP, 115/230 volts, 1725 rpm. Hearing and eye protection must be worn.



#490-50 Diamond Starter Kit - 3/kit Used to grind and remove concrete.



#490-25 Carbide Starter Kit - 3/kit Used to remove coatings and build-up on concrete.

Accessories



Silabide Pad #490-11-A



Pumice Stone 10 grit #490-11014 24 grit #490-11024 80 grit #490-11034 120 grit #490-11084



Wire Brush Assembly #490-CG-101



Scarifier Insert Assembly #490-CG-223



15 Gallon Wet/Dry Vac #VAC-150

• 5 year tank warranty

- 15 gallon high impact plastic tank
- Water lift 96"
- Durable metal base
- 9" heavy duty non-marking wheels
- Metal wheel base
- 4-piece tool kit
- Wand Vacuum Head Crevice Tool Dust Brush • Water dump hose
- 2 Motors: 1200 watts ea., 1.6 HP/3.5 peak, 325 cfm
- Note: Filter element must be removed to use as a wet vacuum
- 25' x 1¹/2" hose

Replacement Filters #VAC-150-468

Vac-Pak #VP-300

- Static dissipating vacuum hose
- Threaded cap eliminates separation of cap and hose. Reverses for left or right hand use.
- Stainless steel clamps eliminate hard-to-close screw tops
- Vacuum bag deflector keeps particles from tearing the
- vacuum bag • Cloth vacuum bag is washable (air dry only) and lasts
- for years Heavy duty paper bag lasts longer and stays stronger under heavy use
- Bag support plate (patent pending) keeps bag from impeding air flow
- Recessed powerhead outlet
- 5-piece tool kit

Weight: 10 lbs. Height: 23" Capacity: 10 qts. Airflow: 150 cfm Power: 1500 watts dB: 67 Amps: 11.5 Static lift: 100

Paper filter bags # VP-300-920



Floor Covering Removal



Contractor-Grade Spud Bar #403/407

The most powerful, efficient design at an economical price. Twice as heavy (16 lbs.) as standard spud bars and longer length for more power. Blade holder design prevents build-up. These DURABLADE blades are **50% thicker** than standard blades. #403-01 3" x .083" Blade #407-01 7" x .083" Blade

Specifications:

#403 #407

Blade width: 3" 7" Weight: 16 lbs. 18 lbs. Length: 66" 66"

Spud Bar #303 and #307

Spud Bar with Leverage Handle #303-03 and #307-07

For those difficult hand stripping jobs, here is a real heavyweight floor scraper with a long life. These all-steel spud bars feature .062["] DURABLADES and a comfortable shovel handle.

And for even easier and more effective use, you can order both $3^{1}/2^{"}$ and 7" spud bars with a unique, adjustable leverage handle. The optional handle (#308) can also be purchased separately to modify our other spud bars.

Specifications:

#303
#307
#303-03
#307-07
#308

Blade width:
3¹/2"
7"
3¹/2"
7"
-

Weight:
9¹/2"
7"
10.25 lbs.
12.25 lbs.
1.25 lbs.
1.25 lbs.

Length:
57¹/2"
57¹/2"
57¹/2"
57¹/2"
-

#303-01 3 ¹/2" blade #307-01 7" blade #308 Leverage handle



.083 Thick



#309-50-40

#309-60-06

6"X6"

4" Chisel

Pogo Scraper, Masonry #309

Pneumatic spud bar great for ceramic and vinyl tile removal. 2500 blows/min. @5 CFM @ 90 psi. Comes w/ 4" solid chisel, blade holder and 6"x4", 6"x10" and 6"x6" blades. Other blades for blade holder available for separate purchase. Hearing and eye protection must be worn. #309-60-04 6"X4" #309-60-10

6"X10"

#309-60-00

11



DURABLADE with **DYNALLOY**

They're Thicker! They're Stronger! They Last Far Longer!

DURABLADES are available in self-dicing(SD) versions to make glue-down carpet removal even faster!

Durablade Specifications

Part #	Description	Thickness	Applications
**165-04-00	3″ x 4″ Bronco Blade	.083	Tile and hard to remove floor coverings
**165-07-00	3″ x 7″ Bronco Blade	.083	Tile and hard to remove floor coverings
**165-10-00	3" x 10" Bronco Blade	.083	Tile and hard to remove floor coverings
**165-16-00	3″ x 16″ Bronco Blade	.083	Tile and hard to remove floor coverings
**166-04-00	4" x 4" Heavy Duty Tile Blade	.125	Tile and hard to remove floor coverings
**166-07-00	4" x 7" Heavy Duty Tile Blade	.125	Tile and hard to remove floor coverings
**166-10-00	4" x 10" Heavy Duty Tile Blade	.125	Tile and hard to remove floor coverings
**166-16-00	4" x 16" Heavy Duty Tile Blade	.125	Tile and hard to remove floor coverings
**167-04-00	4" x 4" Blade, Tool Steel	.125	Ceramic
**167-07-00	4" x 7" Blade, Tool Steel	.125	Ceramic
167-01-00	1" x 4" Blade, Tool Steel	.250	Hard to remove ceramic or wood
168-07-TB	4" x 7" Trenching Blade, Tool Steel	.250	Vinyl/Sheet Vinyl and ceramic
265-12-SD	3" x 12" Bronco Blade	.083	Carpet blade for sheet goods removal
**266-04-00	4″ x 4″ Bronco Blade	.083	Tile and hard to remove floor coverings
**266-07-00	4″ x 7″ Bronco Blade	.083	Tile and hard to remove floor coverings
**266-12-00	4″ x 12″ Bronco Blade	.083	Tile and hard to remove floor coverings
**266-12-SD	4" x 12" Side cutting Bronco blade	.083	Carpet and sheet goods removal
**266-14-00	4" x 14" Bronco Blade	.083	Tile and hard to remove floor coverings
406-01	6" Heavy Duty Blade	.062	Stand up scraper blade for Roberts™ #10-195-01
460-15	4" x 6" Tile Blade (Concrete)	.062	Vinyl tile over concrete, gluedown, floor accum.
460-16	5″ x 6″ Tile Blade (Wood)	.062	Vinyl tile over wood, gluedown, floor accum.
460-16A	3" x 16" Carpet Blade w/Holes	.062	Cushion back carpet, floor accumulations
460-16S	3" x 16" Carpet Blade w/Slots	.062	Cushion back carpet, floor accumulations
460-30S	16" Blade Stiffener w/Slots or Holes	.062	Use only w/16" blade.
460-31	6" x 16" Special Carpet Blade	.062	Hard-to-remove industrial accum. (e.g. epoxy)
460-31-SD	6" x 16" Special Carpet Blade	.062	Hard-to-remove industrial accum. (e.g. epoxy)
460-34	3" x 10" Carpet Blade w/Holes	.062	Gluedown carpet, floor accumulations
460-34S	3" x 10" Carpet Blade w/Slots	.062	Gluedown carpet, floor accumulations
460-34S-SD	3" x 10" Carpet Blade w/Slots	.062	Gluedown carpet, floor accumulations
460-70S	7" Slotted Blade V.C.T.	.062	Vinyl tile w/464 Stripper, floor accumulations
460-70S-SD	3" x 7" Slotted Blade V.C.T.	.062	Vinyl tile w/464 Stripper, floor accumulations
465-03	3" x 13" for German Import Strippers	.062	Gluedown carpet, floor accumulations
465-03S-SD	3" x 13" for German Import Strippers	.062	Gluedown carpet, floor accumulations
465-03-14	3" x 14" for German Import Stripper	.062	Gluedown carpet, floor accumulations
465-03-14-SD	3" x 14" Side cutting Ger. Import Stripper	.062	Gluedown carpet, floor accumulations
465-62-14F	3" x 14" Flexible	.062	For Sinclair™ Turbo #10-4801
466-00-14	3″ x 14″ Rigid	.083	For Sinclair™ Turbo #10-4802
466-00-SC	3" x 14" Side cutting	.083	For Sinclair™ Turbo #10-4801D
466-04-14	4″ x 14″ Rigid	.083	For Sinclair™ Turbo #10-4807 Ceramic/Parquet
466-03-08	8″ Rigid	.083	For Sinclair™ Duro/Bravo #10-4906
466-03-08-SC	8" Side Cutting	.083	For Sinclair™ Duro/Bravo #10-4906D
466-62-08	3″ x 8″ Rigid	.083	For Sinclair™ Turbo #10-4803

Most popular Blades

** Available with both edges sharpened (add "DE" to end of part #). Caution: blades sharpened on both edges are more dangerous. To safely install or remove blades, use Taylor Tools blades with protective edge. Always wear protective gloves to reduce the risk of serious cuts.

Material Handling Equipment



Uni-Lift

#600

The Uni-Lift turns any heavy object into an easy-to-move 4-wheeled cart without balancing or tipping. Strap a pair of Uni-Lifts onto a heavy object, push the lifting lever, and one person (man or woman) can easily move desks, appliances, machinery...up to 800 lbs. Featuring the patented Sta-Tite belt tightener, large 3" casters and rubber bumper guards, the Uni-Lift quickly and efficiently solves your heavy lifting and bulky moving problems. Comes with attached 1 ft. strap w/buckle and 11 ft. strap w/o buckle plus an extra 7 ft. strap w/buckle.

Specifications:

Height: 28" Width: 22" Weight: (pair) 45 lbs. Lifting Capacity: 800 lbs Not to be used on stairs or steps







The Uni-Lift is used by: Movers, Floor Covering Installers, Carpet Cleaners, Warehousemen, Plant Operators, Office Managers...

To Move: Furniture, Store Displays, Air Conditioners, Machinery, Appliances, Office Equipment, Crates, etc.



Sta-Tite Belt Tightener #601

Much smaller and less expensive than ratchet type tighteners, Sta-Tite's unique application of the leverage principle takes a mere flick of the wrist to tighten any 2" strap. Comes with Uni-Lift but also sold separately.





The Mule

#505

The Mule is more compact, lighter and more maneuverable than other carts and it costs less. Yet, it can carry 1,000 lbs., can be hand carried and is easily stored because of its compact size.

Specifications:

Carrying Capacity: 1000 lbs. Weight: 39 lbs. Length: 39 1/2" Height: 18 3/4" Width: 21" Tires: 16" pneumatic Construction: All-steel Can be shipped by UPS



No-Flat Tire #500-03-NF

Install on your Carpet Cart or Mule Cart and eliminate flat tires forever! Same Load Rating as standard pneumatic tires.

Carpet Cart #500

Large 16" pneumatic tires and a heavy gauge tubular steel frame provide a 1,000 lb. capacity for easy carpet and padding handling.

Specifications:

Carrying Capacity: 1000 lbs. Weight: 55 lbs. Length: 5' Height: 22" Width: 20" Tires: 16" pneumatic Construction: All-steel Can <u>not</u> be shipped by UPS



Power Stretchers Standard Stretcher with Box #748

Taylor stretcher features a 12" head, heavy duty steel teeth and adjustable height. The four innerouter steel tubing sections are made of a thicker gauge steel and have a larger diameter than competitors for 20% more strength and rigidity.

The **#748** Standard includes the 20" Rol-A-Block tail block assembly, one 14" connecting tube, an adjustment neck tube and a durable plastic case.



#748 stretcher tubes have a larger diameter for extra strength to reduce bowing on long stretches.



The **#748** adapter tubes allow you the flexibility of using competitors tubing with the 748 Stretcher.





Plastic Stretcher Carrying Case #753-60

Durable molded plastic case for easy stretcher transport. Reinforced steel double hinges heavy-duty clasps. Fits all Taylor power stretchers



Cotton Head #740-06

The Multi-Purpose Cotton Head Assembly easily converts your stretcher to stretch level loop and Berber carpets. Our cotton head is completely covered with teeth to provide the safest and largest cotton head surface on the market. Fits Taylor Power Stretcher #748 and competitors.





You can put a 100' (12/3) extension cord on this tacker!



Deluxe Tacker

#719

This heavy duty professional tacker features a special electromagnetic coil for the most powerful, fastest operation in the industry at only 10 amps. This means you can run a longer electrical cord without reduction in power.

Features include a quick release front plate for easy jam-clearing, a safety trigger to prevent accidental firing, and a full length trigger grip for use in all positions.

The housing has a lifetime warranty and is made of tough fiberglass and reinforced resin for reduced weight (only 3 lbs.) and prevention of wall marring. The ergonomic design provides easy one-hand operation and includes fast and simple rear loading with a built-in pusher.

The #719 accepts Duo-Fast™ type 5418 chisel or divergent point staples from 1/4" to 9/16".

Quick Face Plate Release

- Clearing jams is as easy as 1...2...3!
- 1. Depress release lever
- 2. Clear jammed staples
- 3. Snap face plate back and release lever





The Taylor 719, 718 difference **Both Tackers use the**

same 5418 staples!

Adjustable power setting

Hand Tacker

#718

Ideal if you don't have power or for small jobs. Uses same 5400 series DuoFast staples as electric tackers. Adjustable power setting to penetrate hard woods. Fast loading system built into housing. Extended lip reaches into tight areas - great on stair risers. Patented quick-release "front nose door" provides instant unjamming.





Fits between steps.



Deluxe Knee Kicker #825

The #825 Deluxe Knee Kicker features the widest head, the largest bumper pad and one of the longest extensions of any kicker on the market. This combination allows you to move 1/3 more carpet with every kick. The rubber bumper and hand grip also make the #825 Kicker the most comfortable one to use.

But the biggest advantage this kicker has is the unique, hardened stainless steel saw tooth blades which let you really bite into the carpet and at the same time prevent the kicker from clogging up with yarn fibers and scuffing the carpet face like wornout staple nap grips.

What'll it be... Hardened steel Sharkteeth blades or flimsy wire staples?



#800-15

The overwhelming success of the stainless steel tooth plate on our #825 Deluxe Knee Kicker led to the development of SHARKTEETH. These hardened stainless steel blades replace wimpy wire staples on any single screw nap grips. 5 times longer lasting, the long pins penetrate deep into pile to positively grab all carpet types.





The #800-15C version of Sharkteeth is made to fit the Crain #600 knee kicker.





The classic style kicker made even better. Manufactured to Taylor's high quality standards and specifications. Available with Sharkteeth. Just add ST to part no.



Mini Restretcher with Seam Repair #746

Includes Restretch Blade. Available with Sharkteeth. Just add ST to part no.

"Position Lock" locks stretcher head in any desired position.

Stretcher Hook now with Pressure Limiter #737

The popular #737 Taylor Stretcher Hook is now better than ever. An internal spring gives under extreme pressure to reduce the chance of broken prongs. A set screw in the base allows installers to adjust the release pressure.

This innovative, lightweight (1.5 lb.) tool stretches from the floor, not from the wall, so you can eliminate tubes, tailblock assembly and carrying cases. All you need is the #737 Stretcher Hook and stretcher head (adapter tube necessary with Taylor stretcher #748).

spring pressure

Set screw adjusts

Internal spring gives under extreme pressure to reduce the chance of a broken prong

Caution: This tool can only be used on carpets that have the manufacturer's approval. This tool will damage the floor surface under the carpet. Installers should not use on hardwood floors.



Taylor Seaming Irons

Many of the features on our #893 Tru-Trak Seam Welding Iron have proven so popular that we've incorporated them into our standard irons. Now the best conventional irons on the market are better than ever!



#893-05 Nap Spreader allows you to inspect the alignment of the carpet backing as you're making the seam.

Taylor Iron

#890 Patented

All Taylor Premium Seaming Irons include a powerful, new 900 watt heating element and a 24' cord.

- An important safety feature Red light means: "Caution, power on, iron is hot!" Green indicates: "Selected temperature has been reached"
- Temperature control knob on top of handle for easy adjustment.
- Super cool handle features unique setback design for easy seaming under toe kicks. (The new handle is also available as a replacement part.)

Which setting? Now you know!

Now all Taylor premium irons include a valuable handle label that tells you how hot your settings are - so if the carpet manufacturer recommends a certain heat, you'll know exactly which setting to use.



Additional features:

- Patented Teflon Carpet Guard System prevents distortion of Action Bac!
- Exclusive #890 heating area pre-heats carpet backing!
- Super slick, super tough base coating!
- Includes heavy duty iron tray with reinforced iron rests and 24' cord!
- 2 year warranty

Tail Fin Now Included on all 890 & 896 Irons

Taylor Wide Iron

#896 Patented

- Includes all the same great features as the #890 iron but it's 6" wide!
- Wafer thin base and shield design reduces profile under carpet (it just seems to disappear)



Now you can have any of the Taylor Tools Irons with a lighted handle.

(Just add an "L" to the end of the part #)



New Light On Seaming!

The Nap Light option for all Taylor Tools seaming irons helps prevent seaming errors by providing illumination to the most critical area of the seaming operation.

This combination of floodlight and spotlight built into the handle is powered by the iron's 110V AC current and automatically lights up when the iron is plugged in.

Ideal for closets and other poorly lit work areas, the Nap Light lets you clearly see the smallest details. Check out the Nap Light feature at your local Taylor Tools distributor today!





Teflon[®] Carpet Guards #325, #326 Patent #5294284

The most effective way to **properly** reduce excessive heat reaching the carpet backing. Fits most irons sold today.

If you can't touch the top of your iron without burning your fingers, can it really be safe enough for those heat sensitive carpet backings?



SEAM SEALING & SEAMING

Much Easier and Faster Than a Glue Gun Tip!

Throw that glue bottle away and meet the future of carpet seaming. The patented 1-Step Seam Sealing and Seaming System from Taylor Tools not only drastically reduces installation time, it results in a better, stronger seam.

The 1-Step Seaming Iron's unique welding head applies a precise amount of hot melt adhesive to the carpet seam edges, locking in the face yarns while simultaneously welding the seam together.

The result? A joint that is actually stronger than the rest of the carpet with a seam that will remain flat even after stretching with virtually no seam peaking.

Instruction in the proper procedure is required for optimum results. Call, write or visit the Taylor Tools website for more information.

Slashes Installation Time!

Traditional Method



- 1. Apply a bead of seam sealer to one edge of carpet
- 2. Apply a bead of seam sealer to the other edge
- 3. Wait for sealer to dry
- 4. Seam the carpet

The 1-Step Seam-Weld Method

1. Seam-Weld the carpet



Our unique nap spreader controls contact between nap and adhesive

The iron's welding head extrusion ports channel adhesive from the tape to both edges of the carpet backing.

> Taylor #893 Seam Weld Iron

Face yarns are locked in place with hot melt for increased seam strength and minimal seam peaking.

ø

You Can't Make a Stronger Seam!

- Minimizes handling
- Provides a perfect, lay-flat, no-peak seam. . .every time!
- Actually fortifies the seam now the seam is the strongest part of the carpet
- Ideal for restoration

Major mills prefer 1-Step for making and sealing seams...

"Using the Taylor #893 Seam Weld iron with a trained installer in accordance with the new CRI-105 standard for installation, Shaw Technical Services feels this is an acceptable way to seal carpet seams."

James Mullins Technical Services Installation Manager Shaw Industries, Inc.



"Mohawk Technical Services has found the Taylor 893 Seam Weld iron to be an effective way to make and seal seams when used by a trained installer in compliance with CRI-105."

> Jack Earwood Installation Manager Mohawk Industries, Inc.





Conventional Seaming Irons

#790 Iron #796 Wide Iron

Now you can get a quality iron at a budget price. These irons include such features as a 900 Watt heavy-duty heating element for fast heat-up, a 5-setting thermostat and a fully grooved base. Both irons come with a heavy-duty iron tray, a 12' power cord (also available with a 24' cord) and a 90 day limited warranty.



#888 4" Seam Roller **#889** 6" Seam Roller #8885 4″ Sr #8895 6″ Sr

4" Smooth Seam Roller 6" Smooth Seam Roller

Carpet Seam Rollers

Rolling the spiked wheels of the Seam Roller over heat bond seams increases the transfer of the hot melt adhesive to the carpet backing thereby improving the strength of the seam. This action also enhances the appearance of the carpet at the seam. For use on loop pile carpets.

Smooth Seam Rollers

New smooth roller surface is now required for plush carpets. Won't leave tractor marks. Can be used on all carpet styles.



Iron Replacement Parts of our Manufacture to Fit Taylor, Roberts* and Orcon* Irons

*Roberts is a registered trademark of Roberts Q.E.P. O'Tool with whom we are not affiliated. *Orcon is a registered trademark of Orcon Corporation with whom we are not affiliated.



890-15-00 Portage Unit Assembly Pkg: 1 ea. For Orcon irons, std. & wide.



890-06-00 Plain Thermostat Fuse Pkg: 5 For all Taylor & Roberts irons.



890-05-00 Wire Harness Fused Pkg: 1 ea. For Roberts 182 style irons, std & wide.



890-22-00 12' Power Cord w/Terminal Block & Cord Spring Pkg: 1 ea. For Roberts 182 style irons.



890-19-00 Heat Element: 110 V, 1050 W Pkg: 1 ea. For Taylor wide irons, Roberts 286 style, Orcon wide irons. Use on wide irons only.



890-07-00 Wire Harness w/Resistor Light & Ground Wire Pkg: 1 set For Roberts 182 style iron, standard & wide.



890-47-00 Wire Harness w/Resistor Light Pkg: 1 ea. For Taylor 790, 796 & Orcon irons.



890-24-00 24' Power Cord w/Connectors Pkg: 1 ea. For Taylor & Orcon irons.



890-03-00 Heat Element Cover Pkg: 1 ea. For Taylor & Orcon std. width irons.



890-02-00 Heat Element 110 V, <u>900 W.</u> Pkg: 1 ea. For Taylor 4" irons, Roberts 182 style & Orcon std. width irons.



893-02-00 890/893 Wire Harness Fused Pkg: 1 ea. For Taylor 893, 890, 896



890-46 Wire Harness Fused Pkg. 1 ea. For 790 & 796



890-12-00 12' Power Cord w/Connectors Pkg: 1 ea. For Taylor & Orcon irons.



890-09-00 Heat Shield w/Fasteners Pkg: 1 ea. For Roberts 182 style, Orcon standard width irons.



890-04-00 Thermostat w/Fasteners Pkg: 1 ea. For Taylor irons, Roberts 182 style & Orcon irons. Std. & wide irons.





890-08-00 Heat Shield Gasket Pkg: 1 set For Taylor 790, Orcon irons.



893-03-00 Heat Shield "O" Ring Gasket Pkg: 1 ea. For Seam Weld 893 & 890.



896-03 Wide Carpet Guard Pkg. 1 ea. For Taylor 896, Roberts 182



893-04-00890/893 Handle Set w/Fasteners Pkg: 1 set. Specify Red for 893, Orange for 890 & 896.



893-06-00 890/893 Temperature Control Assembly Pkg: 1 set. For 893, 890, 896.



890-18-00 Wide Heat Shield Gasket Pkg: 1 set For Taylor 796, Roberts 286 & Orcon wide irons.



Standard Width Iron Tray Pkg: 1 ea. For Taylor 890, Roberts & Orcon standard width irons.



890-10-00 Carpet Guard Pkg: 1 ea. For 890, 893



890-11-00 Universal Handle Set w/Fasteners Pkg: 1 set. For Taylor 790, 796, Roberts 182 style & Orcon irons. Std & wide irons.



890-13-00 Temperature Control Knob Pkg: 1 set (includes 1 knob, 1 extension). For Taylor 790, 796, Roberts 182 Style & Orcon irons. Std. & wide irons.



890-16-00 Handle Gasket Pkg: 1 ea. For Taylor 790, 796, Roberts 182 style & Orcon irons, std. & wide.



Wide Iron Tray Pkg: 1 ea. For Taylor 896, Orcon & Roberts wide irons



893-05-00 890/893 Nap Spreader w/Screws & Spring. Pkg: 1 set. For Taylor 890, 893 & 896



890-20-00 Universal Fastener Kit Pkg: 1 set For Roberts 182 style iron, std. & wide.



Protimeter Moisture Meters

for moisture detection, measurement and testing in the flooring industry





Your One-Stop Source for Testing Equipment and Supplies



Calcium Chloride Moisture Test Kits #625

- A Must For Every Installer
- Inexpensive and Easy to Use
- The Most Accurate, Widely Accepted Quantitative Method on the Market Today
- Your Best Insurance Against Liability for Installation Failures Due to Moisture
- Includes Temperature Indicator

First developed by the Rubber Manufacturers Assn. Inc., the Calcium Chloride Moisture Test Kit accurately measures the amount of moisture (in lbs.) coming through the slab over a 1000 sq. ft. area during a 24 hr. period. For many manufacturers of flooring materials, it is the only acceptable method of testing for moisture. Very inexpensive. Price includes test and archival service. Weighs 1 lb.

#625-00-POP

Budget-priced version of the #625 Calcium Chloride Moisture Test Kit, specifically packaged for display sales

the state of the party of the p
- Robinson Rate Prace Visit Many Fisher
And a state of the
AND A PARTY
MOISTURE
TEST KIT
- Rear and a second sec
an alter after
Sector 1
A Design and the second s
Terror Southerney





#625-POP-VP Lowest priced kit.

Includes 3 calcium chloride tests only. (No pH test).



Moisture Test Kit Gram Scale #626

Use to confirm your pre-weight and weigh the Calcium Chloride after exposure. Then do the calculations and send the sample back for free confirmation documentation and archival service of your test.



pH Meter #PH-100

Make quick, precise pH readings of concrete and carpet surfaces. The PH-100 is the only such device that has a surface contact probe.

#625-B

The most economical way to buy CaCl test kits. Each box includes 50 domes and test dishes, 1 ea. instruction sheet and log sheet.



Universal Vinyl Tile Cutter #997 (12") #997-18 (18")

Easy-to-read measurement in inches and centimeters. Movable or stationary use. Flip-proof handle. Movable tile guide.

Multi Purpose Wall Trimmer #715

Make faster, cleaner cuts without marking walls. Use hooked blades for carpet tiles, slotted blades for regular carpet or vinyl sheet goods. Anti-friction boot snaps on to glide smoothly over sheet goods. Adjusts for most material thicknesses, lays flat for clean, precise cutting under toe-kicks.





Kicker Pick/Row Tracker Two Useful Tools In One! #800-16

One end of this unique tool has a series of blades specially designed for fast, easy cleaning of your stretcher and kicker heads including Sharkteeth. The other end traces factory rows on a wide variety of carpet styles.

Adjustable Row Tracker/Kicker Pick II #800-17

Adapt this versatile new version of our popular row tracker for any type of carpet. The tip can be adjusted to give various degrees of row spreading. The other end contains blades for fast, easy cleaning of stretchers and kicker heads. Private label available with quantity purchases. Call for pricing.



Blunt Setting



Pointed Setting



They're back!

The tried and true classic versions of these great tools are back in production!

Conventional Trimmer #716

An <u>improved</u> version of the traditional style carpet trimmer popular with installers. The #716 Trimmer features a non-slip handle grip and a blade stop guide assembly that prevents blade movement during cutting action. The #716 comes with a Delrin guide to prevent marring of base boards and all parts are interchangeable with Roberts #10-616 Trimmer. Comes with a ONE YEAR WARRANTY.







Top Cut Cushion Back Cutter #998

Adjustable blade cuts any thickness of cushionback and conventional carpet. Close-cutting on either side with two lockable blades.



Loop Pile Cutter #999

Cuts virtually any thickness of loop pile. Throat opening automatically adjusts for different carpet backs. Handle attached to support base provides increased leverage, easier guiding and cutting. Two-blade design allows left or right blade operation, better cutting angle, easier blade insertion.









#200 Patent #4906323

A patented 1 or 2-man carpet clamp that takes a bite out of the biggest jobs. Lockjaws feature stainless steel teeth that really lock onto the carpet and a wide cushion-handled grip that lets a couple of guys really put some muscle into a big tear-up. You can even hook Lockjaws up to a winch.





For even greater holding power when removing carpet with a power winch. Purchase ready-made double and/or triple Lockjaws.



Carpet Clamp #822

A terrific handy and inexpensive device to help you pull up or unroll carpet or sheet goods. Gives you incredible leverage. The harder you pull, the tighter the grip. Every installer's tool box should have one.

Deluxe Carpet Clamp #824

Works on the same principle as the #822 clamp but the Deluxe model features all cast aluminum construction which makes it a much more durable clamp because there are no welded parts. The all aluminum construction also allows us to make the clamp bigger but at the same weight as the #822 clamp (1.5 lbs.)



Hardened Pins!



E-Z TUCK #807

Get rid of your other tucking tools and install carpet 20% faster with the versatile E-Z Tuck.

- Tuck "Z" Bar and metal borders - even heavy berbers!
- Set carpet on tack strip works great with power stretchers!
- Creases carpet for trimming and tucks carpet smoothly against the wall!
- Goes hand-in-hand with kickers!
- Faster and easier than stair tool for stairs!
- Ideal for glue-down!

Deluxe E-Z TUCK #808

For faster installation and a longer tool life, the Deluxe E-Z Tuck has a permanently lubricated bearing which creates a smoother action and eliminates wear on the wheel.



Stair Tool 3¹/2" #857

Rugged chisel steel blade drives carpet into crotch on stairs installations and tackless installations. Forged hi-carbon steel, heat treated and tempered for many years of reliable service. Length: 8"

#857C

Soft, no-slip handle grip reduces fatigue and shock. Now available in a rainbow of distinctive colors.





Concrete Nail Driver #870

Sink concrete nails with a single blow from a standing position with the incredible #870 concrete nail driver.

No misses and no damage to walls resulting from misses because the outer tube (sleeve) guides the inner tube or mallet in the striking sequence - saves fingers and base boards.

The Driver also features a replaceable magnetized tip for locating and holding loose nails and a convenient handle for installation flexibility.

Specifications All Steel Construction Weight: 12 lbs. Length: 47"



No more stooping or bending over to locate loose nails. Simply use the magnetized head.

replaceable magnetized tip #870-01



BANG-IT!

Door Hinge Pin Remover #835

- Fast! Easy! Safe!
- Won't Damage Doors or Molding!
- Made in USA!





Door Hinge Pin Remover #830

Hammer pin up from bottom or pry pin up from top with this <u>hardened</u> nickel-plated steel tool.



Put Your Logo Here! (available with private labeling in quantities)

Superknife 2

#502

The SUPERKNIFE 2 folding utility knife is far superior to any similar knife on the market.

Customers are raving about the fast, easy blade replacement and the industrial-strength blade locking system.

Visit our website to see a video of the Superknife 2 in action!



#503 With patented(patent # 6,845,561) "Quick Flip" blade changing technology.



Molding Lifter #818

11" Forged steel. Maximum leverage, with smooth wide ends to eliminate damage to baseboards. Slim notched ends for easy nail and brad pulling.



Drive Down Bar #867

For use under toe spaces, and other hard to reach places to drive nails in tackless strip, metal molding, etc. Lifetime guarantee against breakage. **#904** (36") **#906** (75") Anodized finish protects against dam

Aluminum Straight Edge

Anodized finish protects against damage. Nail hole at one end and 45° mitre at the other. Grooved bottom prevents slipping.



New Super Strong Magnet!

#813



#816

#812

#814



Tool Pouches

All our tool pouches are made of top quality grain leather and are constructed to withstand rugged use day in and day out.

#816

Knife pouch

#812

Box with pocket flap.

#813

Flared shape, single pocket pouch with pocket flap. $4^{1}/2^{"} \times 7^{1}/2^{"}$ overall size.

#814

Same as #813 without pocket flap.

#815

Five (5) pocket box shape pouch features one large main pocket plus two smaller pockets. Also has two (2) tapered holders. $6^{1}/2" \times 7" \times 1^{1}/2"$ overall size.







#315

18" Broom with Handle #315

Polystyrene bristles with split tips give our brush and broom better sweep action, more durability, better fiber bend recovery and at a far lower cost than horsehair models.

The broom comes with a 5' wooden handle and support hardware. The bristles are 3" long with a brush face of 18" set in a clear lacquer hardwood block.

24" Broom with Handle #314

For those who like a wider sweeping action. Features 3" flagged plastic bristles set in clear lacquer hardwood block. Comes with 5' wooden handle. Weighs 3 lbs.



Counter Brush #310

Brush bristle length is 2 5/8" long with a 9" face set in a clear lacquer hardwood block.



This is the HOT one! 1000° F Heat Gun #885

Adjustable air intake regulator provides temperatures from 500°F to 1000°F. Replaceable brushes and Quick Change heating element extends life and eases servicing. Weight: 2 3/4 lbs. including stand.115V, 15 amp., 27 cu. ft./min air flow.





7¹/2" Napping Shears #846

Rug Shears for hooked and candlewick rugs. Solid steel. Nickel plated blades. Double sharp points. Offset handles.

Duckbill Shears #848

Hot forged from special scissor steel, salt bath hardened, nickel electroplated, highly polished. Precision cutting blades that will not gouge while napping.

10" Carpet Shears #845

#844

Hot drop forged. Commercial finished blades. One blade is ground to a knife-edge for faster, cleaner, easier cutting.

Carpet Installation Kit

Complete kit of the most frequently used tools for carpet installation. Costs less than purchasing tools individually. Includes 1 each of the follow-

Box Leather Tool Pouch

Adjustable Row Tracker/Kicker Pick

Loop Pile Cutter

Molding Lifter

Carpet Clamp

Carpet Trimmer

Duckbill shear

24" Tool Box

Stair Tool

Deluxe Knee Kicker

Seam Roller - Smooth Seaming Iron

12" Carpet Shears #844

#880

ing tools: #999

#800-17 #812

#818

#822

#825

#716

#848

#857

#888S

#790

#924

Same as #845.

#845



24'' Tool Box #924

 $24^{1}/2$ " long x $9^{1}/2$ " deep x $9^{1}/2$ " high.

Heavy duty comfort grip handle. Cap end construction on the cover and shell makes boxes stronger and more watertight. Protective watershed cover, with staked piano hinge. Wide rolled front edges for added strength and rigidity. Heavyweight hardware, heavily plated to prevent rust. Welded-in tray supports. Sure grip handle on 3 compartment tote tray.







"Cool Tip" Glue Gun #886

60 watts of power. Provides fast, easy seam sealing and carpet repair. Special cool tip on gun protects carpet fibers from heat.

Power indicator light lets you know gun is on and hot



Carpet Repair Tips #886-05 Micro Repair Tip #886-06 High Flow Repair Tip

These glue gun tips specially designed for repairing carpet feature a slender, needle-nose design to penetrate the deepest pile. The Micro is for precise repair work while the High Flow is for larger repairs.

Made from a fully hardened copper alloy, the tips heat much faster and stay hot far longer than standard aluminum glue gun tips.

This copper alloy conducts heat 10 times faster than aluminum allowing the tips to be longer with a smaller orifice while not impeding the flow or plugging up. You will be able to make repairs to carpet never before possible with traditional glue guns and tips.



Glue Sticks

#887-01 4" Glue Sticks (30/bag) **#887-10** 10" Glue Sticks (12/bag) Also available in 25 lb. boxes

Special Taylor formula minimizes fiber and backing distortion. Anti-oxidants reduce degradation, **yel-lowing** and hardening from U.V. exposure. <u>Includes</u> a flourescent material that reflects "black" light for easy seam inspection. Fits your Taylor, Crain, Orcon or Roberts.

Laminate Installation Tools





Laminate Installation Kit #375

Contains 4 wall spacers, 3 Fast Straps, 3 vacuum cups, 1 power shunting device. All contained in durable steel carrying case.





Vacuum Cup

#375**-0**1

Use in combination with Fast Strap and other clamps. No interruption of installation because of suction of the panels from the top.

Power Shunting Device #375-03

For fast, efficient installation of parquet, laminate, cork, melamine and hardwood. Combines shunting and hammering. No damage to tongue and groove. Includes new swivel head.

Fast Strap

#375-33

Cut installation time in half! Uses a rubber cord to create constant/instant tension. No time-consuming ratcheting. . . simply Pull-Place-Release. Includes a built-in tapping block and 25' of glue-resistant strap.



#375-04 Handy wall alignment brace for setting the distance to the wall and adjusting the tension of the floor boards.

In Situ Probe Site Result Log

REPORT OF RELATIVE HUMIDITY IN CONCRETE

	Name ar	nd address o	f structure				r Construc		
					То	tal Slab	Thickness	inches	
Test Location (use room numbers or building grid)	Depth from top of slab (inches)	Relative humidity in concrete (%)	Temperature in concrete (°F)	Air temperatur (°F)		elative dity (%)		Notes	

Instrument Used

Make, Model, Serial Number	Last calibration date	

Tests Performed By:

Name	Date
Company name, address	



for all your moisture testing tools and supplies

303-371-7667

www.taylortools.com